


ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	T1503KT48TA	Universal ring mount 10"-48" Kit	1
2	K1400KT12XS	Platform Assembly, 12' face, Xtra Heavy Duty	3
3	P1400KT13	Sq. tube, 13'x3.5'x3.5", 1/4" wall, HDG	3
4	H7936KTSQ	U-Bolt sq,1/2"Dx5-1/4"Lx3-5/8"IL;2"T HDG	18
5	H3012KT12GSAE	Flat washer, 1/2", SAE (A325), HDG	36
6	H3002KT12G	Lock washer, 1/2" HDG	36
7	H2002KT12GA3	Nut, 1/2" HH, HDG (A325)	36
8	H1029KT214GA3	Bolt, 5/8" x 2-1/4" (A325) HH HDG	12
9	H3012KT58GSA3	Flat washer, 5/8", SAE (A325), HDG	12
10	H3002KT58G	Lock washer, 5/8", HDG	12
11	H2002KT58GA3	Nut, 5/8"HH, HDG (A325)	12
12	T1722KT5S	Square tube pipe mount, 2-7/8" OD x 3.5" sq tube	15
13	T3909KTSG	Surround Grating Kit for Co-Lo Platforms	3
14	P1200KT12.5	3.50" OD Pipe, 150" Long	3
15	K7942KT6-2	U-bolt kit, 3-1/2" OD (2 u-bolt)	6
16	K5000KTHD	Corner Conn Plate for pipe hand rail HDG	3
17	T1709KT253SA	Single Xover Kit-2-7/8" to 3-1/2" pipe	15

NOTES:

Antenna Pipes should be centered and evenly spaced.

Fits Monopole: 10" to 48" OD

Position mount or adjust safety climb cable so not to hinder or damage or obstruct the safety climb. Safety cable routing bracket may be purchased separately.

All fasteners should be tightened to "snug tight" per AISC 6.5.2.

This mount is rated and approved for

M1650R(1450)-5(24)

Mount Design Criteria ANSI/TIA-222-H-2017 and TIA-5053 sec 2.3

KENWOOD TELECOM
3431 Navis Pointe Acworth, Ga 30101
(770) 975-0500 office (770) 974-5100 fax

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL: ± 1/32
ANGULAR: ± 2°
ONE PLACE DECIMAL: ± .06
TWO PLACE DECIMAL: ± .03
THREE PLACE DECIMAL: ± .010
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL
FINISH
DO NOT SCALE DRAWING

	NAME	DATE
DRAWN	KAR	2/7/20
CHECKED		
ENG APPR.		
MFG APPR.		

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF KENWOOD TELECOM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF KENWOOD TELECOM IS PROHIBITED.


KENWOOD TELECOM

TITLE: Platform Assembly, Xtra Heavy Duty, 12' square tube face with 3.5" OD handrail, 10"-48" ring

SIZE	DWG. NO.	REV
	T1542KT12XS-M-H35	F

SCALE: 1:22 | FINISHED WEIGHT: 2020 lbs | SHEET 1 OF 1

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	K1503KT40	Ring mount collar, 10-40"	3
2	K2325KT50i	3/4-10x50" F1554 gr 55lc HDG rod	9
3	H3002KT34G	Lock washer, 3/4", HDG	18
4	H3012KT34GSA3	Flat washer, 3/4", SAE (A325), HDG	18
5	H2002KT34GA3	Nut, 3/4" HH, HDG (A325)	18



KENWOOD TELECOM
3431 Novis Pointe Acworth, Ga 30101
(770) 975-0500 office (770) 974-5100 fax

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL: ± 1/32
ANGULAR: ± 2°
ONE PLACE DECIMAL: ± .06
TWO PLACE DECIMAL: ± .03
THREE PLACE DECIMAL: ± .010
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL
FINISH
DO NOT SCALE DRAWING

	NAME	DATE
DRAWN	KAR	4/21/15
CHECKED		
ENG APPR.		
MFG APPR.		

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF KENWOOD TELECOM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF KENWOOD TELECOM IS PROHIBITED.


KENWOOD TELECOM


TITLE:
Universal ring mount 10"-48" Kit
Triple Threaded Rod


SIZE	DWG. NO.	REV
B	T1503KT48TA	

SCALE: 1:8 | FINISHED WEIGHT: 157.74 | SHEET 1 OF 1

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	T3909KT10	Gripstrut,11-3/4"x10' /3" rail, 12g	1
2	K1509KT	Plate, Surround Grating	2
3	H7936KTSQ	U-Bolt sq,1/2"Dx5-1/4"Lx3-5/8"IL;2"T HDG	4
4	H3012KT12GSAE	Flat washer, hardened, 1/2", SAE, HDG	8
5	H3002KT12G	Lock washer, 1/2" HDG	8
6	H2002KT12GA3	Nut, hex heavy 1/2" HDG A325	8
7	K9925KT	J-bolt, 3/8", 8"long w/6-1/2" threads	6
8	H3012KT38G	Flat Washer, 3/8", HDG	6
9	H3002KT38G	Lock Washer, 3/8", HDG	6
10	H2002KT38G	Nut, hex heavy 3/8", HDG	6







KENWOOD TELECOM
3431 Novis Pointe Acworth, Ga 30101
(770) 975-0500 office (770) 974-5100 fax

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL: ± 1/32
ANGULAR: ± 2°
ONE PLACE DECIMAL: ± .06
TWO PLACE DECIMAL: ± .03
THREE PLACE DECIMAL: ± .010
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL
FINISH
DO NOT SCALE DRAWING

	NAME	DATE
DRAWN	KAR	9/25/15
CHECKED		
ENG APPR.		
MFG APPR.		

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF KENWOOD TELECOM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF KENWOOD TELECOM IS PROHIBITED.

KENWOOD TELECOM

TITLE:
Low Profile Co-Location Platform, 12'6" Face

SIZE B | DWG. NO. T3909KTSG | REV

SCALE: 1:10 | FINISHED WEIGHT: 57.73 | SHEET 1 OF 1