

PREMIER[®]

TM



Product Catalog

Telephones & Accessories | Headsets | Voice & Data Electronics
| Power, Protection & Fuses | Jack Plates & Accessories |
Wiring Systems | Cable Assemblies & Cords | Wiring Cable |
Conduit & Innerduct | Outside Plant | Tools & Test | Supplies



[Previous](#)

[Search](#)

[Print](#)

[Next](#)



Table of Contents

Telephones & Accessories	Page
Telephones-Corded	
Corded Phones, 2500 Desk / 2254 Wall	6-11
Corded Phones, Single-Line Basic Phones	12
Corded Phones, Single-Line Caller ID Phones	13
Corded Phones, Single-Line Business/Hospitality	14
Corded Phones, Multi-Line Business/Hospitality	15
Corded Phones, Multi-Line	16-17
Telephones-Cordless	
Cordless Phones, Single-Line (6.0 DECT)	18-19
Cordless Phones, Single-Line (5.8 GHz)	20-21
Cordless Phones, Single-Line (2.4 GHz)	22-24
Cordless Phones, Single-Line (900 MHz)	25
Cordless Phones, Multi-Line	26
Telephone Peripherals	
Caller ID Adjuncts	27
Telephone Repair Parts	
Series 7000	28-30
2500/2554	30-39
Weatherproof Enclosure	40
Telephone Cords	
Handset Cords	41
Line Cords	42-45
Bells & Ringers	
Bells	46
Ringers	47
Headsets	Page
Wired	48-51
Wireless	52-53
Mobile	54-55
Computer	56

Voice & Data Electronics	Page
Connection Central™	57-58
Switches	59-60
MSAP/IP DSLAM	60-64
Modems & Filters	65
Power, Protection & Fuses	Page
Surge Protection	66
Uninterruptible Power Supplies	67-69
Station Protection	70-72
Jack Plates & Accessories	Page
Jack Plates	73-76
Surface Blocks	77-84
Wall Jacks	85-89
Adapters	90-92
Couplers	93
Wiring Systems	Page
66 Blocks	94
110 Blocks	95
Residential	96-97
Connectors	98-99
Faceplates and Housings	100-103
Patch Panels and Fiber Boxes	103-106
Racks, Brackets, and Shelves	107
Cabling	108
Surface Raceway	109-113
Wiring Duct	114
Cable Assemblies & Cords	Page
Connectorized Cables	115-117
110 Patch Cords	118
Cat.6 Patch Cords	119
Cat.5e Patch Cords	120-121
Fiber Jumpers	122-124

Table of Contents

Wire & Cable	Page
Jumper Wire	126-127
Cross Connect Wire	128
Station Wire	129
Inside Wire	130-137
Distribution and Service Wire	138-140
Temporary Drop Wire	140
Ground Wire	141
Switchboard Cable	142
T-1 Cable	143
Power Wire	144
Guy Strand	145
Lashing Wire	145
Conduit & Innerduct	Page
Conduit Schedule 40	146
PVC Conduit Accessories	147
C-Duct	147
Innerduct	148-149
Innerduct Couplers	149
Outside Plant	Page
Cable Gaurds	150
Suspension and Drop Hardware	150
Ground Rods	151-153
Bonding and Grounding Harware	153-154
Bonding Braids	155-156
Pedestals	156
Terminal Block-Mini Rocker	157
House Risers	158

Tools & Tests	Page
Speciality Tools	159
Hand Tools	159-166
Linemans Test Sets	167
Test Sets	168
Crimping and Stripping Tools	169
Punch Down Tool	170
Fiber Optic	171
Fish Tape	171
Supplies	Page
Cable Ties	172-177
Splicing Supplies	178
Decals and Tags	178-181
Marking Paint	182
Encapsulants	182
Batteries	183
General Supplies	183-184

PREMIER® Products

Quality

ISO 9001 sourced products

Value

Broad selection of quality items at competitive prices

Reliability

Carrier/commercial grade performance



Diverse Selection of Telecom, Datacom and Related Commodity Items

Our comprehensive product line includes items such as:

- ▶ Modular Hardware
- ▶ PREMIER Structured Wiring SystemSM
- ▶ Customer Premise Equipment
- ▶ Inside Wire and Cable
- ▶ Analog and DSL Modems
- ▶ Outside Plant products
- ▶ Tools and Test Equipment
- ▶ Network Interface Equipment
- ▶ Surge Protection
- ▶ Uninterruptible Power Supplies
- ▶ And much more...

Quality Assurance Testing

Our products are put to the test through rigorous testing processes. All products meet or exceed industry regulatory standards and are ISO 9001:2000 sourced.



PREMIER® Product Warranty

All PREMIER-branded products have a 5-year limited warranty from the date of purchase against defects in materials and workmanship. Within the warranty period, Embarq Products, Inc. (Embarq) will replace any PREMIER-branded product that proves to be defective. Embarq, in its sole discretion, may replace a defective product with a substantially similar product. This warranty does not extend to damage or failure that results from misuse, neglect, accidents, alterations, abuse, improper installations or maintenance. To make a claim under this warranty, contact PREMIER at 1-913-791-7000 or by fax at 1-913-791-7022.

THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Customer's sole and exclusive remedy against Embarq will be the replacement of the PREMIER product as provided by and within the time period specified in the PREMIER Product Warranty. Embarq will have no other obligation to provide to Customer any other remedy, including but not limited to special, indirect, incidental or consequential damages, which includes without limitation damages for lost profits, lost revenues, loss of use of facilities or equipment or cost of substitute equipment arising out of the use or inability to use the product, injury to persons or property or any other incidental or consequential loss, even if Customer has advised Embarq of the possibility of such damages. Embarq's liability for damages will not exceed the purchase price of the defective product. This limited warranty is non-transferable without the prior written approval of Embarq.

PREMIER Structured Wiring System Warranty

All PREMIER Structured Wiring System products have a 25-year limited warranty from the date of shipment against defects in materials and workmanship occurring under normal and proper use to perform in accordance with the transmission performance requirements outlined in the current edition of the ANSI/TIA/EIA-568 specification. Within the warranty period, Embarq Products, Inc. (Embarq) will replace any PREMIER Structured Wiring System product that proves to be defective. Embarq will not be responsible for any costs to remove or reinstall any defective product. Embarq, in its sole discretion, may replace a defective product with a substantially similar product. This warranty does not extend to damage or failure that results from misuse, neglect, accidents, alterations, abuse, improper installation or maintenance. To make a claim under this warranty, contact PREMIER at 1-913-791-7000 or by fax at 1-913-791-7022.

THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Customer's sole and exclusive remedy against Embarq will be the replacement of the defective product in the PREMIER Structured Wiring System as provided by and within the time period specified in the PREMIER Structured Wiring System Warranty. Embarq will have no other obligation to provide to Customer any other remedy, including but not limited to special, indirect, incidental or consequential damages, which includes without limitation damages for lost profits, lost revenues, loss of use of facilities or equipment or cost of substitute equipment arising out of the use or inability to use the product, injury to persons or property or any other incidental or consequential loss, even if Customer has advised Embarq of the possibility of such damages. Embarq's liability for damages will not exceed the purchase price of the defective product in the PREMIER Structured Wiring System. This limited warranty is non-transferable without the prior written approval of Embarq.



Telephones-Corded

PREMIER® carries a broad portfolio of Corded Telephones. Our manufacturer list includes:

- ▶ PREMIER
- ▶ GE Thomson
- ▶ Uniden

Corded Phones, 2500 Desk / 2554 Wall



PREMIER 2500 Desk Phone

PREMIER Basic 2500 Desk Telephone

PREMIER 2500 desk phones from EMBARQ & PREMIER Products use industry interchangeable parts and have a 5 year warranty.

- Fully modular
- FCC registered
- Receiver volume control
- Hearing aid compatible
- Complete interchangeability with industry standard piece parts
- Soft-touch DTMF dial
- Provision for A-lead control
- Double gong ringer
- 12-ft. handset cord included with every modular desk phone
- Soft rubber non-skid feet

PREMIER

Item No.	Mfg. Part No.	Description
4723657521	250044-MBA-20M-H	PREMIER Model 2500 Basic Single-Line Desk Telephone - Ash
4723577521	250000-MBA-20M-H	PREMIER Model 2500 Basic Single-Line Desk Telephone - Black
4723637521	250015-MBA-20M-H	PREMIER Model 2500 Basic Single-Line Desk Telephone - White
4723597521	250009-MBA-20M-H	PREMIER Model 2500 Basic Single-Line Desk Telephone - Ivory
4720467521	250047-MBA-20M-H	PREMIER Model 2500 Basic Single-Line Desk Telephone - Red

Corded Phones, 2500 Desk / 2554 Wall



PREMIER Plus Telephones



PREMIER Plus 2500 with 90 Volt Message Waiting in the Faceplate, Ash

PREMIER® Plus 2500 Desk Telephones with 90 Volt Message Waiting in the Faceplate

- Message waiting
- Fully modular
- FCC registered
- Receiver volume control
- Hearing aid compatible
- Industry standard replacement parts available
- Soft-touch DTMF dial
- Provision for A-lead control
- Double gong ringer
- Clear faceplate with mat on desk models
- 12-ft. handset cord included with every modular phone
- 7-ft. line cord included with every modular desk phone
- Soft rubber non-skid feet

PREMIER

Item No.	Mfg. Part No.	Description
4712937521	250044-MBA-27P-CH	PREMIER Plus Model 2500 Desk Phone with Message Waiting Light in the Faceplate - Ash



PREMIER Plus 2500 Desk Phone with Message Waiting Light and Flash

PREMIER Plus 2500 Message Waiting and Flash Button

- Transfer access
- Message waiting
- Fully modular
- FCC registered
- Receiver volume control
- Hearing aid compatible
- Industry standard replacement parts available
- Soft-touch DTMF dial
- Provision for A-lead control
- Double gong ringer
- Clear faceplate with mat on desk models
- 12-ft. handset cord included with every modular phone
- 7-ft. line cord included with every modular desk phone
- Soft rubber non-skid feet

PREMIER

Item No.	Mfg. Part No.	Description
4718487521	250044-MBA-27F-CH	PREMIER Plus Model 2500 Desk Phone with Flash and 90 V. Message Waiting Light - Ash

Corded Phones, 2500 Desk / 2554 Wall



PREMIER Plus 2500 Desk Phone
with Flash in Ash

PREMIER® Plus 2500 Desk Telephone with Flash Button

- Transfer access
- Fully modular
- FCC registered
- Receiver volume control
- Hearing aid compatible
- Industry standard replacement parts available
- Soft-touch DTMF dial
- Provision for A-lead control
- Double gong ringer
- Clear faceplate with mat on desk models
- 12-ft. handset cord included with every modular phone
- 7-ft. line cord included with every modular desk phone
- Soft rubber non-skid feet

PREMIER

Item No.	Mfg. Part No.	Description
4717917521	250044-MBA-20F-CH	PREMIER Plus Model 2500 Desk Phone with Flash - Ash



PREMIER Plus 2500 Desk Phone with 90 Volt
Message Waiting Light

PREMIER Plus 2500 Hotel/Motel Desk Phones, Message Waiting, Quarter Modular

PREMIER Plus 2500 hotel/motel desk phones with 90 volt message waiting light.

- Message waiting
- Quarter modular with a clear faceplate
- Red neon 90 volt message waiting lamp on the housing
- 9-ft. line cord
- 12-ft. handset cord

PREMIER

Item No.	Mfg. Part No.	Description
4727567521	250044-QBA-27M-CH	PREMIER Plus Model 2500 Desk Phone with 90 V. Neon Red Message Waiting Light in Housing - Ash
4727477521	250009-QBA-27M-CH	PREMIER Plus Model 2500 Desk Phone with 90 V. Neon Red Message Waiting Light in Housing - Ivory

Corded Phones, 2500 Desk / 2554 Wall



PREMIER Plus 2500 with Message Waiting in Ash, Fully Modular

PREMIER® Plus 2500 Hotel/Motel Desk Phones, Message Waiting, Fully Modular

- Message waiting
- Fully modular with a clear faceplate
- Red neon 90 volt message waiting lamp on the housing
- 14-ft. line cord
- 12-ft. handset cord

PREMIER

Item No.	Mfg. Part No.	Description
4723897521	250044-MBA-27M-CH-14	PREMIER Plus Model 2500 Hotel/Motel Telephone - Ash



PREMIER Plus 2500 Desk Phone with Message Waiting Light and Data Jack

PREMIER Plus 2500 Hotel/Motel Desk Phones, Message Waiting, Modular, Data Jack

- Message waiting
- Quarter modular with a clear faceplate
- Red neon 90 volt message waiting lamp on the housing
- 14-ft. line cord
- 12-ft. handset cord
- Equipped with an RJ11C jack in the side of the phone for data, modular extension ringers, modular answering machines, portable data terminals or fax machines

PREMIER

Item No.	Mfg. Part No.	Description
4778797521	250044-MBA 27M-DCH-1	PREMIER Plus Model 2500 Hotel/Motel Telephone - Ash
4495017521	250044-QBA-27M-DCH-1	PREMIER Plus Model 2500 Hotel/Motel Telephone - Ash

Corded Phones, 2500 Desk / 2554 Wall



PREMIER 2554 Wall Phone

PREMIER® 2554 Basic Single-Line Wall Telephone

- Fully modular
- FCC registered
- Receiver volume control
- Hearing aid compatible
- Industry standard replacement parts available
- Soft-touch DTMF dial
- Provision for A-lead control
- Single gong ringer
- 12-ft. handset cord included with every modular phone
- Soft rubber non-skid feet
- Standard transmission network

PREMIER

Item No.	Mfg. Part No.	Description
4733767521	255444-MBA-20M-H	PREMIER Model 2554 Basic Single-Line Wall Telephone - Ash
4733737521	255400-MBA-20M-H	PREMIER Model 2554 Basic Single-Line Wall Telephone - Black
4733757521	255413-MBA-20M-H	PREMIER Model 2554 Basic Single-Line Wall Telephone - Beige
4733747521	255409-MBA-20M-H	PREMIER Model 2554 Basic Single-Line Wall Telephone - Ivory
4733797521	255415-MBA-20M-H	PREMIER Model 2554 Basic Single-Line Wall Telephone - White
4733317521	255447-MBA-20M-H	PREMIER Model 2554 Basic Single-Line Wall Telephone - Red



PREMIER Plus Wall Phone
with Flash in Ash

PREMIER Plus Single-Line Telephones

- Transfer access
- Fully modular
- FCC registered
- Receiver volume control
- Hearing aid compatible
- Industry standard replacement parts available
- Soft-touch DTMF dial
- Provision for A-lead control
- Single gong ringer
- Clear faceplate with mat on desk models
- 12-ft. handset cord included with every modular phone
- 7-ft. line cord included with every modular desk phone
- Soft rubber non-skid feet

PREMIER

Item No.	Mfg. Part No.	Description
4738517521	255444-MBA-20F-H	PREMIER Plus Model 2554 Wall Phone with Flash - Ash

Corded Phones, 2500 Desk / 2554 Wall



PREMIER Plus 2554 Wall Phone
with 90 Volt Message Waiting and Flash

PREMIER® Plus Single-Line Telephones

- Transfer access
- Message waiting
- Fully modular
- FCC registered
- Receiver volume control
- Hearing aid compatible
- Industry standard replacement parts available
- Soft-touch DTMF dial
- Provisions for A-lead control
- Single gong ringer
- Clear faceplate with mat on desk models
- 12-ft. handset cord included with every modular phone
- 7-ft. line cord included with every modular desk phone
- Soft rubber non-skid feet

PREMIER

Item No.	Mfg. Part No.	Description
4738627521	255444-MBA-27F-H	PREMIER Plus Model 2554 Wall Phone with Flash and 90 Volt Message Waiting in the faceplate - Ash

PREMIER Basic 2500 No Dial, Courtesy Telephones



PREMIER 2500 Desk Courtesy
Phone in Ash



PREMIER 2554 Wall Courtesy
Phone in Ash

PREMIER 2500 desk/2554 wall phones without dial



PREMIER 2500 Desk Courtesy
Phone in Red



PREMIER 2554 Wall Courtesy
Phone in Red

PREMIER

Item No.	Mfg. Part No.	Description
0000113592	250044-MBA-NODIAL-H	PREMIER Model 2500 Corded Desk Phone Without Dial - Ash
0000113594	255444-MBA-NODIAL-H	PREMIER Model 2554 Corded Wall Phone Without Dial - Ash
0000113593	250047-MBA-NODIAL-H	PREMIER Model 2500 Corded Desk Phone Without Dial - Red
0000113595	255447-MBA-NODIAL-H	PREMIER Model 2554 Corded Wall Phone Without Dial - Red

Corded Phones, Single-Line Basic Phones



PREMIER Delight V Model 2910 Slimline

PREMIER® Delight V Model 2910 Telephones

PREMIER Delight V model 2910 lighted dial-in-handset phones are great for business, hospital or residential applications.

- Redial
- Tone/pulse switch
- Lighted dial
- On-off ringer
- Receiver volume control
- Flash
- Electric ringer
- Desk and wall mountable

PREMIER

Item No.	Mfg. Part No.	Description
4720027501	2910-44	PREMIER Model 2910 Delight V Slimline Corded Phone - Ash
4720047501	PT-2910-15	PREMIER Model 2910 Delight V Slimline Corded Phone - White



GE Thomson Model 29257GE1 Slimline - White

- 10 number memory
- One touch redial
- Flash
- Handset volume control
- Ringer volume control
- Desk or wall mountable

PREMIER

Item No.	Mfg. Part No.	Description
0000099307	29257GE1	GE Thomson Model 29257GE1 Slimline - White



GE Thomson 29322GE1 Single-Line Speaker Phone

- Speakerphone
- Auto Transfer to Handset
- Volume Control
- One-Touch Redial
- Flash Function
- Mute
- Hearing Aid Compatible

PREMIER

Item No.	Mfg. Part No.	Description
0000169527	29322GE1	Single-Line Model 29322GE1 Speaker Phone

Corded Phones, Single-Line Caller ID Phones



GE Thomson 29369

PREMIER®

GE Big Button Corded Phone

- Caller ID
- Speakerphone
- Large easy to read buttons
- Three one touch memory dial buttons
- Redial
- Handset volume control
- Flash
- Ringer volume control
- Desk or wall mountable

Item No.	Mfg. Part No.	Description
0000120870	29369GE1	GE Big Button Memory Telephone



GE Thomson 29267GE1 Slimline Phone

- Call-Waiting Caller ID
- 50 Name and Number Memory
- Automatic Date & Time Set
- Handset Volume Control
- Ringer Volume Control
- Display Contrast Adjustment
- 10 Number Memory
- One-Touch Redial
- Dial Back Function
- Flash Function
- Tone/Pulse Switchable Dialing

PREMIER

Item No.	Mfg. Part No.	Description
0000148346	29267GE1	Slimline Phone with Call Waiting Caller ID



GE Thomson Model 29263GE1 Slimline Phone

- Caller ID
- 10 Number Memory

PREMIER

Item No.	Mfg. Part No.	Description
0000111060	29263GE1	GE Thomson Model 29263GE1 Slimline - White
0000111061	29263GE2	GE Thomson Model 29263GE2 Slimline - Black

Corded Phones, Single-Line Business/Hospitality

PREMIER® Series 7000 Phones

The PREMIER single-line and two-line phones with all functions of a real workhorse embodied in a sleek style that is great for business or hospitality applications. Time-tested features include a convenient data port for today's computer savvy customers; an amber neon 90-volt message waiting light ensures that messages are instantly noticed; and ample space is provided for a customized facemat.



PREMIER 7010



PREMIER 7020

- 90 volt message wait lamp
- Receiver volume control
- Data jack



PREMIER 7030



PREMIER 7150 Speakerphone



PREMIER 7150 Speakerphone in Black



PREMIER 7155H Speakerphone
with 5 Horizontal Memory Buttons



PREMIER 7040 Courtesy Lobby Phone

PREMIER

Item No.	Mfg. Part No.	Description
4760007521	701088-MSE-DCHAC A.0	PREMIER 7010 Corded Single-Line Basic Phone - Natural Color
4760027521	702088-MSE-DCHAC A.0	PREMIER 7020 Corded Single-Line Enhanced Phone - Natural Color, Hold, Flash, Redial
4760057521	703088MSEDCHAC V4.2L	PREMIER 7030 Corded Single-Line Enhanced Phone - Natural Color, Hold, Flash, Redial
4760247521	715088-MSEDCHAC V4.2	PREMIER 7150 Corded Single-Line Speakerphone - Natural Color, Mute, Hold, Flash, Redial
4760927521	715000-MSE-DCHAC A.0	PREMIER 7150 Corded Single-Line Speakerphone - Charcoal Color, Mute, Hold, Flash, Redial
0000095072	715588-MSE-DCHAC-HZ	PREMIER 7155H Corded Single-Line Speakerphone - Natural Color, Mute, Hold, Flash, Redial
0000111105	704088-MSE-DCHAC	PREMIER 7040 Corded Single-Line Lobby/Courtesy Phone - Natural Color, No dial for use with External Dialer

Corded Phones, Multi-Line Business/Hospitality

PREMIER® Series 7000 Phones

The PREMIER single-line and two-line phones with all functions of a real workhorse embodied in a sleek style that is great for business or hospitality applications. Time-tested features include a convenient data port for today's computer savvy customers; an amber neon 90-volt message waiting light ensures that messages are instantly noticed; and ample space is provided for a customized facemat.



PREMIER 7260 Basic Two Line

- 2 line phone
- 90 volt message wait light
- Receiver volume control
- Data jack



PREMIER 7270 Two Line Speakerphone with 10 Memory Button Phone in Natural Color



PREMIER 7270 Two Line Speaker with 10 Memory Buttons in Black

PREMIER

Item No.	Mfg. Part No.	Description
4760307521	726088-MDE-DCHAC A.0	PREMIER 7260 Corded 2-Line Basic Phone - Natural Color
4760387521	727088-MDE-DCHAC A.0	PREMIER 7270 Corded 2-Line Speakerphone - 10 Memory Buttons - 90VDC Message Waiting - Flash/Redial/Mute/Hold - Handset/Speakerphone Volume Control - Data Jack - Line Powered - Natural Color - For Hospitality/Business Applications
4760937521	727000-MDE-DCHAC A.0	PREMIER 7270 Corded 2-Line Speakerphone - 10 Memory Buttons - 90VDC Message Waiting - Flash/Redial/Mute/Hold - Handset/Speakerphone Volume Control - Data Jack - Line Powered - Charcoal Color - For Hospitality/Business Applications

Corded Phones, Multi-Line



GE Thomson 2-Line Phone

GE Thomson 29480GE1 2-Line Corded Phone

- 2-Line
- 10 number memory
- 3-way call conferencing
- Distinctive ring
- Line in use indicators

PREMIER®

Item No.	Mfg. Part No.	Description
0000096016	29480GE1	GE Thomson Model 29480GE1 2-Line Corded Telephone



GE Thomson 2-Line Phone

GE Thomson 29484GE2 2-Line Corded Phone

- Distinctive Ring & Line-In-Use indicators for each line
- Data Port
- Speakerphone
- Auto Transfer to Handset
- Volume Control
- Ringer Volume Control
- Display Contrast Adjustment
- 16 Number Memory
- One-Touch Redial

PREMIER

Item No.	Mfg. Part No.	Description
0000169528	29484GE2	GE Thomson Model 29484GE2 2-Line Corded Telephone

Corded Phones, Multi-Line



GE Thomson 2-Line CWCID Speakerphone

GE Thomson 25202RE3 2-Line Corded CWCID Speakerphone

- 2-Line speakerphone
- Call-waiting caller ID
- Distinctive ring
- Line-in-use indicators for each line
- Caller ID with 99 name and number memory
- Hands free dialing and auto transfer to handset
- Memory directory
- Easy to read 4-line LCD display with joy control forward/reverse call review with delete function
- Forward/reverse call review with delete function
- 16-number instant-access memory and 50 name and number
- Speakerphone, handset and ringer volume controls
- 2-Line call conferencing

PREMIER®

Item No.	Mfg. Part No.	Description
0000100461	25202RE3	GE Thomson Model 25202RE3 2-Line Corded Speakerphone - Silver



25414RE3

GE Thomson 25414RE3 4-Line System with Cordless Expandability



H5400RE3

- 4-line
- Expands to 16 stations
- Speakerphone
- Call waiting caller ID
- Intercom page and transfer
- 16 one touch memory dial
- Dedicated cordless option

PREMIER

Item No.	Mfg. Part No.	Description
0000124616	25414RE3	GE 4-Line System Expands to 16 Stations, Corded Base
0000124621	H5400RE3	GE Extra Cordless Expansion Handset for 4-Line System

Telephones-Cordless

PREMIER® carries a broad portfolio of Cordless Telephones. Our manufacturer list includes:

- ▶ PREMIER
- ▶ GE Thomson
- ▶ Uniden

Cordless Phones, Single-Line

6.0 DECT

GE Thomson DECT 6.0 Cordless Phones



28111EE2



28110EE1

- DECT 6.0 Interference Free Technology
- Expandable Up to 4 Handsets
- Handset Speakerphone
- Call Waiting Caller ID
- Melody Ring Tones – Customize Individual Handset Ring Tone
- VIP Ring Tones – Assign Ring Tones to Numbers Stored in Memory
- Intercom – Allows 2-way Conversation Between Handsets
- Room monitor
- 3-Way Call Conferencing – Permits 3 Parties to be Linked Together for Conference Calls
- Encrypted Security

PREMIER

Item No.	Mfg. Part No.	Description
0000174143	28111EE2	GE Thomson DECT 6.0 Expandable Cordless System with CWCID and Extra Handset
0000174142	28110EE1	GE Thomson DECT 6.0 Accessory Handset and Charger for 28111 Models

Cordless Phones, Single-Line

6.0 DECT

Uniden DECT 6.0 Cordless Phones

- DECT 6.0 Interference Free Technology
- Whole House Expandable
 - Use up to 4 Bases (DECT1060) with up to 6 Handsets (DCX100) for Each Base
- 100 Name Phonebook
- Transfer Phonebook Memory Between Handsets
- Call Waiting Caller ID
- Handset Speakerphone
- Intercom and Transfer Calls between Handsets
- 10 Handset Ring Tones (6 melodies)
- Personal Ring Feature
- Up to 16 Hours of Talk Time



Uniden DECT1060-2



Uniden DECT1060



Uniden DCX100

PREMIER®

Item No.	Mfg. Part No.	Description
0000174070	DECT1060-2	Uniden DECT 6.0 Expandable Cordless System and CWCID with Extra Handset
0000174069	DECT1060	Uniden DECT 6.0 Expandable Cordless System with CWCID
0000174068	DCX100	Uniden DECT 6.0 Accessory Handset and Charger for the DECT10 Series

Cordless Phones, Single-Line

5.8 GHz

GE Thomson 5.8 GHz Digital Cordless Phones



28021EE1

- Call Waiting Caller ID
- Handset Speakerphone
- Melody Ring Tones



28021EE2



28021EE3

- Expandable Up to 4 Handsets
- Do Not Disturb

PREMIER®

Item No.	Mfg. Part No.	Description
0000174139	28021EE1	GE Thomson Digital 5.8 GHz Expandable Cordless System with CWCID and Handset Speakerphone
0000174140	28021EE2	GE Thomson Digital 5.8 GHz Expandable Cordless System with CWCID, Handset Speakerphone and Extra Handset
0000174141	28021EE3	GE Thomson Digital 5.8 GHz Expandable Cordless System with CWCID, Handset Speakerphone and 2 Extra Handsets

Uniden 5.8GHz Digital T93 Series

- 5.8GHz Digital FHSS Technology
- Expandable up to 10 Handsets
- Handset Speakerphone

- Intercom & Transfer Between Handsets
- Call Waiting Caller ID
- 70 Name Phonebook

- VoiceMail Waiting Indicator
- 7 Ring Tones & 4 Melodies
- Personal Ring Feature



Uniden TRU9360



Uniden TRU9360-2



Uniden TCX930

PREMIER

Item No.	Mfg. Part No.	Description
0000174082	TRU9360	Uniden 5.8GHz Expandable Cordless System with CWCID
0000174083	TRU9360-2	Uniden 5.8GHz Expandable Cordless System with CWCID and Extra Handset
0000174081	TCX930	Uniden 5.8 GHz Accessory Handset and Charger for the T93 Series

Cordless Phones, Single-Line

5.8 GHz

GE Thomson 5.8 GHz Analog Cordless Phones



25932EE1

- Call Waiting Caller ID
- Handset Speakerphone
- VIP Ring Tones



25932EE2



25932EE3

- Expandable Up to 4 Handsets
- Visual Ring Indicator

PREMIER®

Item No.	Mfg. Part No.	Description
0000174134	25932EE1	GE Thomson Analog 5.8 GHz Expandable Cordless System with CWCID, Handset Speakerphone and Visual Ring Indicator
0000174135	25932EE2	GE Thomson Analog 5.8 GHz Expandable Cordless System with CWCID, Handset Speakerphone, Visual Ring Indicator and Extra Handset
0000174136	25932EE3	GE Thomson Analog 5.8 GHz Expandable Cordless System with CWCID, Handset Speakerphone, Visual Ring Indicator and 2 Extra Handsets

GE Thomson 5.8 GHz Analog Dual Handset Cordless Phones



25922GE1



25922GE2

- Call Waiting Caller ID
- Visual Ring Indicator
- Handset Volume Control

PREMIER

Item No.	Mfg. Part No.	Description
0000174132	25922GE1	GE Thomson Analog 5.8GHz Cordless System with CWCID and Visual Ring Indicator
0000174133	25922GE2	GE Thomson Analog 5.8GHz Cordless System with CWCID, Visual Ring Indicator and Extra Handset

Cordless Phones, Single-Line

2.4 GHz

Uniden 2.4GHz DCT73 Digital Series Cordless with Digital Answering System from PREMIER®



Uniden DCT738-2



Uniden DCX730

- Expandable System up to 4 Handsets
- Call Waiting Caller ID
- DirectLink™ 2-way Radio Feature
- 100 Number Shared Caller ID/Phonebook memoryDynamic Memory Locations
- Room/Baby Monitoring
- Speakerphone on Base and Handset
- 20 Ring Tone Options
- Personal Ring Feature
- Last 3 Number Redial

PREMIER

Item No.	Mfg. Part No.	Description
0000174067	DCT738-2	Uniden 2.4 GHz Digital Expandable Cordless System with Digital Answering System and CWCID
0000172512	DCX730	Uniden 2.4Ghz Accessory Handset & Charger for DCT73 Series Expandable Cordless System (also compatable with DCT64, DCT74 and DCT75 Series)

GE Thomson 2.4 GHz Analog Dual Handset Cordless Phones



27831FE2



27831GE2

- Call Waiting Caller ID
- 40 Name/Number CID Log
- 3-Line Backlit LCD
- Flash Function

PREMIER

Item No.	Mfg. Part No.	Description
0000174137	27831FE2	GE Thomson Analog 2.4 GHz Dual Handset System with CWCID Black
0000174138	27831GE2	GE Thomson Analog 2.4 GHz Dual Handset System with CWCID White

Cordless Phones, Single-Line

2.4 GHz

Uniden 2.4GHz Analog Cordless Phones with Digital Answering System from PREMIER®

- Call waiting caller ID
- 30 number caller ID memory
- 10 number phonebook memory
- New message LED indicator
- Dial from caller ID
- Ringer volume control
- Ringer off setting
- Hearing aid compatible
- Last number redial
- Wall mountable



Uniden EXAi4580



Uniden EXAi4581



Uniden DXAi4588-2

PREMIER

Item No.	Mfg. Part No.	Description
0000174075	EXAi4580	Uniden 2.4 GHz Analog Extended Range Compact Cordless with Digital Answering System and CWCID White
0000174076	EXAi4581	Uniden 2.4 GHz Analog Extended Range Compact Cordless with Digital Answering System and CWCID Black
0000174073	DXAi4588-2	Uniden 2.4 GHz Analog Extended Range Compact Dual Handset Cordless with Digital Answering System - CWCID and extra Handset White

Cordless Phones, Single-Line

2.4 GHz

Uniden 2.4GHz Analog Extended Range Compact Cordless Phones



Uniden EXP4540



Uniden EXP4541

- 10 number phonebook memory
- Ringer volume control
- Hearing aid compatible
- Last number redial
- Wall mountable



Uniden EXi4560



Uniden EXi4561



Uniden DXi4560-2

PREMIER®

Item No.	Mfg. Part No.	Description
0000174079	EXP4540	Uniden 2.4 GHz Analog Extended Range Compact Cordless with 10-number Memory Dialing White
0000174080	EXP4541	Uniden 2.4 GHz Analog Extended Range Compact Cordless with 10-number Memory Dialing Black
0000174077	EXi4560	Uniden 2.4 GHz Analog Extended Range Compact Cordless with CWCID White
0000174078	EXi4561	Uniden 2.4 GHz Analog Extended Range Compact Cordless with CWCID Black
0000174074	DXi4560-2	Uniden 2.4 GHz Analog Extended Range Compact Dual Handset Cordless with CWCID and Extra Handset

Cordless Phones, Single-Line

900 MHz



Uniden EZi996

Uniden 900MHz Cordless Phones

- Big buttons
- Large caller ID display
- One touch emergency dial
- 20 caller ID number memory
- Large flashing visual ringer
- Headset compatible
- Wall mountable

PREMIER®

Item No.	Mfg. Part No.	Description
000090015	EZi996	Uniden Cordless Big Button Large Cidw Display One Touch Emergency Dial 30 Caller ID Number Memory

Uniden Cordless Accessories

PREMIER

Item No.	Mfg. Part No.	Description
0000102092	BP800	Uniden Battery For EXi5160 EXAi5180 DXi5186-2 DXAi5188-2
0000102093	BP904	Uniden Battery For EXP970 And EXP971
0000102094	BP909	Uniden Battery For WXi377
0000120601	CS100-1	Uniden headset with 2.5 connector fits all Uniden Headset Compatible Telephone Models
0000102091	BP446	Uniden Battery For DCT646 DCT646-2 DCT6465 DCT6465-2 DCT648 DCT648-2 DCT6485 DCT6485-2 DCX640 TRU8860 TRU8860-2 TRU8865 TRU8865-2 TRU8880-2 TRU8885 TRU8885-2 TRU8866 TRU8888 TCX800 TCX860
4761607501	BP905	Uniden Battery Pack, works with EXi976, EXi976C, EXAi978, EXAi978i, DXi986-2, EZi996, EXP4240, EXP4241, EXi4246, EXi4246C, EXAi4248, EXAi4248i, DXi4266-2 and DXAi4288-2. Same as BT905 - also known as BBTY0414001

Cordless Phones, Multi Line



25414RE3

GE Thomson Cordless Phones



H5400RE3

- 4-line
- Expands to 16 stations
- Speakerphone
- Call waiting caller ID
- Intercom page and transfer
- 16 one touch memory dial
- Dedicated cordless option

PREMIER®

Item No.	Mfg. Part No.	Description
0000124616	25414RE3	GE 4-Line System Expands to 16 Stations, Corded Base
0000124621	H5400RE3	GE Extra Cordless Expansion Handset for 4-Line System



Caller ID Adjuncts



Questa 5050 Call Wait Caller ID Adjunct

Aastra 5050 Call Wait Caller ID Adjunct

The Aastra 5050 call wait caller ID adjunct from PREMIER has a 4-line LCD display with name, number date and time, has a FSK or stutter detect voice mail message waiting indication, 56 number call log capacity, and AC adapter included.

- Displays name, number, date and time
- Sequential call waiting caller ID
- Voice mail message waiting FSK/stutter detect light
- 56 call log capacity
- AC adapter included

PREMIER

Item No.	Mfg. Part No.	Description
4850487564	5050 - NO LOGO	Type II Questa Call Wait Caller ID Unit



Classco VA9900CW
Voice Announce Call Wait Caller ID Unit

Classco VoiceAnnounce 9900CW Call Wait Caller ID Adjunct

The Classco 9900CW announces calls over its built-in speaker.

- Announces caller's 10-digit telephone number or recorded name
- Easy one-touch name recording for up to 50 callers
- Visual and audible FSK and stuttered detect message waiting/voice mail indicator
- English and Spanish
- AC power adapter included

PREMIER

Item No.	Mfg. Part No.	Description
4850997500	VA9900CW	Voice Announcer Caller ID Unit - Type II Call Wait Caller Id

Telephone Repair Parts

Series 7000

Handset Assembly for PREMIER® Series 7000 Phones

PREMIER

Item No.	Mfg. Part No.	Description
4691107501	NS-P-H021-88	Handset Assembly Less Cord For 7000-Natural
4610607501	NS-P-H021-00	Handset Assembly Less Cord For 7000-Black



PREMIER

Item No.	Mfg. Part No.	Description
4610017501	7010 FACEMAT	Paper Facemats for PREMIER 7010 7020 7050 Pk 50
4615507501	NS-P-A005	White Paper Facemat For 7010/7020/7050 - Pkg 50
4610077501	NS-P-A009	Paper Facemat For 7030/7150 Pk/50
4615527501	NS-P-A006	White Paper Facemat For 7030/7150 - Pkg 50
0000118231	NS-P-A022	Paper Facemat For PREMIER Model 7155H - Pk/50
4610097501	NS-P-A011	Paper Facemat For 7260 Pk/50
4610137501	NS-P-A013	Paper Facemat For 7270 Pk/50

Series 7000



Make Custom Facemats with DESI Brand Facemat Software for PREMIER Series 7000 Phones and DESI Facemat Printer Paper

DESI Computer Paper Facemats, Printer Paper and Software for PREMIER® Series 7000 Phones

Create your own custom telephone facemats with DESI Software and computer printer facemats for PREMIER Series 7000 phones.

PREMIER

Item No.	Mfg. Part No.	Description
4610037501	7030 FACEMAT PAPER	DESI Facemats for PREMIER 7030/7150 Pkg/100
4610737501	7155/7015 PAPER MAT	DESI Facemats for PREMIER 7155 Pkg/100
0000117845	7155H PAPER MAT	DESI brand perforated blank paper Facemat pages for printer for SPG Series 7000 single-line phone PREMIER model 7155H with 5 horizontal memory buttons pkg of 100 mats natural paper color
4610047501	7260 FACEMAT PAPER	DESI Facemats for PREMIER 7260 Pkg/100
4610707501	7275 FACEMAT PAPER	DESI Facemats for PREMIER 7275 Pkg/100
4610637501	7270 FACEMAT PAPER	DESI Facemats for PREMIER 7270 Pkg/100
4610747501	SERIES 7000 BACKERS	Backer Sheets For DESI Brand Custom Facemat Paper - 25 Per Pack
4610057501	S7K DESIGNATION TABS	DESIGNATION Tabs For PREMIER Series 7000 Telephones 300 Per Pk
4610777501	S7K FACEMAT SOFTWARE	DESI Brand Custom Facemat Software For PREMIER Series 7000 Models And PREMIER 2500 Models

Plastic Facemat Overlays for PREMIER Series 7000 Phones

PREMIER

Item No.	Mfg. Part No.	Description
4615307501	NS-P-A007	Plastic Overlay 7010/7020/7050 - Pkg 50
4615327501	NS-P-A008	Plastic Overlay For 7030/7150 - Pkg 50
0000118232	NS-P-A023	Plastic Overlay For PREMIER Model 7155H - Pk/50
4610207501	NS-P-A017	Plastic Overlay For 7260 Pk/50
4610307501	NS-P-A019	Plastic Overlay For 7270 Pk/50

Series 7000



Replacement Plug-Plug Modular Line

Miscellaneous Replacement Parts for PREMIER® Series 7000 Phones

PREMIER

Item No.	Mfg. Part No.	Description
4508107501	NS-P-E038	Lithium Battery With Cover For Series 7000 Models With Memory
4691117501	NS-P-H029-88	Cradle Tab For 7000-Natural-Pk Of 25
4610617501	NS-P-H029-00	Cradle Tab For 7000-Black Pk/25
4695007501	NS-P-H030-88	Wall mount Bracket For 7000-Natural
4610627501	NS-P-H030-00	Wall mount Bracket For 7000-Black
4833517501	NS-P-E042	9 1/2" Silver Satin Line Cord For Series 7000 Phones - 4 Wire modular
4830007501	NS-P-A021	14ft Silver Satin Line Cord For Series 7000 2-Line Phone Modular
4661507501	NS-P-E040-88	12ft Handset Cord For 7000-Natural-4 Wire Modular
4661537501	NS-P-E041-88	25ft Handset Cord For 7000-Natural-4 Wire Modular

2500/2554



Double Gong Ringer for 2500 Desk Phones and
Single Gong Ringer for 2554 Wall Phones

Gong Ringers for PREMIER 2500 Desk and 2554 Wall Phones

- Frequency 20-30 Hz
- Volume control

PREMIER

Item No.	Mfg. Part No.	Description
4811017501	NS-M001/A82-A1	Double Gong Ringer For PREMIER 2500 Desk Phone
4814017501	NS-M003	Single Gong Ringer For PREMIER 2554 Wall Phone

Replacement Transmitter and Receiver for PREMIER® 2500/2554 Phones



Electret Carbon Equivalent Transmitter for
PREMIER 2500/2554 Phones



Plastic Transmitter Holder



Hearing Aid Compatible Receiver

PREMIER

Item No.	Mfg. Part No.	Description
0000174084	OZ-01	Transmitter - Electret Carbon Equivalent for PREMIER 2500 / 2554 Model Phones
4691997501	NS-P007	Modular Transmitter Holder For 2500/2554 Handset
4632227501	NS-E004/HHMR-80	Hearing Aid Compatible Receiver
4691917501	NS-E90	Modular Jack for Handset

PREMIER 2500 Desk and 2554 Wall Phone DTMF Replacement Dials



Standard Touch Tone Dial for 2500 Desk and
2554 Wall Phones




Touch Tone Dial for 2500 Desk Phone
with Transfer Access (Flash)
and Message Waiting

Industry standard DTMF generator, polarity guard, metro type white letters and numbers on gray button.

PREMIER

Item No.	Mfg. Part No.	Description
4670597501	NS-E002/84B	DTMF Dial Pad Assembly For Standard PREMIER 2500/2554 Phone Sets
4671847501	NS-E006	DTMF Dial Pad Assembly For PREMIER 2500 Desk Phone With Message Waiting
4671857501	NS-E007	DTMF Dial Pad Assembly For PREMIER 2500 Desk Phone With Transfer Access Feature
4671867501	NS-E005	DTMF Dial Pad Assembly For PREMIER 2500 Desk Phone With Transfer Access And Message Waiting Indicator
4672987501	NS-E018	DTMF Dial Pad Assembly For PREMIER 2554 Wall Phone With Transfer Access
4672977501	NS-E017	DTMF Dial Pad Assembly For PREMIER 2554 Wall Phone With Transfer Access And Message Waiting Indicator



Standard Network with Spacer
for 2500/2554 Phones

Replacement Network for PREMIER® 2500 Desk and 2554 Wall Phones

- Standard transmission network
- Extra terminals for application wiring
- Plastic holder optional

PREMIER

Item No.	Mfg. Part No.	Description
4631037501	NS-E001/V38203-A467	Network For 2500/2554 Sets With Spacer
4612567501	V38203-A467 NETWORK	Network For 2500/2554 Sets Less Spacer



PREMIER Hookswitch Assembly
for 2500 Desk Phone

Hookswitch Assembly for PREMIER 2500 Desk Phone

PREMIER

Item No.	Mfg. Part No.	Description
4617527501	NS-M004/A82-A6	Hookswitch Assembly For 2500 Set






Plastic Cradle for 2554 Wall Phones

Replacement PREMIER® 2554 Miniwall Cradle with Plunger

PREMIER

Item No.	Mfg. Part No.	Description
4616577501	NS-P006-44	2554 Ash Plastic Cradle With Plunger+Screws
4616547501	NS-P006-00	2554 Black Plastic Cradle With Plunger+Screws
4616557501	NS-P006-09	2554 Ivory Plastic Cradle With Plunger+Screws
4616567501	NS-P006-15	2554 White Plastic Cradle With Plunger+Screws
4616587501	NS-P006-45	2554 Brown Plastic Cradle With Plunger+Screws
4616647501	NS-P006-47	2554 Red Plastic Cradle With Plunger+Screws



PREMIER Plastic Housings

Housings for PREMIER 2500 Desk Phones

PREMIER replacement parts are fully interchangeable. Housings are available in standard industry colors finished to a high gloss. PREMIER plastics are injection molded of ABS plastic.

PREMIER

Item No.	Mfg. Part No.	Description
4691817501	NS-P001-44	Ash Housing Plunger Assembly For 2500-Fm
4691357501	NS-P001-00	Black Housing Plunger Assembly For 2500s Fm
4691347501	NS-P001-13	Beige Housing Plunger Assembly For 2500-Fm
4691377501	NS-P001-09	Ivory Housing Plunger Assembly For 2500s Fm
4691387501	NS-P001-15	White Housing Plunger Assembly For 2500s Fm
4691417501	NS-P001-45	Brown Housing Plunger Assembly For 2500-Fm
4691887501	NS-P001-32	Gray Housing Plunger Assembly For 2500-Fm
4691877501	NS-P001-47	2500 Housing Plunger Assembly Red Fm-No Logo



Plastic Housings

Housings for PREMIER® 2554 Wall Phones

PREMIER replacement parts are fully interchangeable. Housings are available in standard industry colors finished to a high gloss. PREMIER plastics are injection molded of ABS plastic.

PREMIER

Item No.	Mfg. Part No.	Description
4693087501	NS-P005-44	Ash 2554 Housing Assembly-No Logo
4693027501	NS-P005-00	Black 2554 Housing Assembly-No Logo
4693017501	NS-P005-13	Beige 2554 Housing Assembly-No Logo
4693057501	NS-P005-09	Ivory 2554 Housing Assembly-No Logo
4693067501	NS-P005-15	White 2554 Housing Assembly-No Logo
4693097501	NS-P005-45	Brown 2554 Housing Assembly-No Logo
4693377501	NS-P005-32	Gray 2554 Housing Assembly-No Logo
4693417501	NS-P005-47	Red 2554 Housing Assembly-No Logo
0000118454	NS-P015-44	Ash Plastic Housing Assembly For 2554 No Dial Wall Phone Set
0000118455	NS-P015-47	Red Plastic Housing Assembly For 2554 No Dial Wall Phone Set



Plastic Faceplates for 2500 Desk Phones

Faceplates for PREMIER 2500 Desk Phones

PREMIER

Item No.	Mfg. Part No.	Description
4613597501	NS-P008-44	Ash Plastic Faceplate For 2500 Phone Set
4613517501	NS-P008-00	Black Plastic Faceplate For 2500 Phone Set
4613527501	NS-P008-13	Beige Plastic Faceplate For 2500 Phone Set
4613547501	NS-P008-09	Ivory Plastic Faceplate For 2500 Phone Set
4613627501	NS-P008-15	White Plastic Faceplate For 2500 Phone Set
4613617501	NS-P008-45	Brown Plastic Faceplate For 2500 Phone Set
4613667501	NS-P008-47	Red Plastic Faceplate For 2500 Phone Set
0000118456	NS-P018-44	Ash Plastic Faceplate For 2500 No Dial Desk Phone Set
0000118457	NS-P018-47	Red Plastic Faceplate For 2500 No Dial Desk Phone Set

Clear Faceplates for PREMIER® 2500 Phones

PREMIER

Item No.	Mfg. Part No.	Description
0000075527	NS-CLEAR FACEPL	Clear Faceplate - PREMIER 2500 Model Series
4610387501	NS-P009	Clear Faceplate With DESIgnation Tab For 2500
4615347501	NS-P010	Clear Faceplate For PREMIER Plus 2500 Models With Transfer Access Feature
4615357501	NS-P011	Clear Faceplate For PREMIER Plus 2500 Models With Message Waiting Indicator In Faceplate
4615367501	NS-P012	Clear Faceplate For PREMIER Plus 2500 Models With Transfer Access Feature And Message Waiting Indicator In Faceplate

DESI Brand Computer Printer Facemat Paper and Software for PREMIER 2500 Desk Phones

PREMIER

Item No.	Mfg. Part No.	Description
0000043368	14557	DESI Brand Facemat For PREMIER Model 2500 Basic Desk Telephone - Ash - 50 Per Package
0000043366	14555	DESI Brand Facemat For PREMIER Model 2500 Basic Desk Telephone - White - 50 Per Package
0000043367	14556	DESI Brand Facemat For PREMIER Model 2500 Basic Desk Telephone - Pewter - 50 Per Package
0000043374	14627	DESI Brand Facemat For PREMIER Model 2500 Desk Telephone With Message Waiting - Ash - 50 Per Package
0000043372	14625	DESI Brand Facemat For PREMIER Model 2500 Desk Telephone With Message Waiting - White - 50 Per Package
0000043373	14626	DESI Brand Facemat For PREMIER Model 2500 Desk Telephone With Message Waiting - Pewter - 50 Per Package
0000043377	14807	DESI Brand Facemat For PREMIER Model 2500 Desk Telephone With Flash - Ash - 50 Per Package
0000043375	14805	DESI Brand Facemat For PREMIER Model 2500 Desk Telephone With Flash - White - 50 Per Package
0000043376	14806	DESI Brand Facemat For PREMIER Model 2500 Desk Telephone With Flash - Pewter - 50 Per Package
0000043371	14562	DESI Brand Facemat For PREMIER Model 2500 Desk Telephone With Flash And Message Waiting - Ash - 50 Per Package
0000043369	14560	DESI Brand Facemat For PREMIER Model 2500 Desk Telephone With Flash And Message Waiting - White - 50 Per Package
0000043370	14561	DESI Brand Facemat For PREMIER Model 2500 Desk Telephone With Flash And Message Waiting - Pewter - 50 Per Package
0000044907	DESI PHONE STRIP C	DESI Brand Phone Number DESIgnation Strip For PREMIER Model 2500 Desk Telephone - Ash - 300 Per Package
0000044909	DESI PHONE STRIP W	DESI Brand Phone Number DESIgnation Strip For PREMIER Model 2500 Desk Telephone - White - 300 Per Package
0000044908	DESI PHONE STRIP P	DESI Brand Phone Number DESIgnation Strip For PREMIER Model 2500 Desk Telephone - Pewter - 300 Per Package
4610747501	SERIES 7000 BACKERS	Backer Sheets For DESI Brand Custom Facemat Paper - 25 Per Pack
4610777501	S7K FACEMAT SOFTWARE	DESI Brand Custom Facemat Software For PREMIER Series 7000 Models And PREMIER 2500 Models

Precut Paper Facemats for PREMIER® 2500 Desk Phones

PREMIER

Item No.	Mfg. Part No.	Description
4615567501	NS-A001-44	Ash Paper Facemat For Basic PREMIER 2500 Models
4615587501	NS-A002-44	Ash Paper Facemat For PREMIER Plus 2500 Models With Transfer Access Feature
4613147501	NS-A002-45 BRN MAT	Brown Paper Facemat For PREMIER Plus 2500 Models With Transfer Access Feature
4615577501	NS-A003-44	Ash Paper Facemat For PREMIER Plus 2500 Models With Message Waiting Indicator In Faceplate
4615597501	NS-A004-44	Ash Paper Facemat For PREMIER Plus 2500 Models With Transfer Access Feature And Message Waiting Indicator In Faceplate



Plastic Receiver and Transmitter Caps for
PREMIER G-Style Handles

PREMIER Receiver and Transmitter Caps for G-Style Handsets

PREMIER

Item No.	Mfg. Part No.	Description
4601167501	NS-P004-44	Ash Receiver Cap For G-Type Handset
4601027501	NS-P004-00	Black Receiver Cap For G-Type Handset
4601017501	NS-P004-13	Beige Receiver Cap For G-Type Handset
4601077501	NS-P004-09	Ivory Receiver Cap For G-Type Handset
4601127501	NS-P004-15	White Receiver Cap For G-Type Handset
4601177501	NS-P004-45	Brown Receiver Cap For G-Type Handset
4601377501	NS-P004-32	Gray Receiver Cap For G-Type Handset
4601387501	NS-P004-47	Red Receiver Cap For G-Type Handset
4601667501	NS-P003-44	Ash Transmitter Cap For G-Type Handset
4601527501	NS-P003-00	Black Transmitter Cap For G-Type Handset
4601517501	NS-P003-13	Beige Transmitter Cap For G-Type Handset
4601577501	NS-P003-09	Ivory Transmitter Cap For G-Type Handset
4601627501	NS-P003-15	White Transmitter Cap For G-Type Handset
4601677501	NS-P003-45	Brown Transmitter Cap For G-Type Handset
4601987501	NS-P003-32	Gray Transmitter Cap For G-Type Handset
4601977501	NS-P003-47	Red Transmitter Cap For G-Type Handset

2500/2554

Miscellaneous Replacement Parts for PREMIER® 2500/2554 Phones

PREMIER

Item No.	Mfg. Part No.	Description
4612487501	2500-90VMW-F	Amber 90VDC Neon Message Waiting Lamp For PREMIER Plus 2500 Models With Message Waiting Indicator In Faceplate - 10 Per Pack
4616437501	NS-E009/P22201-99	Red 90VDC Neon Message Waiting Lamp Assembly With Leads For PREMIER 2500 Hotel/Motel Models With Beehive Message Waiting Indicator On Housing
0000075373	NS-RUBBER FEET	Rubber Foot - Repair Part For PREMIER 2500 Desk Telephone
7366217501	525 FUSE	Fuse 250V/750mA For PREMIER 2500/2554
4691917501	NS-E010	Replacement Modular Jack For 2500/2554 Handset



Plastic Hollow G-Style Handle and Receiver Volume Control Assembly for 2500/2554 Phones

PREMIER Hollow Handle with Volume Control for 2500/2554 Phones

Plastics are injection molded, durable ABS plastic. Available in standard industry colors in a high gloss finish. Modular cut-outs are in the handsets.

PREMIER

Item No.	Mfg. Part No.	Description
4610407500	VCHH-001-44	VC Hollow Handle With Wired Amp + Rj22 Ash
4610427500	VCHH-001-00	VC Hollow Handle With Wired Amp + Rj22 Black
4610467500	VCHH-0001-09	VC Hollow Handle With Wired Amp + Rj22 Ivory
4610507500	VCHH-001-15	VC Hollow Handle With Wired Amp + Rj22 White
4610537500	VCHH-001-47	VC Hollow Handle With Wired Amp+Rj22 Red



PREMIER Receiver Volume Control
Handset Assembly

G-Style Handset Assemblies with Receiver Volume Control for PREMIER® 2500/2554 Phones

Industry standard DTMF generator, polarity guard, metro type white letters and numbers on gray button. It includes transmitter, receiver and 3-position H-M-L handset receiver volume control assembly.

PREMIER

Item No.	Mfg. Part No.	Description
4694107501	NS-P0026544-V	PREMIER Volume G-Handset Assembly No Logo Ash
4690017501	NS-P0026500-V	PREMIER Volume Control G-Handset Assembly No Logo Black
4694007501	NS-P0026513-V	PREMIER Volume G-Handset Assembly No Logo Beige
4694037501	NS-P0026509-V	PREMIER Volume G-Handset Assembly No Logo Ivory
4694047501	NS-P0026515-V	PREMIER Volume G-Handset Assembly No Logo White
4694077501	NS-P0026545-V	PREMIER Volume G-Handset Assembly No-Logo Brown
4694117501	NS-P0026532-V	PREMIER Volume G-Handset Assembly No Logo Gray
4694157501	NS-P0026547-V	PREMIER Volume G-Handset Assembly No Logo Red



Plastic G-Style Hollow Handle,
no Volume Control

PREMIER Hollow Handle for G Style Handset (without Volume Control) , No logo, Modular

PREMIER

Item No.	Mfg. Part No.	Description
4694087501	NS-P002-44	Ash Hollow Handle G-Type-No Logo-Modular
4694027501	NS-P002-00	Black Hollow Handle G-Type No Logo Modular
4694017501	NS-P002-13	Beige Hollow Handle G-Type-No Logo-Modular
4694057501	NS-P002-09	Ivory Hollow Handle G-Type No Logo Modular
4694067501	NS-P002-15	White Hollow Handle G-Type No Logo Modular
4694097501	NS-P002-45	Brown Hollow Handle G-Type-No Logo-Modular
4694317501	NS-P002-47	Red Hollow Handle G-Type No-Logo Modular



Plastic Hollow G-Style Volume
Control Handle

PREMIER® Hollow Handle for G-Style Volume Control Handset, No logo, Modular

PREMIER

Item No.	Mfg. Part No.	Description
4694087500	NS-P002-44-V	Volume Control Ash Hollow Handle G-Type-No Logo-Modular
4694027500	NS-P002-00-V	Volume Control Black Hollow Handle G-Type No Logo Modular
4694017500	NS-P002-13-V	Volume Control Beige Hollow Handle G-Type-No Logo-Modular
4694057500	NS-P002-09-V	Volume Control Ivory Hollow Handle G-Type No Logo Modular
4694067500	NS-P002-15-V	Volume Control White Hollow Handle G-Type No Logo Modular
4694317500	NS-P002-47-V	Volume Control Red Hollow Handle G-Type No-Logo Modular

Non-volume G-Style Handset Assemblies for Modular PREMIER 2500/2554 Phones

- Includes transmitter and holder with modular jack assembly, receiver, transmitter cap and receiver cap

PREMIER

Item No.	Mfg. Part No.	Description
4691027501	PT-P0026513 BEIGE	Beige Modular G Handset Assembly Less Cord
4691087501	PT-P0026544 ASH	Ash Modular G Handset Assembly Less Cord
4691077501	PT-P0026515 WHITE	White Modular G Handset Assembly Less Cord
4691097501	PT-P0026545 BROWN	Brown Modular G Handset Assembly Less Cord

Weatherproof Enclosure

PREMIER® Weatherproof Enclosure



PT-9700 Weatherproof Enclosure



PT-9700

The PREMIER PT-9700 weatherproof enclosure comes with a modular 630 telephone wall jack and hinged door that provides for a weatherproof seal to protect telecommunications equipment in harsh environments.

- Wall or pole mount (hardware not included)
- Great for outdoor use

PREMIER

Item No.	Mfg. Part No.	Description
4833587500	PT-9700	PT-9700 Weatherproof Enclosure With 630 Wall Jack

Handset Cords



Plug-to-Plug Handset Cords

PREMIER

Item No.	Mfg. Part No.	Description
4661477501	PT-HCPP-4-06-AWH-UL	4P4C 6 Foot Antique White
4660327501	PT-HCPP-4-06-ASH	4P4C 6 Foot Ash
4660267501	PT-HCPP-4-06-BLK	4P4C 6 Foot Black
4660287501	PT-HCPP-4-06-IVY	4P4C 6 Foot Ivory
4660297501	PT-HCPP-4-06-WHT	4P4C 6 Foot White
4661487501	PT-HCPP-4-12-AWH-UL	4P4C 12 Foot Antique White
4660447501	PT-HCPP-4-12-ASH	4P4C 12 Foot Ash
4660387501	PT-HCPP-4-12-BLK	4P4C 12 Foot Black
4660417501	PT-HCPP-4-12-IVY	4P4C 12 Foot Ivory
4660427501	PT-HCPP-4-12-WHT	4P4C 12 Foot White
4661467501	PT-HCPP-4-25-AWH-UL	4P4C 25 Foot Antique White
4660777501	PT-HCPP-4-25-ASH	4P4C 25 Foot Ash
4660727501	PT-HCPP-4-25-BLK	4P4C 25 Foot Black
4660747501	PT-HCPP-4-25-IVY	4P4C 25 Foot Ivory
4660817501	PT-HCPP-4-25-CRD	4P4C 25 Foot Red
4660757501	PT-HCPP-4-25-WHT	4P4C 25 Foot White



Spade-to-Spade Handset Cords

PREMIER

Item No.	Mfg. Part No.	Description
4603087501	PT-HCSS-4-12-ASH	4 Conductor 12 Foot Ash
4603057501	PT-HCSS-4-12-IVY	4 Conductor 12 Foot Ivory
4602767501	PT-HCSS-4-25-ASH	4 Conductor 25 Foot Ash

PREMIER® Handset Cords - Plug to Plug

Four conductor modular handset cords for standard telephone sets.

- UL listed
- FCC part 68 compliant
- 4 position 4 conductor flipped wiring scheme

PREMIER Handset Cords - Spade to Spade

Four conductor spade tipped handset cords for standard telephone sets.

- UL listed
- FCC part 68 compliant
- Includes eye-hook strain relief

Line Cords



Plug-to-Plug RJ31X Cords

PREMIER® Data Cords - Plug to Plug

Data cords are specially wired with straight through 1:1 polarity for security/alarm installations.

- UL listed
- FCC part 68 compliant
- 8 position 4 conductor to 6 position 4 conductor
- Equivalent to Lucent D8BA series

PREMIER

Item No.	Mfg. Part No.	USOC Codes	Description
8680007500	PT-DCPP-4-8/6-5-SS		8P4C to 6P4C Silver Satin 5 Foot
8681367503	PT-DCPP-8-03-SS	RJ31X	8P8C Silver Satin 3 Foot
8680737503	PT-DCPP-8-07-SS	RJ31X	8P8C Silver Satin 7 Foot
4362527503	PT-DCPP-8-14-SS	RJ31X	8P8C Silver Satin 14 Foot



Plug-to-Spade RJ31X Cords

PREMIER Data Cords - Plug to Spade

Plug to spade tipped data cords are for security/alarm installations.

- UL listed
- FCC part 68 compliant
- Includes eye-hook strain relief

PREMIER

Item No.	Mfg. Part No.	USOC Codes	Description
8680587503	PT-DCPS-4-07-SS	RJ31X	8P4C Silver Satin 7 Foot
8680817503	PT-DCPS-8-03-SS	RJ31X	8P8C Silver Satin 3 Foot
8680527503	PT-DCPS-8-07-SS	RJ31X	8P8C Silver Satin 7 Foot



Modular Interface Cord

PREMIER Interface Cord - Plug to Plug

This 8 inch interface cord is specially wired with straight through 1:1 polarity to interface two RJ11 or RJ14 modular jacks.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description
4804647501	PT-ICPP-4-8IN-SS	6P4C Silver Satin 8 Inch

Line Cords

PREMIER® Line Cords - Plug to Plug



Plug-to-Plug Line Cords

Four, six, and eight conductor modular line cords for standard telephone sets.



Plug-to-Plug Line Cords

- UL listed
- FCC part 68 compliant
- Flipped-wiring scheme

PREMIER

Item No.	Mfg. Part No.	Description
4660217501	PT-LCPP-4-07-CL	6P4C Clear 7 Foot
4660227501	PT-LCPP-4-14-CL	6P4C Clear 14 Foot
4660237501	PT-LCPP-4-25-CL	6P4C Clear 25 Foot
4660927501	PT-LCPP-4-02-SS	6P4C Silver Satin 2 Foot
4660077501	PT-LCPP-4-07-SS	6P4C Silver Satin 7 Foot
4660087501	PT-LCPP-4-14-SS	6P4C Silver Satin 14 Foot
4660097501	PT-LCPP-4-25-SS	6P4C Silver Satin 25 Foot
4661897501	PT-LCPP-6-25-CHAR	6P6C Charcoal 25 Foot
4661017501	PT-LCPP-6-07-SS	6P6C Silver Satin 7 Foot
4661027501	PT-LCPP-6-14-SS	6P6C Silver Satin 14 Foot
4661037501	PT-LCPP-6-25-SS	6P6C Silver Satin 25 Foot
4809767501	PT-LCPP-8-07-SS	8P8C Silver Satin 7 Foot
4809787501	PT-LCPP-8-25-SS	8P8C Silver Satin 25 Foot
4663737500	SP-DC-RJ14-DE-25	6P4C Round CAT 3 Line Cord F-Spec 25 Foot
4663777500	SP-DC-RJ14-DE-75	6P4C Round CAT 3 Line Cord F-Spec 75 Foot

Line Cords



Plug-to-Spade Line Cords

PREMIER® Line Cords - Plug to Spade

Four and six conductor plug to spade tipped line cords for standard telephone sets.

- UL listed
- FCC part 68 compliant
- Flipped-wiring scheme
- Includes eye-hook strain relief

PREMIER

Item No.	Mfg. Part No.	Description
4660047501	PT-LCPS-4-07-SS	6P4C Silver Satin 7 Foot
4660057501	PT-LCPS-4-14-SS	6P4C Silver Satin 14 Foot
4660067501	PT-LCPS-4-25-SS	6P4C Silver Satin 25 Foot
4661047501	PT-LCPS-6-07-SS	6P6C Silver Satin 7 Foot
4661057501	PT-LCPS-6-14-SS	6P6C Silver Satin 14 Foot
4661067501	PT-LCPS-6-25-SS	6P6C Silver Satin 25 Foot



Spade-to-Spade Line Cords

PREMIER Line Cords - Spade to Spade

Four conductor spade tipped line cords for standard telephone sets.

- UL listed
- FCC part 68 compliant
- Flipped-wiring scheme
- Includes eye-hook strain relief

PREMIER

Item No.	Mfg. Part No.	Description
4660147501	PT-LCSS-4-07-SS	6P4C Silver Satin 7 Foot
4660157501	PT-LCSS-4-14-SS	6P4C Silver Satin 14 Foot
4660167501	PT-LCSS-4-25-SS	6P4C Silver Satin 25 Foot

Line Cords



Telephone Line Cordage

PREMIER® Telephone Line Cordage

Stranded silver satin telephone line cordage is used to create custom-made line cords of any length.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description
4604747501	PT-LC-4F-500-SS	Stranded 4 Conductor Silver Satin 500 Foot Reel
4604767501	PT-LC-6F-500-SS	Stranded 6 Conductor Silver Satin 500 Foot Reel
4604847501	PT-LC-8C-500-SS	Stranded 8 Conductor Silver Satin 500 Foot Reel

PREMIER Plugs for Line Cords, Handset Cords, and Data Cords



4C / 6C / 8C Modular Plugs

Line cord, handset cord, and data cord plugs are for terminating stranded cordage.



Modular Plugs for Handset Cords

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description
4604797501	PT-4P4C	Plug For Stranded Handset Cord 4P4C 25 Per Pack
4604757501	PT-6P4C	Plug For Stranded Line Cord 6P4C 25 Per Pack
4604777501	PT-6P6C	Plug For Stranded Line Cord 6P6C 25 Per Pack
4604787501	PT-8P8C	Plug For Stranded Line Cord 8P8C 25 Per Pack

Bells & Ringers

Bells



Loud Extension Bell

PREMIER® Bells

Loud ringing bells have a non-magnetic aluminum housing that protects two 6-inch gongs from all types of weather and environments. A mounting bracket is attached.

- Hard-wired telephone connections

PREMIER

Item No.	Mfg. Part No.	Description	Voltage Range	Frequency Range	Dimensions
4810317501	PT-101	Loud Extension Bell 95 dB 5900 Ohm Black	55 - 130 VAC	17 - 33 Hz	12.4"L x 5.4"W x 7.5"H
4810327501	PT-102	Loud Extension Bell 95 dB 1000/2650 Ohm Black	55 - 130 VAC	17 - 33 Hz	12.4"L x 5.4"W x 7.5"H



Loud Ringing Bell

PREMIER Ringers

Loud ringing bells are constructed with a highly durable plastic housing for indoor or outdoor use. It operates on telephone ringing voltage. This bell can be mounted on most flat surfaces. A water-tight plastic cover protects the ringer mechanism.

- Hard-wired telephone connections

PREMIER

Item No.	Mfg. Part No.	Description	Voltage Range	Frequency Range	Dimensions
4812417501	PT-75BA	Loud Ringing Bell 95 dB 1000/2650 Ohm Black	55 - 130 VAC	17 - 33 Hz	9.8"L x 5.2"W x 5.3"H
4812017501	PT-75BAR	Replacement Ringer Coil Assembly For PT-75BA Bell	55 - 130 VAC	17 - 33 Hz	9.8"L x 5.2"W x 5.3"H

Ringers



Bell Chime Ringer

PREMIER® Ringers

Bell Chime Ringers can function as a loud clear bell and with the flip of a switch can provide a pleasantly soft chime tone. For easy installation, the ringer is equipped with an external modular connection. The ringer operates off 55 to 130 VAC telephone ringing voltage and contains two 3-inch gongs for the chime effect. It provides volume control for the bell and chime, and is equipped with a 7 foot line cord.

- Modular line cord telephone connection

PREMIER

Item No.	Mfg. Part No.	Description	Voltage Range	Frequency Range	Dimensions
4811497501	PT-400	Bell Chime Ringer 75 dB 4600 Ohm With Volume Control And 7 Foot Cord Ivory	55 - 130 VAC	17 - 33 Hz	7.3"L x 5.2"W x 2.5"H



Extension Ringer

PREMIER Ringers

The 139 Extension Ringer is a two-gong, straight line extension ringer, featuring volume control and a double-wound coil for party identification. It is mounted on a steel base with a molded plastic cover.

- Hard-wired telephone connections

PREMIER

Item No.	Mfg. Part No.	Description	Voltage Range	Frequency Range	Dimensions
4812217501	PT-139	Extension Ringer 75 dB With Volume Control Beige	55 - 130 VAC	17 - 33 Hz	5.4"L x 5.2"W x 2.5"H

Wired

GN Netcom 2100 SoundTube Series Headset

Convenient wearing styles, headband, on-the-ear or 3-in-1. Choice of boom options: SoundTube or Flex noise-canceling. Full-size leatherette ear cushion. Convenient swing-away boom. The headset's lightweight, sleek styling enhances productivity. The different boom arms come equipped with different microphones to suit all office environments, from quiet to louder ones. Order amplifier separately.



GN Netcom 2110 ST Headset



GN Netcom 2115 ST Headset



GN Netcom 2117 ST Headset



GN Netcom 2119 ST 3-in-1 Headset



GN Netcom 2120 NC Headset



GN Netcom 2125 NC Headset



GN Netcom 2127 NC Headset




GN Netcom 2129 NC 3-in-1 Headset

PREMIER®

Item No.	Mfg. Part No.	Description
3000017501	PR 2110 ST	GN Netcom Model 2110 ST SoundTube Monaural Headset
3000047501	PR 2115 ST	GN Netcom Model 2115 ST SoundTube Binaural Headset
0000014066	PR 2117 ST	GN Netcom Model 2117 ST Over The Ear Monaural SoundTube Headset With Surefit Flexible Earhook
0000174114	2106-32-105	GN Netcom 2119 SoundTube Headset With 3-in-1 Wearing Styles, Including Earloop
3000097501	PR 2120 NC	GN Netcom Model 2120 NC Monaural Headset With Noise Canceling Microphone And Flexible Boom
3000117501	PR 2125 NC	GN Netcom Model 2125 NC Binaural Headset With Noise Canceling Microphone And Flexible Boom
0000017566	PR 2127 NC	GN Netcom Model 2127 NC Over The Ear Monaural Headset With Surefit Flexible Earhook - Flexible Boom With Noise Canceling Microphone
0000174115	2106-82-105	GN Netcom 2129 Noise-Cancelling Headset With 3-in-1 Wearing Styles, Including Earloop
4190017501	8800-01	GN Netcom Model 8800-01 Unamplified Cord With GN Netcom Quick Disconnect To Modular Plug - GN Netcom Part Number 1003945 for use with any GN Netcom 2100 Series Connect Headsets
3000027501	8800-02	GN Netcom Model 8800-02 Unamplified Cord With GN Netcom Quick Disconnect To Modular Plug - GNN # 27361101 For Use With GN Netcom 2100 Series Headsets And Plantronics Amplifier
0000171880	88001-99	GN Netcom Smart Cord 20in Straight Direct Connect Cord For All Tops and Phones

Wired

GN Netcom 405 Flex Noise Canceling Convertible Headset



GN Netcom 405 Flex SF
Convertible Noise Canceling Headset

GN Netcom 405 Flex SF Profile Surefit headband/over-the ear convertible noise canceling headset. The versatility of this model makes it one of our most popular selling headset styles.



GN Netcom 405 Flex SF
Accessories Included

PREMIER®

Item No.	Mfg. Part No.	Description
3023107501	405-FLEX-SF	GN Netcom Model 405-Flex-SF Profile Surefit Headset With Noise Canceling Microphone And Flexible Boom - Three Wearing Styles - Over The Head, Over The Ear and Ear Loop
3034377501	0436-719	GN Netcom Replacement Ear Cushion For The Profile Surefit

GN Netcom Accessory Cords

Unamplified cords are listed below. Supervisor headset cords in transmit or observe only models are also listed.

PREMIER

Item No.	Mfg. Part No.	Description
4190017501	8800-01	GN Netcom Model 8800-01 Unamplified Cord With GN Netcom Quick Disconnect To Modular Plug - GN Netcom Part Number 1003945
3000027501	8800-02	GN Netcom Model 8800-02 Unamplified Cord With GN Netcom Quick Disconnect To Modular Plug - GNN # 27361101 for use with GN Netcom 2100 Series headsets and Plantronics amplifier
0000039165	8312-00	GN Netcom Model 8312-009 Supervisor Y-Cord - Observe Only - Inserts Between GN Netcom Quick Disconnects - GN Netcom Part Number 27352101
4694517501	8312-129	GN Netcom Model 8312-129 Supervisor Y-Cord - Inserts Between GN Netcom Quick Disconnects - GN Netcom Part Number 1003935
0000171880	88001-99	GN Netcom Smart Cord 20in Straight Direct Connect Cord For All Tops and Phones

Wired

GN Netcom Telephone Amplifiers



GN Netcom 8000 MPA
Standard Telephone Amplifier



GN Netcom 8210
Digital Telephone Amplifier

To get the most out of today's applications, you'll want a headset that uses the latest technology to deliver the best possible sound. That narrows it down to the one headset company with a worldwide reputation for technological innovation and superior sound quality: GN Netcom.

Both the 8000 MPA and 8210 are telephone and IP compatible. The 8210's DSP technology reduces background noise on the incoming signal.

- Universal telephone compatibility
- Headset/handset switch
- Volume control and clickless mute
- Built-in headset stand
- Telephone and IP compatible

PREMIER®

Item No.	Mfg. Part No.	Description
3000077501	8000-MPA	GN Netcom PR8000 MULTI PURPOSE AMPLIFIER
0000106095	8210-05	GN Netcom Model 8210 Multi-Purpose Digital Amplifier - With GN Netcom Quick Disconnect - Includes Headset Stand With On-line Indicator - AC Power Adapter Included



GN Netcom AT3 2-Prong Modular Adapter

GN Netcom Two Prong Console Amplifier

The AT3 is a telephone amplifier for phone systems requiring a PJ 327 plug prong interface. It is a unique product that offers a field replaceable headset cord and a 90° bend to minimize space and position the controls for easy access. Additional product features include full range volume control, voice switching to further reduce background noise when the agent is not speaking, GN Netcom's FailSafe™ compression to ensure constant speaker output.

PREMIER

Item No.	Mfg. Part No.	Description
0000108875	AT3 - PJ327 01-0436	GN Netcom Headset Amplifier Model AT3 - PJ327 Two Prong Plug To Modular Plug - Includes 8800-01 Connecting Cord With GN Netcom Quick Disconnect
0000108876	AT3M 01-0437	GN Netcom Headset Amplifier Model AT3M - With Mute Feature - PJ327 Two Prong Plug To Modular Plug - Includes 8800-01 Connecting Cord With GN Netcom Quick Disconnect

Wired

GN Netcom In-line Amplifiers



GN Netcom 0686 Amplifier



GN Netcom 0686M Amplifier with Mute

GN Netcom in-line amplifiers provide a cost effective option for standard carbon applications. They feature a rotary wheel for a broad range of volume adjustments. The 0686M model comes with a mute button.

PREMIER®

Item No.	Mfg. Part No.	Description
0000026977	0686M	GN Netcom Model 0686M Inline Carbon Amplifier With Modular Plug And Locking Mute Switch



GN Netcom 8110 USB Digital Audio
PC Headset Adapter

GN Netcom USB adapter for PCs

Certified for use on Windows® operating systems (and compatible with Mac operating systems 9.0.4 or greater), the GN 8110 USBxp gives distortion-free, CD-quality sound for your PC-based voice applications. As a true plug-and-play adapter, there's no software to install. You just plug your GN Netcom brand headset into the adapter, and plug the adapter into your PC's USB port. Connect your GN Netcom headset directly to your PC's USB port and bypass potential sound card compatibility issues. GN Netcom Model 8110 USB digital audio PC headset adapter with GN Netcom quick disconnect for use with any GN Netcom headset. You must order the headset separately.

PREMIER

Item No.	Mfg. Part No.	Description
0000017569	GN 8110-USB	GN Netcom Model 8110 USB Digital Audio PC Headset Adapter With GN Netcom Quick Disconnect for use with any GN Netcom headset. Order headset separately.

Wireless

GN Netcom 9300 Series Wireless Headsets Including Amplifier



GN Netcom 9350

GN Netcom 9330
GN Netcom 9330USB

PREMIER®

Item No.	Mfg. Part No.	Description
0000174116	9326-607-105	GN Netcom 9350 DECT 6.0 Cordless Headset System with Noise Cancelling Microphone and Dual Connectivity - telephone and USB - enabling Desk and IP Telephony
0000174117	9327-508-105	GN Netcom 9330 DECT 6.0 Cordless Headset System with Noise Cancelling Microphone
0000174118	9327-509-105	GN Netcom 9330USB DECT 6.0 Cordless Headset System with Noise Cancelling Microphone Enables Wireless IP Telephony featuring Wideband sound - USB connectivity only

GN Netcom 6210 Bluetooth
Wireless Desk Phone/Cellular Headset

GN Netcom 6210 Bluetooth® Wireless Headset Products

GN Netcom's 6210 Bluetooth wireless headset products from PREMIER seamlessly connects to both your office phone and cell phone. GN Netcom 6210 Bluetooth wireless headset is for the office and beyond and fits behind the ear with a mini gel ear tip. The patented GN Link technology pairs with any office phone and any Bluetooth enabled cell phone - one headset, multiple phones. When fully charged the 6210 has 8 hours of talk-time. Add an optional GN 1000 RHL remote handset lifter to enable the ability to pickup calls remotely.

PREMIER

Item No.	Mfg. Part No.	Description
0000119424	GN 6210	GN Netcom 6210 Bluetooth Wireless Headset
0000124921	A210 100-94000000-02	GN Netcom A210 Bluetooth Adapter for use with the 6210 wireless headset on non-Bluetooth cell phones

Wireless

GN Netcom 9120 Series Wireless Headsets Including Amplifier

The 2.4GHz transmission 9120 Series is lightweight and has a 300 foot range. It allows over 8 hours of talk time with secure digital encryption and DSS technology. It offers convertible wearing styles and a unique tele-conferencing feature. Add optional GN 1000 RHL remote hookswitch lifter to pickup calls remotely.



GN Netcom 9120
Flex Wireless Headset



GN Netcom 9120
Wireless SoundTube Headset



GN Netcom 9120
Midi Boom Wireless Headset

PREMIER®

Item No.	Mfg. Part No.	Description
0000063528	9120-28-05	GN Netcom Model 9120 Wireless Headset System - Includes Flex-Boom Noise Canceling Headset And Charging Base
0000063529	9120-30-05	GN Netcom Model 9120 Wireless Headset System - Includes SoundTube Headset And Charging Base
0000063530	9120-48-05	GN Netcom Model 9120 Wireless Headset System - Includes Midi-Boom Headset And Charging Base



GN Netcom RHL1000
Remote Handset Lifter

GN Netcom Optional RHL1000 Remote Handset Lifter


GN Netcom's optional remote handset lifter picks up calls remotely. It can be used with any GN Netcom 9120 wireless, 6210 wireless or Ellipse wireless headset.

PREMIER

Item No.	Mfg. Part No.	Description
0000056207	GN 1000 RHL	GN Netcom Optional Model 1000 RHL Remote Handset Lifter - For Use With GN Netcom Wireless Model 9120 Series Or Ellipse 2.4 or 62.10 headsets for remote call pick-up

Mobile

Jabra Mobile Headsets



Jabra C250



Jabra C650 Mobile 2.5m Convertible Headband/
over the ear Headset

PREMIER®

Item No.	Mfg. Part No.	Description
0000127439	C250 100-52030000-02	Jabra C250 black Ear Wave Boom in Jabra retail blister pack, noise-canceling with 2.5m connector
0000127440	C650 100-53030000-02	Jabra C650 noise-canceling mobile headset 2.5m connector headband or over the ear convertible style

Jabra Bluetooth® Mobile Cell Phone Headsets



Jabra BT250V Bluetooth® Headset



Jabra BT-160 Bluetooth® Headset



Jabra JX-10 Bluetooth® Headset

PREMIER

Item No.	Mfg. Part No.	Description
0000127438	BT250V 100-92500000-02	Jabra BT250V Bluetooth® Mobile Headset black 100-92500000-02 7 hours talk time / 200 hours standby time
0000124921	A210 100-94000000-02	Jabra Bluetooth® A210 headset adapter for most Non-Bluetooth Cellular Phones
0000160947	BT-160	Jabra BT-160 Bluetooth® Wireless Headset 33 Different Cover Designs
0000160948	JX-10	Jabra JX-10 Bluetooth® Wireless Headset Digital Sound Enhancement Via DSP Technology



GN Netcom 6210 Bluetooth
Wireless Desk Phone/Cellular Headset

GN Netcom 6210 Bluetooth® Wireless Headset Products

GN Netcom's 6210 Bluetooth wireless headset products from PREMIER® seamlessly connects to both your office phone and cell phone. GN Netcom 6210 Bluetooth wireless headset is for the office and beyond and fits behind the ear with a mini gel ear tip. The patented GN Link technology pairs with any office phone and any Bluetooth enabled cell phone - one headset, multiple phones. When fully charged the 6210 has 8 hours of talk-time. Add an optional GN 1000 RHL remote handset lifter to enable the ability to pickup calls remotely.

PREMIER

Item No.	Mfg. Part No.	Description
0000119424	GN 6210	GN Netcom 6210 Bluetooth Wireless Headset
0000124921	A210 100-94000000-02	GN Netcom A210 Bluetooth Adapter for use with the 6210 wireless headset on non-Bluetooth cell phones



Computer

GN Netcom PC Headsets

The GN Netcom stereo PC headset line makes it easy for you to find the right headset. The GN 501SC gives you style and sound quality. With the GN 503SC, you get premium sound and versatile comfort. And the GN 503USB adds the enhanced digital sound quality of the USB interface. All three boast premium features, like Neodymium drivers, noise-canceling microphones and in-line mute and volume controls. So whatever your need, whatever your budget, there's a GN Netcom PC headset that's right for you.

- Noise-canceling microphone for clear communications.
- Flexible microphone boom and noise-canceling microphone for clear communications.
- In-line mute and volume buttons put audio controls at your fingertips.



GN Netcom 501SC
Sound Card PC Headset



GN Netcom 503SC
Sound Card PC Portable Headset



GN Netcom 503USB
USB PC Headset

PREMIER®

Item No.	Mfg. Part No.	Description
0000123616	501SC	GN501SC PC Headset Noise Canceling Microphone Flexible Boom In-Line Mute and Volume Buttons. The GN 501SC combines smart design and solid capabilities in an affordable package. Its sound card-compatible stereo plugs are gold-plated for a superior connection.
0000124691	503SC	GN Stereo/PC Headset. The GN 503SC adds higher end performance and convenience features. A soft, self-adjusting headband. Speakers that fold flat, making it easier to carry and store. And the GN 503SC's Neodymium drivers are a full 40mm, for deeper bass response and more accurate sound quality. Sound card stereo plugs are included.
0000124692	503USB	GN Universal Bus Connection. The GN 503USB is the choice for the most demanding PC audio applications. Its direct-to-digital USB connection provides interference-free, digital sound quality, and plug-and-play compatibility. And its ear cushions are thick and plush, making them extraordinarily comfortable.



GN Netcom 8110 USB Digital Audio PC Headset
Adapter

GN Netcom 8110 USB Digital Audio PC Headset Adapter

Certified for use on Windows® operating systems (and compatible with Mac operating systems 9.0.4 or greater), the GN 8110 USBxp gives distortion-free, CD-quality sound for your PC-based voice applications. As a true plug-and-play adapter, there's no software to install. You just plug your GN Netcom brand headset into the adapter, and plug the adapter into your PC's USB port. Connect your GN Netcom headset directly to your PC's USB port and bypass potential sound card compatibility issues.

PREMIER

Item No.	Mfg. Part No.	Description
0000017569	GN 8110-USB	GN Netcom Model 8110 USB Digital Audio PC Headset Adapter With GN Netcom Quick Disconnect for use with any GN Netcom headset. Order headset separately.

Connection Central™

Voice and Data Gateway Solution



Cordless Phone



Feature Phone

- Fully-Integrated Voice & Data Solution
- Advanced Business Communication System Features
- Corded and Cordless Phones
- Integrated DSL Modem / 4 Port Router
- Wireless LAN (802.11b/g)
- Security/Firewall Protection

Connection Central is the voice and data communications solution for the home and small office. It is an all-in-one voice and data gateway solution that incorporates the features of an advanced PBX supporting up to 2 PSTN and 2 VoIP lines, 4 wired and 6 cordless extensions. It is equipped with a DSL modem, 4 port router, Wi-Fi (802.11 b/g), with a built-in firewall, and all at an affordable price.



Hub

PREMIER®

Item No.	Mfg. Part No.	Description
0000161756	CCABK1	Connection Central Advanced Business System consisting of one each - hub, cordless phone, and feature phone
0000150056	5925.056	Connection Central Cordless Phone
0000150059	5826.056	Connection Central Feature Phone
0000150055	5923.056	Connection Central Hub

Connection Central™

Accessories



Music-On-Hold Adapter



Door Phone

PREMIER®

Item No.	Mfg. Part No.	Description
0000149857	5924.056	Connection Central External Music-On-Hold Adapter
0000169612	5887.05700	Connection Central Doorphone
0000149845	5755.05600	Connection Central Spare Power Supply (includes the AC Cord)
0000149846	5756.05600	Connection Central Spare MDF Cover
0000149847	5758.05600	Connection Central Spare Cable Pack
0000149848	5759.05600	Connection Central Spare Documentation Pack On CD
0000149849	5762.05600	Connection Central Cordless Phone Charger and Stand
0000149850	5763.05600	Connection Central Cordless Phone Belt Clip
0000149852	5868.05600	Connection Central Feature Phone Handset
0000149853	5870.05600	Connection Central Base Plate for Feature Phone
0000149856	5883.05600	Connection Central Line Key Lens for Feature Phone

Switches



PREMIER® s-Series® Smart LAN Switch

The PREMIER s-Series Smart LAN Switch is a high performance Web-managed SNMP layer 2 switch that provides users with 24 10/100Mbps Ethernet ports. The Gigabit module, which can be copper or fiber media, supports 1000BASE-SX, 1000BASE-LX or 1000BASE-T, allowing users to increase their network response time at Gigabit speeds with great flexibility.

- Non-blocking, full-time speed, store-and-forward, maximum packet length 1568 bytes
- Auto-negotiation, and auto-MDIX on all 10/100/1000M copper ports
- 24 10/100 RJ-45 ports, and 2 Gigabit port module with copper ports or fiber ports
- 3M bit packet buffer and 1M bit control buffer
- Up to 14K MAC entries and 4K VLAN entries
- Support flow control for both half- and full-duplex
- Support head-of-line blocking prevention
- Support broadcast storm filtering

PREMIER

Item No.	Mfg. Part No.	Description
0000097912	6024SX2	Switch Ethernet 10/100 Mbps 24-Port Plus 2 Expansion Slots



PREMIER s-Series® Fast Ethernet PoE Switch

The PREMIER s-Series Fast Ethernet Switch features power over Ethernet (PoE), which optimizes the installation and power management of network devices such as wireless access point, VoIP phones and security video cameras. Power over Ethernet (IEEE 802.3af) capabilities reduce installation costs for many new network productivity devices.

- 24 10/100BaseT/TX ports, and 2 combo ports for Gigabit or 100base fiber interface
- Centralized power management for improved energy efficiency reduces electricity costs
- Advanced detection functions provided for both powered and non-powered devices
- Security featured with RADIUS, TACACS+, SSL, 802.1x
- Line aggregation 2-4 ports per truck, 6 Trucks per group
- GVRP protocol for VLAN management
- 1U high, 19-inch rack mountable
- Fully compliant with IEEE 802.3af and its MIB support

PREMIER

Item No.	Mfg. Part No.	Description
0000097913	6124SX3	Switch Ethernet POE 10/100 Mbps 24-Port Plus 2 Gigabit Combination RJ-45/SFP Ports



PREMIER s-Series® Mid-Span PoE Power Supply

The PREMIER s-Series Mid-Span PoE Power Supply injects power into the unused wire pairs 4/5 and 7/8 in Ethernet cables. It's fully compliant with a new IEEE standard (802.3af) specification, and uses automatic detection circuits that will only send power to devices that present authenticated PoE signatures.

- 12 10/100BaseTX data ports, and 12 data/power ports
- Plug and play with advanced auto-sensing algorithm for non-powered device protection
- Concise LED status indications on front panel for real-time monitoring which indicated conditions - normal, overload or short-circuit
- On-front reset button for easy system restart
- Compliance compact size with 1U high, 19-inch mid-spans allow easy rack mounting in the wiring closet
- Fully support IEEE 802.3af standard compliance

PREMIER

Item No.	Mfg. Part No.	Description
0000097914	P6012S	POE Mid Span Power Supply 12-Ports

Switches



PREMIER® 10/100 8 Port Mini LAN Switch

The PREMIER fast Ethernet 10/100Mbps N-Way switch comes with eight independent 10BASE-T/100BASE-TX ports. Each port delivers up to 200Mbps throughput, and is able to operate in either half or full-duplex modes. N-Way auto-negotiation function automatically adjusts the device for optimum operation. Store-and-Forward architecture filters to eliminate error packets and improve efficiency, and MDI/MDIX auto crossover technology provides for detecting a plugged straight through or crossover Ethernet cable automatically.

- Compliant with IEEE 802.3 10Base-T and IEEE 802.3u 100Base-TX standards
- Supports store-and-forward and cut-through operation
- 10/100Mbps port auto-detect on Full or Half Duplex mode
- Each Ethernet port supports MDI/MDIX auto crossover capacity
- Provides non-blocking and Head-of-line blocking prevention
- 1MB buffer memory built-in

PREMIER

Item No.	Mfg. Part No.	Description
0000056415	PT-6008S	PREMIER 10/100 Ethernet 8-Port Mini LAN Switch

Home Networking



Power Line Adapters

PowerLine Network products provide the ultimate alternative solution for networking your home or small office. There's no need to worry about wireless integration or installing cabling because your building infrastructure has done that for you already. Perfect applications for PowerLine Network products include but are not limited to: retrofitting networking within an older home or office, networking AV equipment without the hassle of wireless "dead-zone" prone areas.

PREMIER

Item No.	Mfg. Part No.	Description
0000160139	PL-100	HomePlug Turbo One Ethernet Port
0000169220	PLA-400	HomePlug AV One Ethernet Port
0000169221	PLA-402	HomePlug AV One Ethernet Port and One Coaxial Port

MSAP/IP DSLAM

ZyXEL IP DSLAM series offers a broad range of options for every deployment environment and scale. Available models range from a 16 or 48-port mini ADSL2+ and VDSL2 DSLAMs, to the versatile IES-5000 series Multiple Service Access Platforms (MSAPs) for mid to large scale deployment for triple-play (data, voice and video) applications. Two power inputs are available: the DC version for central and remote office sites and the AC version commonly used for in-building applications. In addition, selected models are designed to comply with industrial standards for being placed in a street cabinet to maximize deployment opportunities.

IES-1000 Multi-service IP DSLAM

A stand-alone multi-service IP DSLAM, the IES-1000 supports standard SHDSL technology, ADSL and ADSL2+ over POTS/ISDN with a built-in CO splitter. Each IES-1000 has two slide-in slots where either 8-port SHDSL line cards, 8-port ADSL line cards or 12-port ADSL2+ line cards with built-in CO splitters can be installed. The network administrator may determine the line-card combination to be used. Each ADSL or SHDSL module supports one 10/100BaseT Fast Ethernet interface as an uplink port. Each ADSL2+ module can support two 10/100BaseT Fast Ethernet interfaces as uplink ports.

- Multi-service IP DSLAM, 1U, AC or DC powered
- Two slide-in slots for various DSL modules
- 8-port ADSL and 12-port ADSL/ADSL2/ADSL2+ modules with splitter built-in
- 8-port SHDSL module for long reach and business applications
- One or two Fast Ethernet interfaces for uplink
- 802.1p QoS, priority queuing, 802.1q VLAN tagging, and multicasting support
- 802.1x authentication, MAC/Package filtering, and ACL filtering support
- Windows-based Element Management System (EMS)

PREMIER®



IES-1248 Temperature-Hardened IP DSLAM

A stand-alone remote IP DSLAM with the highly compact and temperature-hardened design, the IES-1248 supports 48-port ADSL/ADSL2/ADSL2+ over POTS/ISDN with a built-in CO splitter. Each IES-1248 has two telco-50 connectors for ADSL/ADSL2/ADSL2+ line and two telco-50 connectors for the built-in CO splitters. In addition, there are two combo Gigabit interfaces to support flexible uplink and sub-tending.

- Remote IP DSLAM, 1.5U, AC or DC powered
- Highly compact and temperature-hardened design
- In-band management and one mini RJ11 for local console
- 48-port ADSL/ADSL2/ADSL2+ module with splitter built-in
- Hot swappable fan module increases flexibility
- Two Gigabit Ethernet interfaces for uplink and sub-tending
- 802.1p QoS, priority queuing, 802.1q VLAN tagging, and multicasting support
- 802.1x authentication, MAC/Package filtering, and ACL filtering support
- Windows-based Element Management System (EMS)

PREMIER



IES-2000 4U IP DSLAM

4U in height, the IES-2000 is a modular IP DSLAM that supports a combination of supported SHDSL, ADSL and ADSL2+ line cards. A Management Switching Card (MSC) provides sophisticated layer 2 switching features as well as modular Fast Ethernet and Gigabit Ethernet uplink/subtending interfaces. Each IES-2000 features one slide-in slot for an MSC card and 5 additional slots for any combination of supported 24-port DSL line cards. The total supported number of ports can be up to 120.

- Modular multi-service IP DSLAM, 4U, DC powered
- One management switching card
- Five slots for 24-port ADSL/SHDSL line cards, hot swappable
- CO splitter cards in separate splitter chassis
- Fast Ethernet and Gigabit Ethernet interfaces for uplink and subtending
- 802.1p QoS, priority queuing, 802.1q VLAN tagging, and multicasting support
- 802.1x authentication, MAC/Package filtering, and ACL filtering support
- Windows and Unix based Element Management System (EMS)

PREMIER®



IES-2500 4U IP DSLAM

With a similar form factor to IES-2000, IES-2500 supports AC power (as opposed to DC power) and uses dedicated low voltage DSL (ADSL / ADSL2+) line cards. The functions and locations of the slide-in chassis slots are identical to the IES-2000.

- Modular multi-service IP DSLAM, 4U, AC powered
- One management switching card Five slots for 24-port
- ADSL/ADSL2/ADSL2+ line cards, hot swappable
- CO splitter cards in separate splitter chassis
- Fast Ethernet and Gigabit Ethernet interfaces for uplink and subtending
- 802.1p QoS, priority queuing, 802.1q VLAN tagging, and multicasting support
- 802.1x authentication, MAC/Package filtering, and ACL filtering support
- Windows and Unix based Element Management System (EMS)

PREMIER



MSAP/IP DSLAM

IES-3000 4U IP DSLAM

10U in height, the IES-3000 modular IP DSLAM uses the same MSC and line cards as the IES-2000. Each IES-3000 provides two slide-in slots for MSC cards and 14 additional slots for any combination of supported DSL line cards. The two MSC cards provide switchover function when one failed. The system supports up to 360 ports with one MSC card and all the line cards installed.

- Modular multi-service IP DSLAM, 10U, DC powered
- One management switching card (MSC) or two MSCs for redundancy
- Fourteen or fifteen slots for 24- port ADSL/SHDSL line cards, hot swappable
- CO splitter cards in separate splitter chassis
- Fast Ethernet and Gigabit Ethernet interfaces for uplink and subtending
- 802.1p QoS, priority queuing, 802.1q VLAN tagging, and multicasting support
- 802.1x authentication, MAC/Package filtering, and ACL filtering support
- Windows and Unix based Element Management System (EMS)

PREMIER®



IES-5000 6.5U Next-Generation Multi-service IP

6.5U in height, the IES-5000 is the next-generation IP DSLAM with Gigabit backplane which supports up to 8 slots for any combination of supported 48-port SHDSL/SHDSL.bis, ADSL/ADSL2/ADSL2+ line cards and 24-port VDSL2 line cards. The VDSL2 line card is in PTM mode and will support ADSL2+ fall back in the next version. Carrier-class redundancy is also supported by the 2-slot MSC cards and 2 power input modules. MSC cards provide sophisticated layer 2 switching features as well as traffic aggregation from xDSL users into four Gigabit Ethernet uplink/subtending interfaces. The maximum port capacity can be up to 384 ports.

- Next-generation multi-service IP DSLAM with Gigabit backplane, DC powered
- Two management switching cards and two power modules for redundancy
- Eight slots for 48-port ADSL/SHDSL or 24-port VDSL2 line cards, hot swappable
- CO splitter cards in separate splitter chassis
- Four Gigabit Ethernet interfaces for uplink and subtending
- 802.1p QoS, priority queuing, 802.1q VLAN tagging, and multicasting support
- 802.1x authentication, MAC/Package filtering, and ACL filtering support
- Windows and Unix based Element Management System (EMS)

PREMIER





IES-5005 4U Next-Generation Multi-service IP DSLAM

4U in height, the IES-5005 is a high port density IP DSLAM with Gigabit backplane which uses the same MSC and line cards as the IES-5000. Each IES-5005 provides one slide-in slot for MSC card and 4 additional slots for any combination of supported DSL line cards. Two power input modules are provided for power redundancy. The port capacity can be up to 192 ports per chassis. The IP DSLAM family is manageable by telnet, local console port, or SNMP. ZyXEL offers a powerful user friendly, NeAtlas Access EMS, which behaves as a SNMP Manager to perform fault, security, performance and configuration management. The NetAtlas Access is designed to allow several concurrent administrators to simultaneously manage hundreds of IP DSLAM.

- Next-generation multi-service remote IP DSLAM with Gigabit backplane, DC powered
- One management switching card and two power modules for redundancy
- Four slots for 48-port ADSL/SHDSL or 24-port VDSL2 line cards, hot swappable
- CO splitter cards in separate splitter chassis
- Four Gigabit Ethernet interfaces for uplink and subtending
- 802.1p QoS, priority queuing, 802.1q VLAN tagging, and multicasting support
- 802.1x authentication, MAC/Packet filtering, and ACL filtering support
- Windows and Unix based Element Management System (EMS)

PREMIER®



Modems & Filters



ADSL2+ Modem and Router

Zyxel's 660 compact series is the next generation of modems and routers. Enabling high-speed Internet connections, the 660 compact series is designed for small office, home office and residential users. Enjoy ADSL services and broadband multimedia applications such as interactive gaming, video streaming and real-time audio easier and faster than ever before.

PREMIER®

Item No.	Mfg. Part No.	Description
0000168203	PT-660M-D1	ADSL2+ Modem-Bridge 8-35 VPI-VCI
0000169598	PT-660M-D1-0-35	ADSL2+ Modem-Bridge 0-35 VPI-VCI
0000168204	PT-660R-D1	ADSL2+ Router auto configuration



DSL Filters

These high-performance DSL filters give you peak data performance and voice quality by blocking interference between regular phone voice signals and broadband signals, such as DSL or home phoneline networking (HPN).



PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000156939	070246	Z-300PJ	In-Line DSL Filter Single Line
0000156940	070247	Z-300TJ	In-Line T-adaptor Style DSL Filter Single Line
0000156938	071489	Z-300CW	Wallmount DSL Filter Single Line with Data Jack

Power, Protection & Fuses

PREMIER® carries a broad portfolio of Power, Protection & Fuses. Our manufacturer list includes:

- ▶ PREMIER
- ▶ Cyber Power
- ▶ ITW Linx
- ▶ Minuteman

Surge Protection



SP6

ITW Linx Surge Protectors and Add-On Modules from PREMIER

Surge protection for every telecom and office application including video set top boxes. Stand-alone units for basic applications, and base units with add-on modules to cover any and every application. Manufactured for PREMIER by ITW Linx.

- Protect or disconnect technology ensures your safety
- SurgeGate technology reconnects your equipment as soon as the power supply is safe again
- Complete protected equipment warranties on every model



SP6C



SP6T



SP6DBS

PREMIER

Item No.	Mfg. Part No.	Description
0000118233	SP6	SP6 Surge Protector with 6 AC Outlets
0000118234	SP6C	SP6C Surge Protector with 6 AC Outlets and Protection for 1 Coax Line
0000118236	SP6T	SP6T Surge Protector with 6 AC Outlets and Protection for 1 Telephone Line
0000118235	SP6DBS	SP6DBS Surge Protector with 6 AC Outlets and Protection for 1 Coax Line 1 Telephone Line and 1 Satellite Line
9848357500	PT-MLLT1	LL (T-1) Module
9848247500	PT-CO/4X4 MC04X4-60	MCO 4x4 Module
9847347500	PT-RS/2 (MRS2)	RS 2 Module
9846397500	PT-TELEMAX2/PT-MST	Max 2 Tel Unit
9840197500	PT-MCO8110 (TOWERMAX)	MCO 8x110 Module
0137600000	MC04110	MCO 4x110 Module
9840187500	PT-SOHO	Max 8 ComData Unit
0000003418	M4KSU	Max 4 KSU Unit
0000023972	M4T	Max 4 Tel Unit
0000031255	PT-M4L	Max 4 LAN Unit
9846327500	PT-MAX2 (M2)	Max 2 Unit
0138090000	MDS2-60	MDS 2-60 Module
0138100000	MDSCO-60	CO-60 Module
9840177500	M8KSU-60	Max 8 KSU Unit
0140000000	MSCL8-60	MSCL 8-60 Unit

Uninterruptible Power Supplies

Cyber Power Uninterruptible Power Supplies from PREMIER®



CS24C12V2-E



CS24U12V



CF16U48Z



CF50U48Z

PREMIER

Item No.	Mfg. Part No.	Description
0000126710	CS24U12V	Power Supply Indoor Uninterruptible 12-volt 24-watt 7.2 amp-hour Battery
0000160648	CS24C12V2-E	Power Supply Outdoor Uninterruptible 12-volt 24-watt 7.2 amp-hour Battery
0000172744	CS24U12V-12	CyberPower Indoor Uninterruptible Power Supply 12-volt 24-watt DC Output with 12 amp-hour Battery - Wall Mountable - for Fiber To The Home and FTTx Applications *HAZUN2800*
0000172746	CS24U12V-XL	CyberPower Indoor Uninterruptible Power Supply 12-volt 24-watt DC Output with Extended Life 7.2 amp-hour Battery - Wall Mountable - for Fiber To The Home and FTTx Applications *HAZUN2800*
0000172747	CS30U12V-20	CyberPower Indoor Uninterruptible Power Supply 12-volt 30-watt DC Output with 20 amp-hour Battery - Wall Mountable - for Fiber To The Home and FTTx Applications *HAZUN2800*
0000172742	CS16U48V-8	CyberPower Indoor Uninterruptible Power Supply 48-volt 16-watt DC Output with 8 amp-hour Battery - Wall Mountable - for Fiber To The Home and FTTx Applications *HAZUN2800*
0000160649	CS50U48V	Power Supply Indoor Uninterruptible 48-volt 24-watt 17 amp-hour Battery
0000174063	CS36A12V2P	CyberPower Indoor Uninterruptible Power Supply with 48-volt DC power supply and separate Battery Backup Unit which allows for up to 100 foot distance between power supply and Battery Backup Unit for Fiber To The Home and FTTx Applications *HAZUN2800*
0000172977	CS24U12VNP	Same as CS24U12V but power cord is non pass through
0000172745	CS24U12V-17	CyberPower Indoor Uninterruptible Power Supply 12-volt 24-watt DC with 17 amp-hour Battery - Wall Mountable - for Fiber To The Home and FTTx Applications *HAZUN2800*
0000172743	CS20A-EBP	CyberPower 20 amp-hour External Battery Pack for use with CyberPower Indoor UPS models for Fiber To The Home and FTTx Applications *HAZUN2800*

Uninterruptible Power Supplies

Minuteman Uninterruptible Power Supplies from PREMIER®

Made for PREMIER by Minuteman. Uninterruptible power supplies provide emergency power for your critical systems and supply more consistent power for all of your sensitive equipment.



XRT



PRO-E



Enterprise



Endeavor

MBK "E" Series provides:

- Line interactive stepped sinewave output with boost
- 3 years warranty on the electronics, 2 years on the batteries

Pro "E" Series provides:

- Line interactive stepped sinewave output with automatic voltage regulation, double boost, and buck
- 3 years warranty on the electronics and batteries

SmartSine Series provides:

- Line interactive true sinewave output with double boost and buck
- 3 years warranty on the electronics and batteries

XRT Series provides:

- Extended runtime and true sinewave output with isolation transformers, boost, and buck
- 3 years warranty on the electronics and batteries

Enterprise Series provides:

- Extended runtime true sinewave output with double boost and double buck
- Can be mounted vertically, horizontally, or in a 19- or 23-inch rack
- 3 year warranty on the electronics and batteries

MCP Series provides:

- True on-line protection with perfect sinewave output, double boost, and double buck
- 2 years warranty on the electronics and batteries

Endeavor Series provides:

- Online true sinewave output
- Floor, rack or wall mountable
- 3 year non-prorated warranty (including batteries)

PREMIER

Item No.	Mfg. Part No.	Description
0000076064	MBK 550E	MBK "E" 550 VA
0000076065	MBK 750E	MBK "E" 750 VA
0000076068	PRO 500E	Pro "E" 500 VA
0000076069	PRO 700E	Pro "E" 700 VA
0000076066	PRO 1100E	Pro "E" 1100 VA
0000076067	PRO 1500E	Pro "E" 1500 VA
0000048774	PT-S700	SmartSine 700 VA
0000048771	PT-S1000	SmartSine 1000 VA
0000048772	PT-S1400	SmartSine 1400 VA
0000048773	PT-S2000	SmartSine 2000 VA
9848657500	PT-XRT-600	XRT Series 600 VA
9848667500	PT-XRT-1000	XRT Series 1000 VA
9848617500	PT-XRT-1500	XRT Series 1500 VA
9848627500	PT-XRT-2000	XRT Series 2000 VA
9848637500	PT-XRT-BP1	XRT Series BP 1
9848647500	PT-XRT-BP3	XRT Series BP 3000

Uninterruptible Power Supplies

Minuteman Uninterruptible Power Supplies from PREMIER® (continued)

PREMIER

Item No.	Mfg. Part No.	Description
9849227500	Enterprise-BP1	Enterprise BP 1
9849237500	Enterprise-BP2	Enterprise BP 2
9849247500	Enterprise-BP3	Enterprise BP 3
9849257500	Enterprise-BP4	Enterprise BP 4
9849167500	PT-ENTERPRISE-500	Enterprise 500 VA
9849177500	PT-ENTERPRISE-750	Enterprise 750 VA
9849187500	PT-ENTERPRISE-1100	Enterprise 1100 VA
9849197500	PT-ENTERPRISE-1500	Enterprise 1500 VA
9849207500	PT-ENTERPRISE-2300	Enterprise 2300 VA
9849217500	PT-ENTERPRISE-3200	Enterprise 3200 VA
0000069849	MN325	MN Series 325 VA
0000069850	MN525	MN Series 525 VA
0000172528	ED1000RM2U	Minuteman Endeavor Series UPS - 1000 VA 800 watt on-line UPS 2U rackmount tower wall mount 6 outlets load shedding USB optional SNMP 3 year warranty
0000172529	ED1500RM2U	Minuteman Endeavor Series UPS - 1500 VA 1200 watt on-line UPS 2U rackmount tower wall mount 6 outlets load shedding USB optional SNMP 3 year warranty
0000172530	ED2000RM2U	Minuteman Endeavor Series UPS - 2000 VA 1600 watt on-line UPS 2U rackmount tower wall mount 7 outlets load shedding USB optional SNMP 3 year warranty
0000172531	ED3000RM2U	Minuteman Endeavor Series UPS - 3000 VA 2100 watt on-line UPS 2U rackmount tower wall mount 7 outlets load shedding USB optional SNMP 3 year warranty
0000172532	EDBP24XL	Minuteman Endeavor Series UPS External Battery Pack for ED1000RM2U
0000172533	EDBP48XL	Minuteman Endeavor Series UPS External Battery Pack for ED1500RM2U
0000172534	EDBP72XL	Minuteman Endeavor Series UPS External Battery Pack for ED2000RM2U/ED3000RM2U

Station Protection



PREMIER® Telecommunications Fuses

Telecommunications fuses manufactured for PREMIER by Bussmann.

PREMIER

Item No.	Mfg. Part No.	Description
7365897500	PT-7A-7	Fuse 7 Amp 7 Type 7A
7392847500	PT-24E-1/2	Fuse 1/2 Amp WER1/2
7392537500	PT-WER-1	Fuse 1 Amp WER1
7392787500	PT-24G-1-1/3	Fuse 1-1/3 Amp WER 1-1/3
7392517500	PT-24C-2	Fuse 2 Amp WER-2
7392777500	PT-24F-5	Fuse 5 Amp WER5
7392017500	PT-35A-1-1/3	Fuse 1-1/3 Amp Grasshopper Wht
7392077500	PT-35B-1-1/3	Fuse 1-1/3 Amp 35b Grasshopper
7392037500	PT-35F-1/2	Fuse 1/2 Amp 35f 90vdc Red
7392047500	PT-35G-3	Fuse 3 Amp Grasshopper Blu
7392057500	PT-35H-5	Fuse 5 Amp Grasshopper Brn
7395817500	PT-35J-1/2A	Fuse 35J-1/2a 160vdc Red 35J
7392217500	PT-70A-1-1/3	Fuse 1-1/3 Amp Wht Pt70A1-1/3p
7392227500	PT-70B-2	Fuse 2 Amp Org 70B2
7392237500	PT-70C-3	Fuse 3 Amp Blu 70C3
7392247500	PT-70D-5	Fuse 5 Amp Grn 70D5
7392257500	PT-70E-18/100	Fuse 18/100 Amp Ylw 70-18/100
7392267500	PT-70F-1/4	Fuse 1/4 amp Vio 70F
7392277500	PT-70G-1/2	Fuse 1/2 Amp Red 125vac / 300v
7392287500	PT-70H-3/4	Fuse 3/4 Amp Brn 125vac 300vdc
7392297500	PT-70K-1/4	Fuse 1/4 Amp Vio/Wht
7392197500	PT-70N-10	Fuse 10 Amp Vio/Ylw 125vac
7392367500	PT-70X-2/10	Fuse 2/10 Amp Blk 125vac 300vd
7395937500	PT-74D-10	Fuse 74D-10 60vdc
7372847500	PT-80D-5	Fuse 80D-5 250vac Green
7375857500	PT-80G-1/2	Fuse 80G-1/2 250vac Red
7372867500	PT-81A-10	Fuse 81A-10 250vac 65vdc Ylw
7369427500	PT-ABC-15	Fuse ABC-15 Fast Acting 250v
7365227500	PT-AGC-1/4	Fuse 1/4 Amp Fast Acting 250v AGC 1/4
0124997500	PT-AGC-3/8	Fuse 3/8 Amp AGC 250v AGC 3/8

Station Protection

PREMIER® Telecommunications Fuses (continued)

PREMIER

Item No.	Mfg. Part No.	Description
7392797500	PT-AGC-1/2	Fuse 1/2 Amp Fast-Act Glass Tube AGC 1/2
7392867500	PT-AGC-3/4	Fuse 3/4 Amp Fast-Act GLS Tube AGC 3/4
7392817500	PT-AGC-1	Fuse 1 Amp Fast-Act Glass Tube AGC 1
7392837500	PT-AGC-1-1/2	Fuse 1-1/2 Amp Fast-Act Glass Tube AGC 1-1/2
7392827500	PT-AGC-2	Fuse 2 Amp Fast-Act Glass Tube AGC 2
7392377500	PT-AGC-3	Fuse 3 Amp Glass Tube AGC 3
7392387500	PT-AGC-5	Fuse 5 Amp Glass Tube AGC 5
7392397500	PT-AGC-6	Fuse 6 Amp AGC 6
7392437500	PT-AGC-8	Fuse 8 Amp Glass Tube AGC 8
7392447500	PT-AGC-10	Fuse 10 Amp Glass Tube AGC 10
7393477500	PT-AGC-15	Fuse 15 Amp Glass Tube AGC 15
7392357500	PT-AGX-2	Fuse 2 Amp AGX Fast-Acting 250
0093667500	PT-FNM-10	Fuse 10 Amp 250vac Time Delay
7394877500	PT-GFA-1	Fuse 1 Amp GKN1
7391737500	PT-GMA-500MA	Fuse 1/2 Amp 250v Glass Tube G
7395047500	PT-GMA-2	Fuse GMA-2 Fast Acting 250v Pt
7373467500	PT-GMA-4	Fuse GMA-4 Protege Repl
7373477500	PT-GMA-6	Fuse GA-6 Protege Repl
7365117500	PT-GMA- 10	Fuse 10 Amp GMA-10 Protege Rep
7392707500	PT-GMA-15	Fuse 15 Amp GMA15
7392497500	PT-GMT-18/100	Fuse 18/100 Amp GMT Ylw
7392557500	PT-GMT-1/4	Fuse 1/4 Amp GMT Violet
7392567500	PT-GMT-1/2	Fuse 1/2 Amp GMT Red
7392577500	PT-GMT-3/4	Fuse 3/4 Amp GMT Brown
7392587500	PT-GMT-1	Fuse 1 Amp GMT Gray
7392617500	PT-GMT-1-1/2	Fuse 1-1/2 Amp GMT Wht/Ylw
7392597500	PT-GMT-1-1/3	Fuse 1-1/3 Amp GMT White
7392657500	PT-GMT-10	Fuse 10 Amp GMT Red-White
5136297500	PT-GMT-15	Fuse 15 amp GMT Red and Blue
7392627500	PT-GMT-2	Fuse 2 Amp GMT Orange
7392637500	PT-GMT-3	Fuse 3 Amp GMT Blue
7374667500	PT-GMT-4	Fuse 4 Amp GMT Wht/Brn 60v 125vac
7392647500	PT-GMT-5	Fuse 5 Amp GMT 5
7392487500	PT-GMT-7-1/2	Fuse 7-1/2 Amp GMT Blk/Wht
7361477500	PT-GMT-DUMMY	Fuse Dummy 60v 125vac GMT
4164807500	PT-KTK-5	Fuse 5 amp Limitron
4164797500	PT-KTK-10	Fuse 10 amp Limitron
4164787500	PT-KTK-15	Fuse 15 amp Limitron

Station Protection

PREMIER® Telecommunications Fuses (continued)

PREMIER

Item No.	Mfg. Part No.	Description
7396227500	PT-MDA-15	FUSE MDA-15 TIME DELAY 250V PT
7392687500	PT-MDL-3/4	Fuse 3/4 Amp
7392697500	PT-MDL-1	Fuse 1 Amp Slow MDL1
7392417500	PT-MDL-2	Fuse 2 Amp Mdl MDL2
7392427500	PT-MDL-3	Fuse 3 Amp MDL3
7392747500	PT-MDL-5	Fuse 5 Amp MDL 5
7392757500	PT-MDL-10	Fuse 10 Amp MDL10
7392767500	PT-MDL-15	Fuse MDL-15 Time Delay 32vac
7390587500	PT-NON-100	Fuse 100 Amp 250vdc One-Time
7390637500	PT-NON-30	Fuse 30 Amp 250vdc One-Time
7375247500	PT-NON-60	Fuse 60amp 250vdc General Purpose
0303937500	PT-TPA-15	Fuse TPA 15a 170vdc 100ka Interrupt
0268477500	PT-TPA-20	Fuse TPA 20a 170vdc 100ka Interrupt
0268607500	PT-TPA-30	Fuse TPA 30a 170vdc 100ka Interrupt
7390027500	PT-TPA-40	Fuse TPA 40a 170vdc 100ka Interrupt
7390037500	PT-TPA-50	Fuse TPA 50a 170vdc 100ka Interrupt
7390347500	PT-TPL-CZ	Fuse 170vdc 600amp TPL-CZ
7371437500	PT-TPN-15	Fuse 15 Amp Current Limiting 170v
7371447500	PT-TPN-20	Fuse 20 Amp Current Limiting 170v
7371457500	PT-TPN-30	Fuse 30 Amp Current Limiting 170v
7390407500	PT-TPS-2	Fuse 2amp 170vdc TPS-2
7390417500	PT-TPS-3	Fuse 3amp 170vdc TPS-3
7390047500	PT-TPS-5	Fuse 5amp 170vdc TPS-5
7390057500	PT-TPS-10	Fuse 10amp 170vdc TPS-10
7390067500	PT-TPS-15	Fuse 15amp 170vdc TPS15
7390287500	PT-TPS-20	Fuse 20amp 170vdc TPS-20
3097887500	PT-TPS-25	Fuse 25amp 170vdc TPS-25
7390077500	PT-TPS-30	Fuse 30amp 170vdc TPS-30
7390437500	PT-TPS-40	Fuse 40amp 170vdc TPS-40
7390087500	PT-TPS-50	Fuse 50amp 170vdc TPS-50
7390107500	PT-TPS-60	Fuse 60amp 170vdc TPS-60
7390207500	PT-TPS-70	Fuse 70amp 170vdc TPS-70
0000168508	TP158HC	Fuse Block for TPL-B Fuses
	15800-R-200	TPS Fuse Block
7390297500	TPL-BD-100	BD-100 Amp Fuses
	TPL-BH-200	BH-200 Amp Fuses

Jack Plates



PT-625B1 Flush Jack

PREMIER® PT-625B1 Flush Jack

Flush jack assembly is designed for flush mounting in a standard outlet box. It includes a 625F modular jack, 19A faceplate, 43A bracket, and mounting screws. The conductor leads are equipped with ring terminals for easier installation.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4807337500	PT-625B1-4-50	6P4C Ivory	2.8"W x 0.8"H x 4.6"L	RJ11C - 14C / RJ1DC
4834257500	PT-625B1-6-44	6P6C Ash	2.8"W x 0.8"H x 4.6"L	RJ18C - 19C / RJ25C

PREMIER PT-625B3 Flush Jack



PT-625B3 Flush Jack

Duplex flush jack assembly is designed for flush mounting in a standard outlet box. This duplex flush jack is a one-piece unit with two independent jacks and mounting screws. Conductor leads are equipped with ring terminals for easier installation. The PT-625B3E provides spring loaded protective doors to protect the jacks from contaminants.

- UL listed
- FCC part 68 compliant



PT-625B3E Flush Jack

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4830167500	PT-625B3-4-44	6P4C Duplex Ash	2.8"W x 0.8"H x 4.6"L	RJ11C - 14C / RJ1DC
4801497500	PT-625B3-4-50	6P4C Duplex Ivory	2.8"W x 0.8"H x 4.6"L	RJ11C - 14C / RJ1DC
4845767500	PT-625B3-4-85	6P4C Duplex White	2.8"W x 0.8"H x 4.6"L	RJ11C - 14C / RJ1DC
4831267500	PT-625B3-6-44	6P6C Duplex Ash	2.8"W x 0.8"H x 4.6"L	RJ18C - 19C / RJ25C
4807047500	PT-625B3-6-50	6P6C Duplex Ivory	2.8"W x 0.8"H x 4.6"L	RJ18C - 19C / RJ25C
4845777500	PT-625B3-6-85	6P6C Duplex White	2.8"W x 0.8"H x 4.6"L	RJ18C - 19C / RJ25C
4846567500	PT-625B3E-6-44	6P6C Duplex With Spring Loaded Doors Ash	2.8"W x 0.8"H x 4.6"L	RJ18C - 19C / RJ25C

Jack Plates



625B3DV / 625B3DVE Flush Jack

PREMIER® PT-625B3DV Flush Jack

Duplex flush jack assembly is designed for flush mounting in a standard outlet box. This duplex flush jack is a one-piece unit with two independent jacks and mounting screws. One jack is labeled DATA and the other jack is labeled VOICE. Conductor leads are equipped with ring terminals for easier installation.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4831077500	PT-625B3DV-4-44	6P4C Duplex Labeled DATA and VOICE Ash	2.8"W x 0.8"H x 4.6"L	RJ11C - 14C / RJ1DC
4830877500	PT-625B3DV-6-44	6P6C Duplex Labeled DATA and VOICE Ash	2.8"W x 0.8"H x 4.6"L	RJ18C - 19C / RJ25C
4845787500	PT-625B3DV-6-85	6P6C Duplex Labeled DATA and VOICE White	2.8"W x 0.8"H x 4.6"L	RJ18C - 19C / RJ25C



PT-625B4 Flush Jack

PREMIER PT-625B4 Flush Jack

Flush jack assembly is designed for flush mounting in a standard outlet box. This flush jack is a one-piece unit with a single modular jack and mounting screws. Conductor leads are equipped with ring terminals for easier installation. The PT-625B4E provides spring loaded protective doors to protect the jacks from contaminants.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4806567500	PT-625B4-4-44	6P4C Ash	2.8"W x 0.8"H x 4.6"L	RJ11C - 14C / RJ1DC
4808367500	PT-625B4-4-50	6P4C Ivory	2.8"W x 0.8"H x 4.6"L	RJ11C - 14C / RJ1DC
4801677500	PT-625B4E-4-50	6P4C With Spring Loaded Door Ivory	2.8"W x 0.8"H x 4.6"L	RJ11C - 14C / RJ1DC
4832137500	PT-625B4-4-85	6P4C White	2.8"W x 0.8"H x 4.6"L	RJ11C - 14C / RJ1DC
4806617500	PT-625B4-6-44	6P6C Ash	2.8"W x 0.8"H x 4.6"L	RJ18C - 19C / RJ25C
4809357500	PT-625B4-6-50	6P6C Ivory	2.8"W x 0.8"H x 4.6"L	RJ18C - 19C / RJ25C
4845757500	PT-625B4-6-85	6P6C White	2.8"W x 0.8"H x 4.6"L	RJ18C - 19C / RJ25C

Jack Plates

PREMIER® PT-630AB Flush Jack



PT-630B Flush Jack

The PT-630AB flush jack assembly includes a steel base with screw terminals, a plastic cover, and mounting screws. This flush jack is enclosed by a plastic wrapper to eliminate problems due to condensation or moisture. Conductor lead terminals are riveted in place for easier installation.



PT-630AB-ID Flush Jack

The PT-630AB-ID jack is similar to the screw termination type wall jack except for the manner of termination. Insulation displacement connectors are used to speed installation.

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4807257500	PT-630AB-4-44	6P4C Ash	3.0"W x 0.3"H x 4.5"L	RJ11W - 14W
4807267500	PT-630AB-6-44	6P6C Ash	3.0"W x 0.3"H x 4.5"L	RJ18C - 19C / RJ25C
4831127505	PT-630AB-ID-4-44	6P4C Ash	3.0"W x 0.3"H x 4.5"L	RJ18C - 19C / RJ25C



PT-65B Faceplate Kit

PREMIER PT-65B Faceplate

The 65B faceplate kit consists of a rectangular faceplate and a steel mounting bracket. Thread cutting screws are included for attaching to 800 series prewire boxes. The faceplate kits are designed to cover wall openings with standard electrical outlet boxes or the 63B bracket. The 65B faceplate kit can be used with 625F or 102A connecting blocks.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions
4835447500	PT-65B-52	Faceplate with Mounting Bracket Electrical Ivory	2.8"W x 0.3" H x 4.6" L

Jack Plates



PT-625F Flush Jack

PREMIER

PREMIER® PT-625F Flush Jack

Flush jack assembly is designed for flush mounting in a standard outlet box by using a type 43A or 43B bracket. The jack includes a connecting block, flush plate and mounting screws. Conductor leads are equipped with ring terminals for easier installation.

- UL listed
- FCC part 68 compliant

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4807317505	PT-625F-4-50	6P4C Round Ivory	1.5"W x 0.9"H x 2.3" L	RJ11C - 14C / RJ1DC



PT-697B Flush Jack

PREMIER

PREMIER PT-697B Flush Jack

The PT-697B flush jack is an 8 conductor jack that is designed for flush mounting in a standard outlet box. This flush jack is a one-piece unit with a single modular jack and mounting screws. Conductor leads are equipped with ring terminals for easier installation. The PT-697B-8K-50-R is a keyed jack that is equipped with resistors for programmable loop loss from 0 to 9 dB.

- UL listed
- FCC part 68 compliant

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4808257505	PT-697B-8NK-50	8P8C Ivory	2.8"W x 1.3"H x 4.5"L	RJ48C
4808247505	PT-697B-8K-50-R	8P8C Keyed With Programming Resistors Ivory	2.8"W x 1.3"H x 4.5"L	RJ45S - 47S

Surface Blocks



PT-104A8 / PT-104B8


PREMIER

PREMIER® PT-104A/PT-104B Surface Block

The PT-104A8 duplex surface block contains two 8 conductor non-keyed jacks labeled LINE 1 and LINE 2. The PT-104B8 duplex surface block contains two 8 conductor non-keyed jacks labeled DATA and VOICE. These duplex surface blocks are equipped with insulation displacement contact connectors and are T568B-wired. These duplex jacks can be mounted with screws or double-sided tape (included). The cover is secured with a retaining screw.

- UL listed
- FCC part 68 compliant

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4834887500	PT-104A8-52	Duplex 8P8C Electrical Ivory Line 1 / Line 2	2.6"W x 1.2"H x 3.5"L	RJ48C
7714217500	PT-104B8-52	Duplex 8P8C Electrical Ivory Voice / Data	2.6"W x 1.2"H x 3.5"L	RJ48C



PT-19316L7 Outdoor Jack

PREMIER

PREMIER PT-19316L7 Surface Block

The PT-19316L7 is a 4 conductor outdoor surface jack constructed of die cast aluminum and has a corrosion resistant finish. The modular jack rotates to allow for various wire entrances. This jack also contains a bracket and removal lugs. The spring-loaded, moisture-resistant gasket cap insures a weather-proof seal.

- UL listed
- FCC part 68 compliant

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4807387505	PT-19316L7-4	Outdoor 6P4C With Weather Proof Cap	3"W x 2.9"H x 4.7"L	RJ11C-14C / RJ1DC



PT-404M Surface Block

PREMIER

PREMIER PT-404M Surface Block

The PT-404M surface block is designed for surface mounting on walls or baseboards where external wiring is necessary. It can also be flush mounted in any electrical box by using a 44 bracket and a 19B faceplate. The PT-404M surface block comes with two 1-1/2" wood screws. Conductor leads are equipped with ring terminals for easier installation.

- UL listed
- FCC part 68 compliant

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4801477500	PT-404M-4-50	6P4C Ivory	1.8"W x 1"H x 1.8" L	RJ11C - 14C / RJ1DC

Surface Blocks



PT-402A Surface Block


PREMIER® PT-42A Surface Block

The PT-42A surface block is designed for terminating non-modular desk telephones. Each screw terminal is equipped with two washers. The PT-42A surface block includes a standard 42A block and screw-on cover.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions
7710117505	PT-42A-4-60	6P4C Beige.	2.1"W x 0.8"H x 2.1"L
7710137505	PT-42A-4-50	6P4C Ivory	2.1"W x 0.8"H x 2.1"L



PT-625A2-8 Surface Block

PREMIER PT-625A2 Surface Block

The PT-625A2-8 surface block is an 8 conductor jack used for voice, data, or security/ alarm transmission devices. This surface block consists of screw terminals, a snap-on cover, and double-sided adhesive tape for a convenient and efficient jack that will mount on most flat surfaces. The PT-625A2-8 surface block is available as a non-keyed, keyed, or non-keyed with shorting bars.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4845827500	PT-625A2-8K-44	8P8C Keyed RJ48S Ash	2.3"W x 1.0"H x 2.3"L	RJ48S
4832097500	PT-625A2-8K-50	8P8C Keyed RJ48S Ivory	2.3"W x 1.0"H x 2.3"L	RJ48S
4841637500	PT-625A2-8K-2-52	8P8C Keyed RJ48X "Smart Jack" Electrical Ivory	2.3"W x 1.0"H x 2.3"L	RJ48X
4808797500	PT-625A2-8SB-44	8P8C Non-Keyed RJ31X - RJ38X Ash	2.3"W x 1.0"H x 2.3"L	RJ31X - 38X
4806317500	PT-625A2-8SB-50	8P8C Non-Keyed RJ31X - RJ38X Ivory	2.3"W x 1.0"H x 2.3"L	RJ31X - 38X
4830087500	PT-625A2-8NK-44	8P8C Non-Keyed RJ48C Ash	2.3"W x 1.0"H x 2.3"L	RJ48C
4843247500	PT-625A2-8NK-50	8P8C Non-Keyed RJ48C Electrical Ivory	2.3"W x 1.0"H x 2.3"L	RJ48C
4844017500	PT-625A2-8NK-85	8P8C Non-Keyed RJ48C White	2.3"W x 1.0"H x 2.3"L	RJ48C

Surface Blocks

PREMIER® PT-625A3 Surface Block



PT-625A3 Surface Block

The PT-625A3 surface block is a pre-wired modular jack with a snap-on cover and a base that contains 66-style punch-down clips.



PT-625A3-8 Surface Block

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4830317505	PT-625A3-4-44	6P4C With 66 Style IDC Ash	1.2"W x 2.0"H x 2.3"L	RJ11C - 14C / RJ1DC
4830327505	PT-625A3-6-44	6P6C With 66 Style IDC Ash	1.2"W x 2.0"H x 2.3"L	RJ18C - 19C / RJ25C
4832797505	PT-625A3-6-50	6P6C With 66 Style IDC Ivory	1.2"W x 2.0"H x 2.3"L	RJ18C - 19C / RJ25C
4830367505	PT-625A3-8SB-44	8P8C Non-Keyed RJ31X - RJ38X With 66 Style IDC Ash	2.0"W x 1.2" H x 2.3"L	RJ31X - 38X
4830357505	PT-625A3-8NK-44	8P8C Non-Keyed RJ48C With 66 Style IDC Ash	2.0"W x 1.2" H x 2.3"L	RJ48C



PT-625A Surface Block

PREMIER PT-625A Surface Block

The PT-625A surface block mounts on any flat surface and includes a standard 42A block and a screw-on cover. The standard jack is equipped with spade tipped terminals for easy access.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4807167500	PT-625A-4-44	6P4C Ash	2.2"W x 0.8"H x 2.6"L	RJ11C - 14C / RJ1DC
4807587500	PT-625A-4-50	6P4C Ivory	2.2"W x 0.8"H x 2.6"L	RJ11C - 14C / RJ1DC
4806587500	PT-625A-6-44	6P6C Ash	2.2"W x 0.8"H x 2.6"L	RJ18C - 19C / RJ25C
4806167500	PT-625A-6-50	6P6C Ivory	2.2"W x 0.8"H x 2.6"L	RJ18C - 19C / RJ25C

Surface Blocks



PT-625ADV / PT-625ALL Surface Block

PREMIER® PT-625ADV/PT-625ALL Surface Block

The PT-625 duplex surface block provides dual 4 conductor or 6 conductor jacks packaged into a slim housing which fits most office tele-power poles and other restricted mounting surfaces. Each jack is conveniently labeled DATA/VOICE (PT-625ADV) or LINE1/LINE2 (PT-625 ALL). Assembly includes a snap-on cover, ring terminals, and double-sided adhesive tape.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4831057500	PT-625ADV-4-44	Duplex 6P4C Labeled DATA and VOICE Ash	2.1"W x 0.9"H x 4.6"L	RJ11C - 14C / RJ1DC
4831067500	PT-625ALL-4-44	Duplex 6P4C Labeled LINE 1 and LINE 2 Ash	2.1"W x 0.9"H x 4.6"L	RJ11C - 14C / RJ1DC
4831087500	PT-625ADV-6-44	Duplex 6P6C Labeled DATA and VOICE Ash	2.1"W x 0.9"H x 4.6"L	RJ18C - 19C / RJ25C
4831097500	PT-625ALL-6-44	Duplex 6P6C Labeled LINE 1 and LINE 2 Ash	2.1"W x 0.9"H x 4.6"L	RJ18C - 19C / RJ25C
4845797500	PT-625ADV-6-85	Duplex 6P6C Labeled DATA and VOICE White	2.1"W x 0.9"H x 4.6"L	RJ18C - 19C / RJ25C
4845817500	PT-625ALL-6-85	Duplex 6P6C Labeled LINE 1 and LINE 2 White	2.1"W x 0.9"H x 4.6"L	RJ18C - 19C / RJ25C



PT-625AQ2 Surface Block

PREMIER PT-625AQ2 Surface Block

The PT-625AQ2 surface block is designed for direct mounting on any flat surface. This assembly includes a base, snap-on cover, and double-sided adhesive tape. Conductor leads are equipped with ring terminals for easier installation.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4807677500	PT-625AQ2-4-44	6P4C Ash	2.0"W x 0.9" H x 2.3"L	RJ11C - 14C / RJ1DC
4808547500	PT-625AQ2-4-50	6P4C Ivory	2.0"W x 0.9" H x 2.3"L	RJ11C - 14C / RJ1DC
4843977500	PT-625AQ2-4-85	6P4C White	2.0"W x 0.9" H x 2.3"L	RJ11C - 14C / RJ1DC
4807757500	PT-625AQ2-6-44	6P6C Ash	2.0"W x 0.9" H x 2.3"L	RJ18C - 19C / RJ25C
4808577500	PT-625AQ2-6-50	6P6C Ivory	2.0"W x 0.9" H x 2.3"L	RJ18C - 19C / RJ25C
4843987500	PT-625AQ2-6-85	6P6C White	2.0"W x 0.9" H x 2.3"L	RJ18C - 19C / RJ25C

Surface Blocks



PT-635A1M/A2M Surface Block

PREMIER® PT-635A2M Surface Block

The PT-635A2M surface block is a 4 conductor block used for security/alarm transmission devices. This surface block consists of screw terminals, a snap-on cover, and double-sided adhesive tape for a convenient and efficient jack that will mount on most flat surfaces. The 4 conductors are for jack positions 1, 4, 5, and 8, with positions 2 and 7 permanently bridged together. Shorting bars bridge together positions 1 to 4 and 5 to 8 whenever a modular plug is not inserted into the jack.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4841087500	PT-635A2M-44	8P4C RJ38X Ash	2.0"W x 1.0" H x 2.0"L	RJ38X



PT-742A Wire Junction Box

PREMIER PT-742A Wire Junction Box


The PT-742A junction box mounts directly on any flat surface. This junction box connects 4 additional extensions, in parallel, to an existing modular jack. Conductors do not need to be stripped to be connected to the color-coded screw terminals. This junction box consists of a base, snap-on cover and mounting screws. The PT-742A also contains a 12 inch 4 conductor cord with a modular plug.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions
4808947505	PT-742A-4-50	6P4C Wire Junction Box With 12 Inch Cord Ivory	2.0"W x 1.3"H x 4.4"L

Surface Blocks



Surface Block

PREMIER® PT-635A1M Surface Blocks

These security/alarm kits consist of a PT-635A1M 8 conductor block and an 8 conductor line cord. The PT-E-TW kit includes a 2 foot plug-to-spade data cord. The PT-TW kit includes a 3 foot plug-to-spade data cord. The PT-TW2 kit includes a 3 foot plug-to-plug data cord. The PT-635A1M is an 8 conductor block used for security/ alarm transmission devices. This surface block consists of screw terminals, a snap-on cover, and double-sided adhesive tape for a convenient and efficient jack that will mount on most flat surfaces. Shorting bars bridge together positions 1 to 4 and 5 to 8 whenever a modular plug is not inserted into the jack.

- UL listed
- FCC part 68 compliant

PREMIER


Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4841047500	PT-TW2	8P8C RJ31X Kit With 3 Foot Plug to Plug Line Cord Ash	2.0"W x 1.0"H x 2.0"L	RJ31X - 38X
4841037500	PT-TW	8P8C RJ31X Kit With 3 Foot Plug to Spade Line Cord Ash	2.0"W x 1.0"H x 2.0"L	RJ31X - 38X
4850307503	PT-E-TW	8P8C RJ31X Kit With 2 Foot Plug to Spade Line Cord Ash	2.0"W x 1.0"H x 2.0"L	RJ31X - 38X

PREMIER PT-635A1M Surface Blocks



Surface Block

The surface mount jack RJ31X - RJ 38X is non-keyed 8 conductor and equipped with shorting bars. Includes base with screw terminals and snap-on cover. Shorting bars bridge together jack contacts 1 to 4 and 5 to 8 whenever a plug is not inserted



PT-635A2M Surface Block

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	USOC Codes
4808797500	PT-625A2-8SB-44	8P8C Ash with shorting bars	RJ38X

Surface Blocks



PT-625C Surface Block Cover

PREMIER® PT-625C Surface Block Covers

The PT-625C surface block cover is used in conjunction with an existing standard 42A block to provide a modular connection. The cover includes a fastening screw and spade tipped wire terminals.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4807297500	PT-625C-4-44	Cover 6P4C Ash	2.2"W x 0.9"H x 2.7" L	RJ11C - 14C / RJ1DC
4807617500	PT-625C-4-50	Cover 6P4C Ivory	2.2"W x 0.9"H x 2.7" L	RJ11C - 14C / RJ1DC



PT-625S Surface Block

PREMIER PT-625S Surface Block

The PT-625S surface block features a rotating jack cover that protects the jack from contamination when not in use. It consists of a 625T cover with spade tip leads and a 42A Block.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4807987500	PT-625S-6-50	6P6C With Rotating Cover Ivory	2.3"W x 0.8"H x 3.5"L	RJ18C - 19C / RJ25C



PT-625SA/PT-625T Surface Block / Cover

PREMIER PT-625SA Surface Block

The PT-625SA surface block features a rotating jack cover that protects the jack from contamination when not in use. It consists of a 625T cover with spade tip leads and a 42B block.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4843637500	PT-625SA-4-52	6P4C With Rotating Cover Electrical Ivory	2.3"W x 1.4"H x 3.5"L	RJ11C - 14C / RJ1DC

Surface Blocks



PT-625SA/PT-625T Surface Block / Cover

PREMIER® PT-625SA Gel Surface Block

The PT-625SA-4-GEL-52 surface block is filled with a non-toxic water and corrosion resistant gel. The gel keeps the connection points clean and prevents corrosion. A spring-loaded rotating jack cover protects the jack from contamination when not in use. It consists of a 625T cover with spade tip leads and a 42B block.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4846847500	PT-625SA-4-GEL-52	6P4C With Rotating Cover Gel Filled Electrical Ivory	2.3"W x 1.4"H x 3.5"L	RJ11C - 14C / RJ1DC



PT-625TD1 Surface Block

PREMIER PT-625TD1 Surface Block

The PT-625TD1 surface block is a 6 position 4 conductor network interface jack with a spring-loaded rotating jack cover that protects the jack from contamination when not in use. It contains a termination unit and is located at the telephone line entrance point. A working phone can then be used to check the line status from the central office.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4808967505	PT-625TD1-50	6P4C With Rotating Cover Network Interface Device Ivory	2.3"W x 1.4"H x 3.5"L	RJ11C - 14C / RJ1DC

Wall Jacks



PT-630A Wall Jack

PREMIER® PT-630A Wall Jack

The PT-630A wall jacks are stainless steel and use insulation displacement contacts to terminate station wires. The PT-630AT comes with the PT-797-A installation tool.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4807247505	PT-630A-4-ID	6P4C Steel	3.0"W x 0.3"H x 4.5"L	RJ11W - 14W
4831117505	PT-630A-6-ID	6P6C Steel	3.0"W x 0.3"H x 4.5"L	RJ18C - 19C / RJ25C
4807997505	PT-630AT-6-ID	6P6C With IDC Tool Steel	3.0"W x 0.3"H x 4.5"L	RJ18C - 19C / RJ25C



PT-630ABC Wall Jack

PREMIER PT-630ABC Wall Jack

The PT-630ABC wall jacks use insulation displacement contacts to terminate the station wires.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4807037505	PT-630ABC-4-44	6P4C With IDC Tool Ash	3.0"W x 0.3"H x 4.5"L	RJ11W - 14W
4807067505	PT-630ABC-6-44	6P6C With IDC Tool Ash	3.0"W x 0.3"H x 4.5"L	RJ18C - 19C / RJ25C

Wall Jacks



797A Insulation Displacement Tool


PREMIER® PT-797A IDC Tool

The insulation displacement tool can be used with the PT-630A wall jacks. It comes in a package of five IDC tools.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description
7406037505	PT-797A-TOOL	Insulation Displacement Tool



PT-630AC Wall Jack

PREMIER PT-630AC Wall Jack

The PT-630AC wall jacks use screw terminals with conductor leads that are riveted in place for easier installation.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4806547500	PT-630AC-4-44	6P4C Ash	3.0"W x 0.3"H x 4.5"L	RJ11W - 14W
4802377500	PT-630AC-6-44	6P6C Ash	3.0"W x 0.3"H x 4.5"L	RJ18C - 19C / RJ25C
4845747500	PT-630AC-6-85	6P6C White	3.0"W x 0.3"H x 4.5"L	RJ18C - 19C / RJ25C

Wall Jacks



PT-630AD Wall Jack

PREMIER® PT-630AD Wall Jack

The PT-630AD wall jacks are stainless steel and use screw terminals with conductor leads that are riveted in place for easier installation.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4807397500	PT-630AD-4	6P4C Steel	3.0"W x 0.3"H x 4.5"L	RJ11W - 14W
4807417500	PT-630AD-6	6P6C Steel	3.0"W x 0.3"H x 4.5"L	RJ18C - 19C / RJ25C



PT-630AP Wall Jack

(Note: Corners are round not octagonal.)

PREMIER PT-630AP Wall Jack

The PT-630AP wall jacks use screw terminals with conductor leads that are riveted in place for easier installation.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4807687500	PT-630AP-4-44	6P4C Ash	3.0"W x 0.3"H x 4.5"L	RJ11W - 14W
4838137500	PT-630AP-4-50	6P4C Ivory	3.0"W x 0.3"H x 4.5"L	RJ11W - 14W
4847797500	PT-630AP-4-85	6P4C White	3.0"W x 0.3"H x 4.5"L	RJ11W - 14W
4807697500	PT-630AP-6-44	6P6C Ash	3.0"W x 0.3"H x 4.5"L	RJ18C - 19C / RJ25C
4838147500	PT-630AP-6-50	6P6C Ivory	3.0"W x 0.3"H x 4.5"L	RJ18C - 19C / RJ25C
4800007500	PT-630AP-6-85	6P6C White	3.0"W x 0.3"H x 4.5"L	RJ18C - 19C / RJ25C

Wall Jacks



PT-630B Wall Jack

PREMIER® PT-630B Wall Jack

The PT-630B wall jacks are stainless steel and use insulation displacement contacts to terminate station wires. This wall jack utilizes retaining clips and does not require a PT-797-A installation tool.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
0000064900	PT-630B-4-4C-SS	6P4C With Snap-On Retaining Clips Steel	3.0"W x 0.3"H x 4.5"L	RJ11W - 14W



PT-630B Wall Jack

PREMIER PT-630 Wall Jack Spacer


The PT-630-SPACER is a wall jack spacer designed to assist in surface mounting of steel bracketed PT-630-type wall jacks.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions
4807477500	PT-630-SPACER-44	Spacer Ash	3.0"W x 0.2"H x 4.5"L

Wall Jacks



PT-625MB Flush Jack Mounting Box

PREMIER® PT-625MB Mounting Box

Flush jack mounting box is designed to allow surface mounting for rectangular jack assemblies and jack plates.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions
4830887500	PT-625MB-44	Mounting Box One Inch Deep Ash	2.7"W x 4.6" H x 1.0" D
4830737500	PT-625MB-50	Mounting Box One Inch Deep Ivory	2.7"W x 4.6" H x 1.0" D
4837777500	PT-625MB-85	Mounting Box One Inch Deep White	2.7"W x 4.6" H x 1.0" D

PREMIER PT-20502 Mounting Bracket

Flush jack round plastic mounting bracket (AT&T Comcode 401-307-244) is referred to as a mud ring for round flush jacks. This bracket is used to wall mount 625F round flush jacks.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description
4835767500	PT-20502-L2	Round Plastic Mounting Bracket For Round Flush Jacks

Adapters



PT-153AM Adapter

PREMIER® PT-153 Adapter

The PT-153AM adapters are designed to allow an ancillary device, electronic key set, or single line telephone set equipped with a modular plug-ended line cord to be connected to an existing 25 pair connector. No re-wiring is necessary.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Wiring Sequence
4806027505	PT-153AM2-BLACK	Adapter Female 25 Pair to 6P4C	Red-1; Green-26; Yellow-2; Black-27
4806057505	PT-153AM3-BLACK	Adapter Female 25 Pair to 6P6C	Red-1; Green-26; Yellow-2; Black-27; White-25; Blue-50
4833737505	PT-153AM-6-3P	Adapter Female 25 Pair to 6P6C	Red-1; Green-26; Yellow-2; Black-27; White-3; Blue-28

PREMIER Data Adapters

Data Adapters are used to convert DB9, DB15, or DB25 male or female data ports to an 8 position modular jack interface. It includes the data connector, two piece ABS plastic shell, and thumbscrews. It is customizable for any application.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description
4462267500	PT-DB9F-8P8C-TS	Adapter DB9F With Thumbscrews to 8P8C
4462257500	PT-DB9M-8P8C-TS	Adapter DB9M With Thumbscrews to 8P8C
4462287500	PT-DB15F-8P8C-TS	Adapter DB15F With Thumbscrews to 8P8C
4462277500	PT-DB15M-8P8C-TS	Adapter DB15M With Thumbscrews to 8P8C
4460637500	PT-DB25F-8P8C-TS	Adapter DB25F With Thumbscrews to 8P8C
4461297500	PT-DB25M-8P8C-TS	Adapter DB25M With Thumbscrews to 8P8C

Adapters



PT-267B T-Adapter

PREMIER® PT-267B Modular T-Adapters

The PT-267B T-Adapter is a 4 conductor adapter that connects 2 telephones or ancillary devices to 2 outside lines. This T-Adapter plugs into a standard 4 conductor modular jack where two outside lines have been wired. The T-Adapter is equipped with 4 conductor plugs and two 4 conductor jacks, that provides 2 parallel lines.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description
4831897500	PT-267B-50	6P4C Plug Splits 2 Lines Into Line 1 and Line 2 in Parallel



PT-267C T-Adapter

PREMIER PT-267C Modular T-Adapters

The PT-267C T-Adapter is equipped with a 6 position 4 wire jack for voice transmission (marked PHONE) and a 6 position 2 wire jack for data transmission (marked MODEM). This adapter is designed for combining voice and data transmission through a single modular jack.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description
4831237500	PT-267C-50	6P4C Plug to 6p4C PHONE and 6P2C MODEM

Adapters



PT-267A/267E T-Adapters

PREMIER

Item No.	Mfg. Part No.	Description
4830197500	PT-267A-4-50	6P4C Plug to Dual 6P4C Jacks
4807667500	PT-267A-6-50	6P4C Plug to Dual 6P6C Jacks In Parallel

PREMIER® PT-267A Modular T-Adapters

The PT-267A T-Adapter connects two telephones or ancillary devices to one outside line using an existing modular installation. The 6 conductor model includes a 4 position plug and two jacks, each equipped with 6 contacts in parallel. The 4 conductor model has 4 contacts in parallel.

- UL listed
- FCC part 68 compliant



PT-267A/267E T-Adapters

PREMIER

Item No.	Mfg. Part No.	Description
4830377500	PT-267E-50	6P6C Plug to Dual 6P6C Jacks in Parallel (3 Lines)

PREMIER PT-267E Modular T-Adapters

The PT-267E is a 6 conductor T-Adapter that provides dual 6 position 6 conductor jacks in parallel. This T-Adapter connects 3 telephones or ancillary devices to 3 outside lines. This T-Adapter is plugged into a standard 6 conductor modular jack where 3 outside lines have been wired. This T-Adapter provides access to all 3 lines of an RJ25 jack.

- UL listed
- FCC part 68 compliant



PT-173 T-Adapter

PREMIER


Item No.	Mfg. Part No.	Description
4831417500	PT-173-50	6P4C Plug to 3 Jacks (L1, L2, L1+L2)

PREMIER PT-173 Modular T-Adapters

The PT-173 Triple T-Adapter is used with 2 line modular systems. This T-Adapter is plugged into a 4 conductor modular jack that is wired for 2 lines. Jack 1 is labeled Line 1; Jack 2 is labeled Line 2; Jack 3 is labeled Line1/Line2. Two single-line phones can be connected to the Line 1 and Line 2 jacks. The third jack can be used to run a modular cord to another jack enabling the user to connect two single-line telephones. This will extend the 2 lines to various phones throughout the premises.

- UL listed
- FCC part 68 compliant

Couplers



PT-460A Line Cord Couplers

PREMIER® PT-460 Modular Line Cord Couplers

Cord couplers are designed to connect 2 modular plug ended line cords together to allow extensions of plug ended line cords.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description
4830277500	PT-460A-4-50	6P4C Ivory
4830427500	PT-460A-6-50	6P6C Ivory



PT-1542A Filter

PREMIER PT-1542A Radio Interference Filter

The PT-1542A jack is non-modular and used to filter AM/FM and CB broadcast interference. This 4 conductor jack can be used in place of a 42A connecting block. The plastic base consists of a toroidal choke coil plus screw terminals and is housed in a plastic cover. Installation consists of connecting the spade leads from a non-modular line cord to the wire leads inside the filter.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions
4803757505	PT-1542A-60	Hard-wired Filter for AM/FM and CB Radio Broadcasts	2"W x 1"H x 4"L



PT-1542AM Filter

PREMIER PT-1542AM Radio Interference Filter

The PT-1542AM jack is designed to filter AM/FM and CB radio broadcast interference. This 6 position 4 conductor modular filter is used in place of a surface mounted jack. The plastic base and cover house the radio interference filter.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions	USOC Codes
4830247505	PT-1542AM-49	Modular Filter for AM/FM and CB Radio Broadcasts	2"W x 1"H x 4.5"L	RJ11C / RJ12C

66 Blocks


PREMIER® 66 Blocks and Accessories

The fire-retardant molded plastic blocks and posts are extremely durable. The 66 block has a 50 row capacity with 4 pins across (split 2 by 2) and fanning strips with notches every 10 rows to route and organize 25 pair cables. The 66 block can accommodate 18 to 26 AWG conductors and is designed to terminate 50 to 100 wires per side. 66 blocks snap into 89B or 89D brackets to ensure easy access to cable runs. 89B brackets allow 66 blocks to be installed over existing wiring. 89D brackets allow 66 blocks to mount directly onto the wall. Distribution posts insure neat and efficient cable routing when installing cross connect wire to the 66 blocks. 20A distribution posts have a screw hole for mounting and 20B distribution posts have a built-in mounting screw. Bridging clips are installed down the center of the 66 block for completing the cross connection to horizontal wiring.



66 Block

• UL listed



89B/D Brackets



20A/B Posts

PREMIER

Item No.	Mfg. Part No.	Description
0000156599	66M1-50	66 Type Connecting Block 50 Pair Cat 5e
7210247500	PT-89B	89B Bracket For 66 Type Blocks
7210967500	PT-89D	89D Bracket For 66 Type Blocks
7232047501	PT-SA1-50	Bridging Clip 2-Position Phosphor Bronze - 50 Per Bag
7232617501	PT-SA1SS-100	Bridging Clip 2-Position Stainless Steel - 100 Per Bag
7230687500	PT-20A	20A Distribution Post -- Plastic Mushroom -- Without Screw
7790297500	PT-20B	20B Distribution Post -- Plastic Mushroom -- With Screw

110 Blocks



110 Blocks and Accessories

PREMIER® 110 Wiring Blocks and Accessories

The fire-retardant molded plastic wiring blocks and connecting blocks have horizontal index strips to secure and organize 25 pair cables. The strips accommodate 20 to 26 AWG conductors. The blocks come with or without legs and can be mounted directly onto wall surfaces, backboards or frames. 110C4 or 110C5 clips (available in packages of 10) securely lock onto the 110 wiring blocks and are used to terminate horizontal wiring.

- UL listed
- Includes paper labeling strip and clear plastic label holder

PREMIER

Item No.	Mfg. Part No.	Description
7717967500	SP-1110BA-50	50 Pair No Legs
5133627500	SP-1110BAK-50	50 Pair With Legs
7717317500	SP-1110BA-100	100 Pair No Legs
7719597500	SP-1110BAK-100	100 Pair With Legs
7719987500	SP-1110BA-300	300 Pair No Legs
7718467500	SP-1110BAK-300	300 Pair With Legs
0000038204	SP-1110F	Wire Management Trough No Legs
0000027988	SP-1110FK	Wire Management Trough With Legs
7714117500	SP-1110C-4	110C4 4 Pair Wiring Connectors 10 Per Pack
7713287500	SP-1110C-5	110C5 5 Pair Wiring Connectors 10 Per Pack
0000038206	SP-1110PS	Replacement Slide-In Paper Labels 6 Per Bag
0000038205	SP-1110PI	Replacement Snap-In Plastic Label Holder 6 Per Bag

Residential

PREMIER® Residential Wiring System



PREMIER Residential Wiring System



Basic Telecom Module



Telecom Expansion Module



Multi Port Patchable Module



8 Port Data Hub



Cat.5e Data Module



CATV Amplifier Module



CATV Distribution Module



Audio Distribution Module

Residential

PREMIER® Residential Wiring System (continued)



Additional Patch Cords



Residential Wiring Boxes



Inside Wire

PREMIER

Item No.	Mfg. Part No.	Description
0000069145	SP-5001-BT	Telecom Basic Module T568A-Wired 8 Port
0000069146	SP-5001-ET	Telecom Expansion Module T568A-Wired 8 Port
0000069151	SP-5001-CD	Telecom Multi Port Patchable Module T568A-Wired With 8 Patch Cords
0000069148	SP-5001-H8	Data Module 8 Port Hub With 8 Patch Cords
0000069147	SP-5001-DN	Data Module T568A-Wired Category 5e 8 Port
0000069149	SP-5001-VA	CATV 10 dB Amplifier Module 1 Port
0000069150	SP-5001-VD	CATV Distribution Module 8 Port
0000094924	SP-5410-6	Audio Distribution Module 6 Port
0000094923	SP-5001-8PC	Additional 1 Foot Patch Cords Ivory Bag of 8
0000069152	SP-5001-B14	Metal Box With Reversible Door With Lock 14 X 14 Inch Empty White
0000123887	SP-5001-B28	Metal Box With Reversible Door With Lock 14 X 28 Inch Empty White
0000069155	SP-5001-B48	Metal Box With Reversible Door With Lock 14 X 48 Inch Empty White
0000014266	C5E100X-004GY24PM	CMX 4 Pair 24 Gauge Category 5e Gray 1000 Foot Pop Box 51-240-31

Connectors

PREMIER® Keystone Style Jack - Category 6



Jack Module

- UL listed
- FCC part 68 compliant
- Universal T568A/T568B wiring
- Category 6 compliant

PREMIER

Item No.	Mfg. Part No.	Description
0000119194	SP-JKC6-03-BULK	Black (25 Per Bulk Pack)
0000119195	SP-JKC6-23-BULK	Blue (25 Per Bulk Pack)
0000119196	SP-JKC6-52-BULK	Electrical Ivory (25 Per Bulk Pack)
0000119199	SP-JKC6-97-BULK	Orange (25 Per Bulk Pack)
0000119197	SP-JKC6-53-BULK	Red (25 Per Bulk Pack)
0000119198	SP-JKC6-85-BULK	White (25 Per Bulk Pack)

PREMIER Keystone Style Jack - Category 5e

- UL listed
- FCC part 68 compliant
- Universal T568A/T568B wiring
- Category 5e compliant

PREMIER

Item No.	Mfg. Part No.	Description
9011017501	SP-KJJC5-52	Electrical Ivory
9011077501	SP-KJJC5-85	White
0000119159	SP-KJJC5-03-BULK	Black (25 Per Bulk Pack)
0000119160	SP-KJJC5-23-BULK	Blue (25 Per Bulk Pack)
0000119161	SP-KJJC5-52-BULK	Electrical Ivory (25 Per Bulk Pack)
0000119164	SP-KJJC5-97-BULK	Orange (25 Per Bulk Pack)
0000119162	SP-KJJC5-53-BULK	Red (25 Per Bulk Pack)
0000119163	SP-KJJC5-85-BULK	White (25 Per Bulk Pack)

Connectors

PREMIER® Keystone Style Jack - Voice Grade

- UL listed
- FCC part 68 compliant
- Universal T568A/T568B wiring
- Category 5 compliant (8P8C jacks)

PREMIER

Item No.	Mfg. Part No.	Description
9012887501	SP-KJKC5-NI-03	Cat.3/Cat.5 Black
9012897501	SP-KJKC5-NI-52	Cat.3/Cat.5 Electrical Ivory
9012907501	SP-KJKC5-NI-70	Cat.3/Cat.5 Gray
9012917501	SP-KJKC5-NI-85	Cat.3/Cat.5 White
9010927501	SP-KJKKU-03	USOC 6P6C Black
9010947501	SP-KJKKU-52	USOC 6P6C Electrical Ivory
9010937501	SP-KJKKU-70	USOC 6P6C Gray
9010957501	SP-KJKKU-85	USOC 6P6C White

PREMIER Keystone Style Jack - Other

- UL listed

PREMIER

Item No.	Mfg. Part No.	Description
9010817501	SP-KBLANK-52	Blank 10 Per Pack Electrical Ivory
9010827501	SP-KBLANK-85	Blank 10 Per Pack White
9011187501	SP-KJKBNC-52	BNC For Coax Electrical Ivory
9011197501	SP-KJKBNC-85	BNC For Coax White
9011207501	SP-KKF-52	F-Type Coax Electrical Ivory
9011217501	SP-KJKF-85	F-Type Coax White
0000090411	SP-KSMTRJ-03	MTRJ Mounting Adapter For Use With MTRJ Connectors
9011227501	SP-KJKST-52	ST Fiber Insert Electrical Ivory
9011237501	SP-KJKST-85	ST Fiber Insert White

PREMIER Fiber Optic Connector Kits

Fiber optic connector kits are for field terminating multimode fiber.

PREMIER

Item No.	Mfg. Part No.	Description
0000090392	MTRJ-50-OM1-1006	MTRJ - OM1 With Pins For 50 Micron 6 Connectors Per Pack
0000090394	MTRJ-625-OM2-0006	MTRJ - OM2 With Pins For 62.5 Micron 6 Connectors Per Pack
0000090393	MTRJ-50-OM3-2006	MTRJ - OM3 With Pins For 50 Micron 6 Connectors Per Pack
0000090396	MTRJ-ADAPTER-BLACK	MTRJ Keystone Mounting Collar And Black Adapter 6 Per Pack
0000090395	MTRJ-ADAPTER-AQUA	MTRJ Keystone Mounting Collar And Aqua Adapter For OM3 Connectors 6 Per Pack
0000090398	SC-MM-86000-2100	SC - 62.5 Or 50 Micron 12 Per Pack
0000090399	ST-MM-86000-2000	ST - 62.5 Or 50 Micron 12 Per Pack

Faceplates and Housings



Single Gang Faceplates

PREMIER® Single Gang Keystone Style Faceplates

Standard single gang faceplates with a plain front that accept flush mounted keystone jacks.

- UL listed
- Mounting screws with painted heads included

PREMIER

Item No.	Mfg. Part No.	Description
9010567501	SP-KSFP1-52	1 Port Electrical Ivory
9010577501	SP-KSFP1-85	1 Port White
9010617501	SP-KSFP2-52	2 Port Electrical Ivory
9010627501	SP-KSFP2-85	2 Port White
9010667501	SP-KSFP3-52	3 Port Electrical Ivory
9010677501	SP-KSFP3-85	3 Port White
9010717501	SP-KSFP4-52	4 Port Electrical Ivory
9010727501	SP-KSFP4-85	4 Port White
9010767501	SP-KSFP6-52	6 Port Electrical Ivory
9010777501	SP-KSFP6-85	6 Port White



Double Gang Faceplates

PREMIER Double Gang Keystone Style Faceplates

Standard double gang faceplates with a plain front that accept flush mounted keystone jacks.

- UL listed
- Mounting screws with painted heads included

PREMIER

Item No.	Mfg. Part No.	Description
4480407501	SP-KDFP6-52	6 Port Electrical Ivory
4480507501	SP-KDFP6-85	6 Port White
4480007501	SP-KDFP12-52	12 Port Electrical Ivory
4489997501	SP-KDFP12-85	12 Port White

Faceplates and Housings



Single Gang Faceplates with Labels

PREMIER® Single Gang Keystone Style Faceplates With Labels

Single gang faceplates with labeling inserts that accept flush mounted keystone jacks.

- UL listed
- Includes mounting screws and paper inserts and clear plastic covers for labeling

PREMIER

Item No.	Mfg. Part No.	Description
4488477501	SP-KSFPL2-52	2 Port With Label And Clear Cover Electrical Ivory
4482837501	SP-KSFPL2-85	2 Port With Label And Clear Cover White
4488497501	SP-KSFPL4-52	4 Port With Label And Clear Cover Electrical Ivory
4482787501	SP-KSFPL4-85	4 Port With Label And Clear Cover White
4488517501	SP-KSFPL6-52	6 Port With Label And Clear Cover Electrical Ivory
4486727501	SP-KSFPL6-85	6 Port With Label And Clear Cover White



Angled Faceplates

PREMIER Angled Keystone Style Faceplates

Angled faceplates with labeling inserts mount keystone jacks at a 45 degree angle for convenient patch cord access. These faceplates allow furniture to be located close to the angled faceplates without damaging the patch cord connection. Angled faceplates help to minimize accidental contact and damage with patch cords.

- UL listed
- Includes mounting screws and paper inserts and clear plastic covers for labeling

PREMIER

Item No.	Mfg. Part No.	Description
4480107501	SP-KSAP4-52	4 Port With Label And Clear Cover Electrical Ivory
4480207501	SP-KSAP4-85	4 Port With Label And Clear Cover White
4480807501	SP-KDAP8-52	8 Port Double Gang With Label And Clear Cover Electrical Ivory
4480907501	SP-KDAP8-85	8 Port Double Gang With Label And Clear Cover White

Faceplates and Housings



Stainless Steel Faceplates

PREMIER® Stainless Steel Keystone Style Faceplates

- UL listed
- Mounting screws included

PREMIER

Item No.	Mfg. Part No.	Description
0000087816	SP-KWPSS1	1 Port Wall Plate Stainless Steel With Mounting Lugs
4481007501	SP-KSSFP1	1 Port Flush Mount Stainless Steel
4481207501	SP-KSSFP2H	2 Horizontal Port Flush Mount Stainless Steel
4481107501	SP-KSSFP2	2 Port Flush Mount Stainless Steel
4481257501	SP-KSSFP3	3 Port Flush Mount Stainless Steel
4481267501	SP-KSSFP4	4 Port Flush Mount Stainless Steel
4481277501	SP-KSSFP6	6 Port Flush Mount Stainless Steel
0000090345	SP-KSSFP4-DBL	4 Port Double Gang Flush Mount Stainless Steel
4481287501	SP-KSSFP12	12 Port Double Gang Flush Mount Stainless Steel

PREMIER Mounting Brackets For Faceplates



LV1 and LV2 Mud Rings

Mounting brackets for single gang or double gang faceplates can be used for stud mounting or wall mounting.



LV1 and LV2 Mud Rings

- UL listed

PREMIER

Item No.	Mfg. Part No.	Description
4429997500	SP-LV2	Double Gang For Finished Walls (Mud Ring)
0000000806	SP-LVMB2	Double Gang For New Construction (Stud Mount)
4420547500	SP-LV1	Single Gang For Finished Walls (Mud Ring)
4421087500	SP-LVMB1	Single Gang For New Construction (Stud Mount)
4835767500	PT-20502-L2	Round Plastic Mounting Bracket for Round Flush Jacks

Faceplates and Housings



Surface Housing

PREMIER® Surface Mount Housings

1-port, 2-port, 4-port and 6-port surface mount housings are for modular jacks and accessories.

- UL listed
- Includes mounting screws and double-sided adhesive tape

PREMIER

Item No.	Mfg. Part No.	Description
4490027501	SP-KSH1-52	1 Port Electrical Ivory
4499997501	SP-KSH1-85	1 Port White
9010837501	SP-KSH2-52	2 Port Electrical Ivory
9010847501	SP-KSH2-85	2 Port White
9010857501	SP-KSH4-52	4 Port Electrical Ivory
9010867501	SP-KSH4-85	4 Port White
0000058352	SP-KSH6-52	6 Port Electrical Ivory
0000058354	SP-KSH6-85	6 Port White

Patch Panels and Fiber Boxes

PREMIER Patch Panels - Category 6



12 Port Cat.6 Patch Panel

- UL listed
- UL verified category compliant
- Category 6



High Density Patch Panels



High Density Patch Panels

PREMIER

Item No.	Mfg. Part No.	Description
0000034215	SP-PP-C6-12-89D	12 Port With 89D Bracket Universal Wiring T568A/T568B
4420707500	SP-PP-C6-24-HD	24 Port Universal Wiring T568A/T568B 1RMS High Density
4420807500	SP-PP-C6-48-HD	48 Port Universal Wiring T568A/T568B 2RMS High Density

Patch Panels and Fiber Boxes

PREMIER® Patch Panels - Category 5e

The Category 5e patch panels are available in 12-port wall mount with an extra-deep 89D bracket, 24-port and 48-port high density rack mount, and in 24-port, 48-port, and 96-port normal density rack mount configurations. The panels feature RJ45 to Category 5e PC board 110 punch down style connectors, which are universal color-coded to support both T568A and T568B wiring schemes. The PC board is completely protected with a metal back cover on the rack mount panels. Wire management bars and #12-24 mounting screws are included with the rack mount panels.

- UL listed
- UL verified category compliant
- Category 5e

PREMIER

Item No.	Mfg. Part No.	Description
4496857500	SP-PP-C5E12B-89D	12 Port Universal Wiring T568A/T568B with 89D Bracket
4420097500	SP-PP-C5E24B-HD	24 Port Universal Wiring T568A/T568B 1RMS High Density
4420207500	SP-PP-C5E48B-HD	48 Port Universal Wiring T568A/T568B 2RMS High Density

PREMIER Patch Panels - Modular (Unloaded)

The unloaded modular jack panels are available in 12-port, 24-port, and 48-port normal density rack mount configurations. The panels feature keystone style ports that conveniently rack mount and organize keystone style jacks and accessories. Wire management bars and #12-24 mounting screws are included.

- UL listed

PREMIER

Item No.	Mfg. Part No.	Description
4420407500	SP-PP-MOD-12	12 Port 1RMS For Keystone Jacks
4420437500	SP-PP-MOD-24	24 Port 2RMS For Keystone Jacks
4420507500	SP-PP-MOD-48	48 Port 3RMS For Keystone Jacks

PREMIER Patch Panels - Zoned Wiring



Consolidation Point Block



MUTOA

Zoned wiring components include the 12-port consolidation point panel and the 6-port MUTOA (multiple unit telecommunications outlet assembly). The 12-port consolidation point comes with an 89D bracket and is used to break up the horizontal connection into “permanent” and “temporary” sections. The “temporary” portion can be removed and replaced to keep up with office area changes. The 6-port MUTOA is a small patch panel used to terminate horizontal runs that utilize long work area cords in the work areas. The 6-port MUTOA has an attractive white case that can be conveniently mounted to any flat surface using mounting screws (included) or double-sided adhesive tape (included).

- UL listed

PREMIER

Item No.	Mfg. Part No.	Description
4420827500	SP-PP-C612B-CONPT	12 Port Consolidation Point Block With 89D Bracket
4420907500	SP-PP-C6-MUTOA 6P	6 Port Category 6 MUTOA Universal Wiring T568A/T568B

Patch Panels and Fiber Boxes

PREMIER® Cable Managers



High Density and Single Sided Raceway



Double Sided Raceways
(Vertical and Horizontal)

Cable managers provide horizontal and vertical management to organize patch cords and backbone/horizontal wiring in the equipment racks. The cable managers are available in single and double-sided designs to suit any application. It is recommended to use cable managers between every patch panel and equipment rack.

PREMIER

Item No.	Mfg. Part No.	Description
4480607500	SP-PP-WM175	High Density 1.75" x 19" 1RMS
4420577500	SP-PP-WM3X3-SL	Single Sided Raceway + D-Rings 3.5" x 19" 2RMS
4484497500	SP-PP-WM35-DS	Double Sided Raceway Horizontal 3.5" x 19" 2RMS
5122477500	SP-VCM-4X5DC-35	Double Sided Vertical 4" x 5" x 35" With Hinged Covers
5122467500	SP-VCM-4X5DS-35	Double Sided Vertical 4" x 5" x 35" With Hinged Covers

PREMIER Fiber Distribution Units



Rack Mount Fiber Boxes



Wall Mount Fiber Boxes

The rack mount fiber distribution units can support up to 144 fibers. The 24 to 48 fiber box accepts 4 x 6-pack or 4 x 12-pack connector panels and one splice tray. The 36 to 72 fiber box accepts 6 x 6-pack or 6 x 12-pack connector panels and two splice trays. The 72 to 144 fiber box accepts 12 x 6-pack or 12 x 12-pack connector panels and three splice trays. The wall mount fiber distribution units can support up to 48 fibers. The 12 to 24 fiber box accepts 2 x 6-pack or 2 x 12-pack connector panels and one splice tray. The 24 to 48 fiber box accepts 4 x 6-pack or 4 x 12-pack connector panels and one splice tray. All units include a removable door, labeling system, cable management hardware, Velcro tie wraps, and slack storage.

PREMIER

Item No.	Mfg. Part No.	Description
0000057422	FRM024XS-B	Rack Mount 24 - 48 Port
0000057423	FRM036XS-B	Rack Mount 36 - 72 Port
0000057424	FRM072XS-B	Rack Mount 72 - 144 Port
0000057425	FWM012XLC-B	Wall Mount 12 - 24 Port
0000057426	FWM024XLC-B	Wall Mount 24 - 48 Port

Patch Panels and Fiber Boxes



Fiber Connector Panels

PREMIER® Fiber Distribution Panels and Splice Trays

The fiber distribution panels are available in 6, 8, and 12 fiber capacity. Splice trays are available for both the rack mount and wall mount fiber distribution units.

PREMIER

Item No.	Mfg. Part No.	Description
0000057436	MTRJ-06-L	6 Pack Loaded With MTRJ Adapters
0000057429	MSC-06-LC	6 Pack Loaded with SC Ceramic Adapters For Single Mode
0000057428	MSC-06-L	6 Pack Loaded with SC Phosphor Bronze Adapters
0000057433	MST-06-LC	6 Pack Loaded With ST Ceramic Adapters For Single Mode
0000057432	MST-06-L	6 Pack Loaded With ST Phosphor Bronze Adapters
0000057430	MSC-08-L	8 Pack Loaded with SC Phosphor Bronze Adapters
0000057434	MST-08-L	8 Pack Loaded With ST Phosphor Bronze Adapters
0000057420	1120SSTA	Splice Tray for Wall Mount Fiber Box
0000057421	2020SSTP	Splice Tray for Rack Mount Fiber Box



Racks, Brackets, and Shelves



Hinged Wall Mount Brackets

PREMIER® Wall/Rack Mount Brackets

Wall and rack mount brackets can be used to mount patch panels and electronic equipment from 1RMS to 6RMS in a hinged or stationary design.

PREMIER

Item No.	Mfg. Part No.	Description
4420597500	SP-PP-M5WB175	Wall Mount Hinged 1.75"H x 5"D x 19"W 1RMS
4420557500	SP-PP-M5WB105	Wall Mount Hinged 10.5"H x 5"D x 19"W 6RMS
4420857500	SP-PP-M5WB35	Wall Mount Hinged 3.5"H x 5"D x 19"W 2RMS
4420847500	SP-PP-M5WB525	Wall Mount Hinged 5.25"H x 5"D x 19"W 3RMS
4425167500	SP-PP-M5WB70	Wall Mount Hinged 7"H x 5"D x 19"W 4RMS
0000111643	0203-01	Wall Mount Fixed UNI-BRACKET Set 5RMS



Relay Rack

PREMIER Racks and Shelves

These aluminum equipment racks are easy to assemble and capable of supporting 700 pounds of weight when securely fastened together and adequately anchored to a concrete floor. The racks are drilled and tapped on both sides with the universal spacing hole pattern 5/8-inch - 5/8-inch - 1/2-inch and have a 45RMS capacity.

- Universal hole pattern on both sides
- Includes 32 each #12-24 mounting screws
- Shelves guaranteed to support 50 lbs. of distributed weight

PREMIER

Item No.	Mfg. Part No.	Description
9611117500	SP-RR-19X7-2S200BLK	19 Inch x 7 Foot Double Sided Aluminum Black
9690017500	SP-SH-BLK-15D-FRONT	Front-Mount 19" x 15" x 3RMS
9698617500	PT-SH-GRAY-15D-FRONT	Front-Mount 19" x 15" x 3RMS Gray
9698547500	SP-SH-BLK-19D-MID	Mid-Mount 19" x 19" x 2RMS
9692277500	PT-SH-GRAY-19D-MID	Mid-Mount 19" x 19" x 2RMS Gray

Cabling



Cable Hangers

PREMIER® Cable Hanging and Routing

Flexible non-metallic cable hangers and accessories hold copper or fiber bundles without sagging, bending or damaging the cable.

- UL listed
- TL25 hangers can hold up to 100 Cat5e cables and are load rated to 25 pounds
- TL50 hangers can hold up to 300 Cat5e cables and are load rated to 75 pounds
- BC25 beam clamp has a static load rating of 75 pounds. Clamp opening is .608 inches.

PREMIER

Item No.	Mfg. Part No.	Description
4421047500	SP-BC25	Beam Clamp - Accepts Threaded Rod Size 1/4 - 20
4421007500	SP-TL25	2.5 Inch Diameter Plenum Rated
4421017500	SP-TL25P	2.5 Inch Diameter Plenum Rated And UV Rated for Outdoor Use
4421027500	SP-TL50	5 Inch Diameter Plenum Rated
4421037500	SP-TL50P	5 Inch Diameter Plenum Rated And UV Rated for Outdoor Use



Surface Raceway



Surface Raceway

PREMIER® Surface Raceway

One-piece, non-metallic, adhesive-backed, tamper-resistant, self-locking, positive-latch hinged design surface raceway used to aesthetically organize and route copper wires and fiber cables.

- UL listed
- Made from a paintable UL 94V-0 rated PVC

Fill Capacity Chart

Building Wire					
Raceway			3/4"	1 1/4"	1 3/4"
Area of Raceway			0.2572"	0.7176"	1.4065"
Wire Type	O. D. of wire	Area of wire			
14 AWG THHN	0.108	0.0091	3	8	16
12 AWG THHN	0.126	0.0124	2	6	12
10 AWG THHN	0.170	0.0226	1	4	8
Signal Wire					
18 AWG	0.066	0.0034	30	83	164
20 AWG	0.060	0.0028	36	101	198
22 AWG	0.050	0.0019	52	146	286
24 AWG	0.045	0.0015	64	180	353
Twisted Pair, 24 AWG					
2 Pair	0.140	0.0153	6	18	36
3 Pair	0.150	0.0176	5	16	31
4 Pair	0.220	0.0380	2	7	14
25 Pair	0.510	0.2042	0	1	2
Twisted Pair, Shielded					
4 Pair 24 AWG	0.250	0.0490	2	5	11
25 Pair 24 AWG	0.510	0.2042	0	1	2
Type 1A, 22 AWG	0.430	0.1452	0	1	3
Coax. (max.)					
RG58/U	0.193	0.0292	3	9	19
RG59/U RG62/U	0.242	0.0459	2	6	12
RG6/U	0.270	0.0572	1	5	9
Fiber Optic 50 or 62.5/125/900 PVC Jacket, OFNR					
2 Strand	0.175	0.0240	4	11	23
4 Strand	0.185	0.0268	3	10	20
6 Strand	0.210	0.0346	2	8	16
(Wire capacity reflects 40% fill ratio)					



Surface Raceway

PREMIER® Surface Raceway 3/4 Inch

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions
4851027500	PT-SR1I-6A	Duct 6 Foot Electrical Ivory	0.75"W x 0.5" H
4851047500	PT-SR1W-6A	Duct 6 Foot White	0.75"W x 0.5" H
4851037500	PT-SR1I-8A	Duct 8 Foot Electrical Ivory	0.75"W x 0.5" H
4851057500	PT-SR1W-8A	Duct 8 Foot White	0.75"W x 0.5" H



Surface Raceway Accessories

PREMIER Surface Raceway Accessories 3/4 Inch

- Meets 1 inch bend radius requirements for TIA/EIA standards

PREMIER

Item No.	Mfg. Part No.	Description
4851217500	PT-SR1I-50	Ceiling Drop Cover Electrical Ivory
4851297500	PT-SR1W-50	Ceiling Drop Cover White
4851177500	PT-SR1I-25-1	Elbow Electrical Ivory
4851257500	PT-SR1W-25-1	Elbow White
4851207500	PT-SR1I-36	End Cap Electrical Ivory
4851287500	PT-SR1W-36	End Cap White
4851187500	PT-SR1I-29-1	External Corner Cover Electrical Ivory
4851267500	PT-SR1W-29-1	External Corner Cover White
4851277500	PT-SR1W-33-1	Internal Corner Cover White
4851197500	PT-SR1I-33-1	Internal Cover Electrical Ivory
4851157500	PT-SR1I-14	Splice Cover Electrical Ivory
4851237500	PT-SR1W-14	Splice Cover White
4851167500	PT-SR1I-21-1	Tee Cover Electrical Ivory
4851247500	PT-SR1W-21-1	Tee Cover White

Surface Raceway

PREMIER® Surface Raceway 1-1/4 Inch

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions
4851327500	PT-SR2I-6A	Duct 6 Foot Electrical Ivory	1.25"W x 0.75" H
4851347500	PT-SR2W-6A	Duct 6 Foot White	1.25"W x 0.75" H
4851337500	PT-SR2I-8A	Duct 8 Foot Electrical Ivory	1.25"W x 0.75" H
4851357500	PT-SR2W-8A	Duct 8 Foot White	1.25"W x 0.75" H



Surface Raceway Accessories

PREMIER Surface Raceway Accessories 1-1/4 Inch

- Meets 1 inch bend radius requirements for TIA/EIA standards

PREMIER

Item No.	Mfg. Part No.	Description
4851517500	PT-SR2I-50	Ceiling Drop Cover Electrical Ivory
4851597500	PT-SR2W-50	Ceiling Drop Cover White
4851477500	PT-SR2I-25-1	Elbow Electrical Ivory
4851557500	PT-SR2W-25-1	Elbow White
4851507500	PT-SR2I-36	End Cap Electrical Ivory
4851587500	PT-SR2W-36	End Cap White
4851487500	PT-SR2I-29-1	External Corner Cover Electrical Ivory
4851567500	PT-SR2W-29-1	External Corner Cover White
4851497500	PT-SR2I-33-1	Internal Corner Cover Electrical Ivory
4851577500	PT-SR2W-33-1	Internal Corner Cover White
4851457500	PT-SR2I-14	Splice Cover Electrical Ivory.
4851537500	PT-SR2W-14	Splice Cover White
4851467500	PT-SR2I-21-1	Tee Cover Electrical Ivory
4851547500	PT-SR2W-21-1	Tee Cover White

Surface Raceway

PREMIER® Surface Raceway 1-3/4 Inch

PREMIER

Item No.	Mfg. Part No.	Description	Dimensions
4851627500	PT-SR3I-6A	Duct 6 Foot Electrical Ivory	1.75"W x 1.0"H
4851647500	PT-SR3W-6A	Duct 6 Foot White	1.75"W x 1.0"H
4851637500	PT-SR3I-8A	Duct 8 Foot Electrical Ivory	1.75"W x 1.0"H
4851657500	PT-SR3W-8A	Duct 8 Foot White	1.75"W x 1.0"H



Surface Raceway Accessories

PREMIER Surface Raceway Accessories 1-3/4 Inch

- Meets 1 inch bend radius requirements for TIA/EIA standards

PREMIER


Item No.	Mfg. Part No.	Description
4851817500	PT-SR3I-50	Ceiling Drop Cover Electrical Ivory
4851897500	PT-SR3W-50	Ceiling Drop Cover White
4851777500	PT-SR3I-25-1	Elbow Electrical Ivory
4851857500	PT-SR3W-25-1	Elbow White
4851807500	PT-SR3I-36	End Cap Electrical Ivory
4851887500	PT-SR3W-36	End Cap White
4851787500	PT-SR3I-29-1	External Corner Cover Electrical Ivory
4851867500	PT-SR3W-29-1	External Corner Cover White
4851797500	PT-SR3I-33-1	Internal Corner Cover Electrical Ivory
4851877500	PT-SR3W-33-1	Internal Corner Cover White
4851757500	PT-SR3I-14	Splice Cover Electrical Ivory
4851837500	PT-SR3W-14	Splice Cover White
4851767500	PT-SR3I-21-1	Tee Cover Electrical Ivory
4851847500	PT-SR3W-21-1	Tee Cover White

Surface Raceway

PREMIER® Surface Raceway Reducers

PREMIER

Item No.	Mfg. Part No.	Description
4851747500	PT-SR3I-12	1-1/4 to 3/4 Inch Reducer Electrical Ivory
4851827500	PT-SR3W-12	1-1/4 to 3/4 Inch Reducer White
4851147500	PT-SR1I-12	1-3/4 to 1-1/4 Inch Reducer Electrical Ivory
4851227500	PT-SR1W-12	1-3/4 to 1-1/4 Inch Reducer White
4851447500	PT-SR2I-12	1-3/4 to 3/4 Inch Reducer Electrical Ivory
4851527500	PT-SR2W-12	1-3/4 to 3/4 Inch Reducer White



Raceway Junction Boxes

PREMIER Surface Raceway Junction Boxes

Available in three sizes (low profile, standard, and double-gang), these two-piece junction boxes are versatile enough for any network cabling application. The junction boxes are equipped with concentric knockouts on all four sides that accept all three sizes of surface raceway. The base plate has double-sided adhesive tape and the junction box accepts any standard NEMA faceplates.

- UL listed
- Made from a paintable UL 94V-0 rated PVC
- Includes knock-outs for raceway on all sides

PREMIER

Item No.	Mfg. Part No.	Description
4851907500	PT-SRI-JB1	Single Gang 1-1/4 Inch Deep Electrical Ivory
4851937500	PT-SRW-JB1	Single Gang 1-1/4 Inch Deep White
4851917500	PT-SRI-JB2	Single Gang 2 Inch Deep Electrical Ivory
4851947500	PT-SRW-JB2	Single Gang 2 Inch Deep White
4851927500	PT-SRI-JBD	Double Gang 1-1/2 Inch Deep Electrical Ivory
4851957500	PT-SRW-JBD	Double Gang 1-1/2 Inch Deep White

Wiring Duct



PREMIER® Wiring Duct

The wiring duct is available in a solid wall or slotted wall construction. The slotted wall duct features break-away fingers that are scored in two locations for customized wiring installs. Straight connectors can be used with all sizes of duct to join the duct runs together. The covers snap on flush to the top of the solid and slotted wall duct to provide a smooth finish.

- UL listed

PREMIER

Item No.	Mfg. Part No.	Description
5361037500	PT-TC1.5G4	Cover 1.5" Wide X 6 Foot Gray
5361027500	PT-TC2G4	Cover 2.0" Wide X 6 Foot Gray
5360837500	PT-TC3G4	Cover 3.0" Wide X 6 Foot Gray
5361017500	PT-SCG	Straight Connector For All Sizes Of Wiring Duct
5360817500	PT-SL1.5X2G4	Slotted Wall 1.5" Wide X 2.0" High X 6 Foot Gray
5360827500	PT-SL2X1G4	Slotted Wall 2.0" Wide X 1.0" High X 6 Foot Gray
5360807500	PT-SL2X2G4	Slotted Wall 2.0" Wide X 2.0" High X 6 Foot Gray
5360797500	PT-SL3X2G4	Slotted Wall 3.0" Wide X 2.0" High X 6 Foot Gray
5360787500	PT-SD3X2G4	Solid Wall 3.0" Wide X 2.0" High x 6 Foot Gray

Connectorized Cable

Connectorized Cables (25 pair) Non-Plenum



25 Pair Connectorized Cables



Prewired 25 pair connectorized cables are used to rapidly complete telephone installations or to rearrange key telephone stations. The connectors are standard 50-pin male or female telephony connectors with a removable dust cover to protect the gold plated contacts from damage or oxidation. The insulated conductors are color-coded with the standard telephone colors and are twisted into pairs with varying lay lengths to minimize crosstalk. The cable is riser rated and is available in gray Level 1 or Category 3. Each cable comes with separately packaged accessories, including two alternate screw lengths and one u-shaped, spring retainer clip per connector.

- FCC part 68 compliant

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Connector	Length (Ft)	Hood (Degree)	Cable Type	Color	Cable Entry
2060987501	206098	PT-C25C5G-L3	F/F	5	90	Category 3	Gray	Standard
2066697501	206669	PT-C25C10G-L3	F/F	10	90	Category 3	Gray	Standard
2066717501	206671	PT-C25C15G-L3	F/F	15	90	Category 3	Gray	Standard
2060907501	206090	PT-C25C20G-L3	F/F	20	90	Category 3	Gray	Standard
2066727501	206672	PT-C25C30G-L3	F/F	30	90	Category 3	Gray	Standard
2066897501	206689	PT-C25C50G-L3	F/F	50	90	Category 3	Gray	Standard
2060607501	206060	PT-C25C80G-L3	F/F	80	90	Category 3	Gray	Standard
2066757501	206675	PT-C25C100G-L3	F/F	100	90	Category 3	Gray	Standard
2066787501	206678	PT-C25C200G-L3	F/F	200	90	Category 3	Gray	Standard
2060707501	206070	PT-C25P1G-L3	F/M	1	90	Category 3	Gray	Standard
2066827501	206682	PT-C25P2G-L3	F/M	2	90	Category 3	Gray	Standard
2066837501	206683	PT-C25P5G-L3	F/M	5	90	Category 3	Gray	Standard
5460107501	546010	PT-C25P6.5G-L3	F/M	6.5	90	Category 3	Gray	Standard
2060347501	206034	PT-C25P10G-L3	F/M	10	90	Category 3	Gray	Standard
2062947501	206294	PT-C25P15G-L3	F/M	15	90	Category 3	Gray	Standard
2060847501	206084	PT-C25P20G-L3	F/M	20	90	Category 3	Gray	Standard
2060327501	206032	PT-C25P25G-L3	F/M	25	90	Category 3	Gray	Standard
2066857501	206685	PT-C25P30G-L3	F/M	30	90	Category 3	Gray	Standard
0000059638		PT-C25P50G-L3	F/M	50	90	Category 3	Gray	Standard
2066867501	206686	PT-C25P60G-L3	F/M	60	90	Category 3	Gray	Standard
2066877501	206687	PT-C25P100G-L3	F/M	100	90	Category 3	Gray	Standard
2060887501	206088	PT-C25P200G-L3	F/M	200	90	Category 3	Gray	Standard
0000062091		PT-C25X5G-L3	F/X	5	90	Category 3	Gray	Standard
2062837501	206283	PT-C25X10G-L3	F/X	10	90	Category 3	Gray	Standard
2062497501	206249	PT-C25X10G	F/X	10	90	Level 1	Gray	Standard
2062847501	206284	PT-C25X15G-L3	F/X	15	90	Category 3	Gray	Standard
2060087501	206008	PT-C25X15G	F/X	15	90	Level 1	Gray	Standard
2062857501	206285	PT-C25X25G-L3	F/X	25	90	Category 3	Gray	Standard

Connectorized Cable

Connectorized Cables (25 pair) Non-Plenum (continued)

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Connector	Length (Ft)	Hood (Degree)	Cable Type	Color	Cable Entry
2064537501	206453	PT-C25X25G	F/X	25	90	Level 1	Gray	Standard
2061007501	206100	PT-C25X30G-L3	F/X	30	90	Category 3	Gray	Standard
2060077501	206007	PT-C25X30G	F/X	30	90	Level 1	Gray	Standard
2062867501	206286	PT-C25X50G-L3	F/X	50	90	Category 3	Gray	Standard
2060037501	206003	PT-C25X50G	F/X	50	90	Level 1	Gray	Standard
2062877501	206287	PT-C25X75G-L3	F/X	75	90	Category 3	Gray	Standard
2064547501	206454	PT-C25X75G	F/X	75	90	Level 1	Gray	Standard
2062887501	206288	PT-C25X100G-L3	F/X	100	90	Category 3	Gray	Standard
2065437501	206543	PT-C25X100G	F/X	100	90	Level 1	Gray	Standard
2066777501	206677	PT-C25X150G-L3	F/X	150	90	Category 3	Gray	Standard
2065447501	206544	PT-C25X150G	F/X	150	90	Level 1	Gray	Standard
2066797501	206679	PT-C25X200G-L3	F/X	200	90	Category 3	Gray	Standard
2065737501	206573	PT-C25X200G	F/X	200	90	Level 1	Gray	Standard
2060877501	206087	PT-C25X300G-L3	F/X	300	90	Category 3	Gray	Standard
0000089196		PT-P25P5G-L3	M/M	5	90	Category 3	Gray	Standard
2060357501	206035	PT-P25P10G-L3	M/M	10	90	Category 3	Gray	Standard
2066917501	206691	PT-P25P15G-L3	M/M	15	90	Category 3	Gray	Standard
2060337501	206033	PT-P25P25G-L3	M/M	25	90	Category 3	Gray	Standard
2061417501	206141	PT-P25P30G-L3	M/M	30	90	Category 3	Gray	Standard
0000035031		PT-P25P50G-L3	M/M	50	90	Category 3	Gray	Standard
0000034858		PT-P25P100G-L3	M/M	100	90	Level 1	Gray	Standard
0000062095		PT-P25X5G-L3	M/X	5	90	Category 3	Gray	Standard
2062767501	206276	PT-P25X10G-L3	M/X	10	90	Category 3	Gray	Standard
2066017501	206601	PT-P25X10G	M/X	10	90	Level 1	Gray	Standard
2062777501	206277	PT-P25X15G-L3	M/X	15	90	Category 3	Gray	Standard
2060097501	206009	PT-P25X15G	M/X	15	90	Level 1	Gray	Standard
2060957501	206095	PT-P25X25G-180	M/X	25	180	Level 1	Gray	Standard
2062787501	206278	PT-P25X25G-L3	M/X	25	90	Category 3	Gray	Standard
2060117501	206011	PT-P25X25G	M/X	25	90	Level 1	Gray	Standard
2061027501	206102	PT-P25X30G-L3	M/X	30	90	Category 3	Gray	Standard
2060177501	206017	PT-P25X30G	M/X	30	90	Level 1	Gray	Standard
0000062094		PT-P25X40G-L3	M/X	40	90	Category 3	Gray	Standard
2060897501	206089	PT-P25X50G-180	M/X	50	180	Level 1	Gray	Standard
2062797501	206279	PT-P25X50G-L3	M/X	50	90	Category 3	Gray	Standard
2060067501	206006	PT-P25X50G	M/X	50	90	Level 1	Gray	Standard
2062817501	206281	PT-P25X75G-L3	M/X	75	90	Category 3	Gray	Standard
0000035020	516003	512550-PT-P25X75G	M/X	75	90	Level 1	Gray	Standard
2060127501	206012	PT-P25X100G	M/X	100	90	Level 1	Gray	Standard
2062827501	206282	PT-P25X100G-L3	M/X	100	90	Category 3	Gray	Standard
0000062093		PT-P25X200G-L3	M/X	200	90	Category 3	Gray	Standard

Connectorized Cable

Connectorized Cables (25 pair) Plenum



25 Pair Connectorized Cables



Prewired 25 pair connectorized cables are used to rapidly complete telephone installations or to rearrange key telephone stations. The connectors are standard 50-pin male or female telephony connectors with a removable dust cover to protect the gold plated contacts from damage or oxidation. The insulated conductors are color-coded with the standard telephone colors and are twisted into pairs with varying lay lengths to minimize crosstalk. The cable is gray Level 1 plenum. Each cable comes with separately packaged accessories, including two alternate screw lengths and one u-shaped, spring retainer clip per connector.

- FCC part 68 compliant

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Connector	Length (Ft)	Hood (Degree)	Cable Type	Color	Cable Entry
5124017500	512401	516688-PT-C25C50GCMP	F/F	50	90	Level 1	Gray	Standard



4005 Splice Cable Assembly

Prewired 25 pair connectorized cable assembly with DPM-4005 connectors on both ends are used to rapidly complete 25 pair splice connections in OSP cables. Insulation displacement contacts are used to terminate copper conductors in 25 pair bundles.

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000108597	967341	36 INCH 4005DPM JMPR	Jumper Preterminated 36-inch 4005DPM
0000108598	967339	72 INCH 4005DPM JMPR	Jumper Preterminated 72-inch 4005DPM

110 Patch Cords

PREMIER® 110 Patch Cords

Factory terminated with round 4 pair Category 5e data grade patch cordage. Terminated with 110 patch cord plugs on both ends or with 8 position 8 conductor RJ45-type plugs. Ideal for quickly cross connecting voice or data circuits on 110 wiring blocks.

- UL listed
- FCC part 68 compliant

PREMIER

Item No.	Mfg. Part No.	Description
0000123940	1110PCC54W-3FT	4 Pair 110 To 110 Ivory 3 Foot
0000123941	1110PCC54W-5FT	4 Pair 110 To 110 Ivory 5 Foot
0000123942	1110PCC54W-7FT	4 Pair 110 To 110 Ivory 7 Foot
0000123938	1110PCC54W-10FT	4 Pair 110 To 110 Ivory 10 Foot
0000123939	1110PCC54W-12FT	4 Pair 110 To 110 Ivory 12 Foot
0000123945	1110PCC54WP-3FT	4 Pair 110 To 8P8C Ivory 3 Foot
0000123946	1110PCC54WP-5FT	4 Pair 110 To 8P8C Ivory 5 Foot
0000123947	1110PCC54WP-7FT	4 Pair 110 To 8P8C Ivory 7 Foot
0000123943	1110PCC54WP-10FT	4 Pair 110 To 8P8C Ivory 10 Foot
0000123944	1110PCC54WP-12FT	4 Pair 110 To 8P8C Ivory 12 Foot

Cat.6 Patch Cords



Cat.6 Patch Cords

PREMIER® Category 6 Patch Cords

Factory terminated with stranded 4 pair 23 AWG Category 6 data grade patch cordage. Exceeds TIA/EIA-568B component transmission requirements for Category 6 Patch Cords. Terminated with Category 6 8 position 8 conductor RJ45-type plugs with snagless, strain relief boots on both ends. Ideal for quickly cross connecting voice or data circuits on patch panels or for connecting voice or data equipment to the network.

- UL listed
- FCC part 68 compliant
- Category 6 compliant

PREMIER

Item No.	Mfg. Part No.	Description
9661247500	SP-PCC6-BLU-3	Blue 3 Foot
9661257500	SP-PCC6-BLU-5	Blue 5 Foot
9661267500	SP-PCC6-BLU-7	Blue 7 Foot
9661277500	SP-PCC6-BLU-10	Blue 10 Foot
9661287500	SP-PCC6-BLU-14	Blue 14 Foot
9661307500	SP-PCC6-GRY-3	Gray 3 Foot
9661317500	SP-PCC6-GRY-5	Gray 5 Foot
9661327500	SP-PCC6-GRY-7	Gray 7 Foot
9661337500	SP-PCC6-GRY-10	Gray 10 Foot
9661377500	SP-PCC6-GRY-14	Gray 14 Foot
9661507500	SP-PCC6-RED-3	Red 3 Foot
9661607500	SP-PCC6-RED-5	Red 5 Foot
9661707500	SP-PCC6-RED-7	Red 7 Foot
9661777500	SP-PCC6-RED-10	Red 10 Foot
9661787500	SP-PCC6-RED-14	Red 14 Foot
9661807500	SP-PCC6-WHT-3	White 3 Foot
9661827500	SP-PCC6-WHT-5	White 5 Foot
9661907500	SP-PCC6-WHT-7	White 7 Foot
9662007500	SP-PCC6-WHT-10	White 10 Foot
9662107500	SP-PCC6-WHT-14	White 14 Foot
0000066364	SP-PCC6-YEL-3	Yellow 3 Foot
0000066365	SP-PCC6-YEL-5	Yellow 5 Foot
0000066366	SP-PCC6-YEL-7	Yellow 7 Foot
0000066361	SP-PCC6-YEL-10	Yellow 10 Foot
0000066362	SP-PCC6-YEL-14	Yellow 14 Foot

Cat.5e Patch Cords



Cat.5e Patch Cords

PREMIER® Category 5e Patch Cords

Factory terminated with stranded 4 pair 24 AWG Category 5e data grade patch cordage. Exceeds TIA/EIA-568B component transmission requirements for Category 5e Patch Cords. Terminated with Category 5e 8 position 8 conductor RJ45-type plugs with snagless, strain relief boots on both ends. Ideal for quickly cross connecting voice or data circuits on patch panels or for connecting voice or data equipment to the network.

- UL listed
- FCC part 68 compliant
- Category 5e compliant

PREMIER

Item No.	Mfg. Part No.	Description
0000086583	SP-PCL5E-BLACK-3	Black 3 Foot
0000030569	SP-PCL5E-BLACK-5	Black 5 Foot
0000085429	SP-PCL5E-BLACK-7	Black 7 Foot
0000030567	SP-PCL5E-BLACK-10	Black 10 Foot
0000030568	SP-PCL5E-BLACK-16	Black 16 Foot
9660687500	SP-PCL5E-BLU-3	Blue 3 Foot
9660717500	SP-PCL5E-BLU-5	Blue 5 Foot
9660727500	SP-PCL5E-BLU-7	Blue 7 Foot
9660747500	SP-PCL5E-BLU-10	Blue 10 Foot
9660767500	SP-PCL5E-BLU-14	Blue 14 Foot
9660797500	SP-PCL5E-GRY-3	Gray 3 Foot
9660827500	SP-PCL5E-GRY-5	Gray 5 Foot
9660837500	SP-PCL5E-GRY-7	Gray 7 Foot
9660857500	SP-PCL5E-GRY-10	Gray 10 Foot
9660877500	SP-PCL5E-GRY-14	Gray 14 Foot
4492627500	SP-PCL5E-RED-3	Red 3 Foot
4492647500	SP-PCL5E-RED-5	Red 5 Foot
4492657500	SP-PCL5E-RED-7	Red 7 Foot
4492677500	SP-PCL5E-RED-10	Red 10 Foot
4492697500	SP-PCL5E-RED-14	Red 14 Foot
9660577500	SP-PCL5E-WHT-3	White 3 Foot
9660597500	SP-PCL5E-WHT-5	White 5 Foot
9660617500	SP-PCL5E-WHT-7	White 7 Foot
9660637500	SP-PCL5E-WHT-10	White 10 Foot
9660657500	SP-PCL5E-WHT-14	White 14 Foot
9010237500	SP-PCL5E-YLW-3	Yellow 3 Foot
9010257500	SP-PCL5E-YLW-5	Yellow 5 Foot
9010267500	SP-PCL5E-YLW-7	Yellow 7 Foot
9010277500	SP-PCL5E-YLW-10	Yellow 10 Foot
9010287500	SP-PCL5E-YLW-14	Yellow 14 Foot

Cat.5e Patch Cords



Cat.5e Work Area Cords

PREMIER® Category 5e Work Area Cords

Factory terminated with stranded 4 pair 24 AWG Category 5e data grade patch cordage. Meets TIA/EIA-568B channel requirements for Category 5e Work Area Cords greater than 5 meters or 16 feet. Terminated with Category 5e 8 position 8 conductor RJ45-type plugs with snagless, strain relief boots on both ends. Ideal for connecting voice or data equipment in an open office architecture where longer work area cords are required.

- UL listed
- FCC part 68 compliant
- Cat.5e work area cord

PREMIER

Item No.	Mfg. Part No.	Description
9660607500	SP-PCL5E-BLU-20	Blue 20 Foot
9660707500	SP-PCL5E-BLU-30	Blue 30 Foot
9660807500	SP-PCL5E-BLU-50	Blue 50 Foot
9660907500	SP-PCL5E-BLU-70	Blue 70 Foot
9660977500	SP-PCL5E-GRY-20	Gray 20 Foot
9661007500	SP-PCL5E-GRY-30	Gray 30 Foot
9661107500	SP-PCL5E-GRY-50	Gray 50 Foot
9661207500	SP-PCL5E-GRY-70	Gray 70 Foot
9660197500	SP-PCL5E-RED-20	Red 20 Foot
9660207500	SP-PCL5E-RED-30	Red 30 Foot
9660217500	SP-PCL5E-RED-50	Red 50 Foot
9660227500	SP-PCL5E-RED-70	Red 70 Foot
9660237500	SP-PCL5E-WHT-20	White 20 Foot
9660307500	SP-PCL5E-WHT-30	White 30 Foot
9660407500	SP-PCL5E-WHT-50	White 50 Foot
9660507500	SP-PCL5E-WHT-70	White 70 Foot



Cat.5e Crossover Cords

PREMIER Category 5e Crossover Cords

Factory terminated with stranded 4 pair 24 AWG Category 5e data grade patch cordage. Exceeds TIA/EIA-568B component transmission requirements for Category 5e Patch Cords. Terminated with Category 5e 8 position 8 conductor RJ45-type plugs with snagless, strain relief boots on both ends. Ideal for quickly cross connecting voice or data circuits on patch panels or for connecting voice or data equipment to the network.

- UL listed
- FCC part 68 compliant
- Category 5e compliant

PREMIER

Item No.	Mfg. Part No.	Description
4660017501	SP-COC-L5E-RED-14	Crossover Cord 14 Foot Red

Fiber Jumpers



Fiber Optic Jumpers

PREMIER® Multimode Fiber Jumpers

Multimode Fiber Jumpers are made with non-plenum-rated PVC jacketed fiber and are available in both 50-micron and 62.5 micron size with several connector combinations and lengths. These fiber jumpers can be custom-made to your requirements.

PREMIER

Item No.	Mfg. Part No.	Description
0000098831	15SCUPC-SCUPC MM	SCUPC-SCUPC Simplex Multimode 15 Meter
0000060053	SFPTT6A2R003M	MTRJ-MTRJ Duplex Multimode 3 Meter
0000060052	SFPTT5A2R003M	MTRJ-MTRJ Duplex Multimode 50 Micron 3 Meter
0000086772	SFPAT6A2R001M	MTRJ-ST Duplex Multimode 1 Meter
0000060043	SFPAT6A2R003M	MTRJ-ST Duplex Multimode 3 Meter
0000086981	SFPAT6A2R005M	MTRJ-ST Duplex Multimode 5 Meter
0000060042	SFPAT5A2R003M	MTRJ-ST Duplex Multimode 50 Micron 3 Meter
0000060048	SFPKK6A2Z003M	SC-SC Duplex Multimode 3 Meter
0000060046	SFPKK5A2Z003M	SC-SC Duplex Multimode 50 Micron 3 Meter
0000060047	SFPKK6A1M003M	SC-SC Simplex Multimode 3 Meter
0000060041	SFPAK6A1M003M	ST-SC Simplex Multimode 3 Meter
9676667521	SFPAA6A2Z001M	ST-ST Duplex Multimode 1 Meter
0000060040	SFPAA6A2Z003M	ST-ST Duplex Multimode 3 Meter
0000060038	SFPAA5A2Z003M	ST-ST Duplex Multimode 50 Micron 3 Meter
9676697521	SFPAA6A2Z010M	ST-ST Duplex Multimode 10 Meter
9676627521	SFPAA6A1M001M	ST-ST Simplex Multimode 1 Meter
9676637521	SFPAA6A1M003M	ST-ST Simplex Multimode 3 Meter
0000060039	SFPAA6A1M003M	ST-ST Simplex Multimode 3 Meter
9676647521	SFPAA6A1M006M	ST-ST Simplex Multimode 6 Meter
9676657521	SFPAA6A1M010M	ST-ST Simplex Multimode 10 Meter



Fiber Jumpers



Fiber Optic Jumpers

PREMIER® Singlemode Fiber Jumpers

Singlemode Fiber Jumpers are made with non-plenum-rated PVC jacketed fiber and are available in several connector combinations and lengths. These fiber jumpers can be custom-made to your requirements.

PREMIER

Item No.	Mfg. Part No.	Description
0000083620	FPJS8A1M005M	FC-D4 Simplex Singlemode 5 Meter
0000083619	FPJK8A1M010F	FC-SC Simplex Singlemode Ultra Polish 10 Feet
0000083611	FBSOA1M010M	LC-D4 Simplex Singlemode 10 Meter
0000083612	FBSOA1M015M	LC-D4 Simplex Singlemode 15 Meter
0000083605	FBB8A1M020F	LC-LC Simplex Singlemode 20 Feet
0000083606	FBBOA1M005M	LC-LC Simplex Singlemode 5 Meter
0000083607	FBBOA1M010M	LC-LC Simplex Singlemode 10 Meter
0000083608	FBBOA1M015M	LC-LC Simplex Singlemode 15 Meter
0000083609	FBBOA1M020M	LC-LC Simplex Singlemode 20 Meter
0000083610	FBBOA1M025M	LC-LC Simplex Singlemode 25 Meter
0000083617	FPBK8A1M010F	LC-SC Simplex Singlemode Ultra Polish 10 Feet
0000083618	FPBK8A1M015F	LC-SC Simplex Singlemode Ultra Polish 15 Feet
0000083638	FPKW8A1M010M	LC-SC Simplex Singlemode Ultra Polish 10 Meter
0000083639	FPKX8A24D060F	SC To Blunt Simplex Singlemode Ultra Polish 60 Feet
0000099477	SFPGG8A1U001M	SCAPC-SCAPC Simplex Singlemode 1 Meter
0000098834	4.5SCAPC-SCAPC SM	SCAPC-SCAPC Simplex Singlemode 4.5 Meter
0000098833	3SCUPC-SCUPC SM	SCAPC-SCUPC Simplex Singlemode 3 Meter
0000098835	4.5SCAPC-SCUPC SM	SCAPC-SCUPC Simplex Singlemode 4.5 Meter
0000098830	13SCUPC-SCAPC SM	SCAPC-SCUPC Simplex Singlemode 13 Meter
0000098832	15SCUPC-SCAPC SM	SCAPC-SCUPC Simplex Singlemode 15 Meter
0000099478	SFPGK8A1U018M	SCAPC-SCUPC Simplex Singlemode 18 Meter
0000099479	SFPGK8A1U019M	SCAPC-SCUPC Simplex Singlemode 19 Meter
0000099480	SFPGK8A1U020M	SCAPC-SCUPC Simplex Singlemode 20 Meter
0000099481	SFPGK8A1U025M	SCAPC-SCUPC Simplex Singlemode 25 Meter
0000099482	SFPGK8A1U030M	SCAPC-SCUPC Simplex Singlemode 30 Meter
0000083636	FPKS0A1M005M	SC-D4 Simplex Singlemode 5 Meter
0000083637	FPKS0A1M006F	SC-D4 Simplex Singlemode 6 Foot
0000060045	SFPPK0A2Z003M	SC-SC Duplex Singlemode 3 Meter
0000083621	FPKK0A1M001M	SC-SC Simplex Singlemode 1 Meter
0000060044	SFPPK0A1M003M	SC-SC Simplex Singlemode 3 Meter
0000083622	FPKK0A1M005M	SC-SC Simplex Singlemode 5 Meter



Fiber Jumpers

PREMIER® Singlemode Fiber Jumpers (continued)

PREMIER

Item No.	Mfg. Part No.	Description
0000083623	FPKK8A1M001F	SC-SC Simplex Singlemode Ultra Polish 1 Foot
0000083625	FPKK8A1M002F	SC-SC Simplex Singlemode Ultra Polish 2 Foot
0000083626	FPKK8A1M003F	SC-SC Simplex Singlemode Ultra Polish 3 Foot
0000083628	FPKK8A1M006F	SC-SC Simplex Singlemode Ultra Polish 6 Foot
0000083629	FPKK8A1M008F	SC-SC Simplex Singlemode Ultra Polish 8 Foot
0000083630	FPKK8A1M009F	SC-SC Simplex Singlemode Ultra Polish 9 Foot
0000083631	FPKK8A1M012F	SC-SC Simplex Singlemode Ultra Polish 12 Foot
0000083632	FPKK8A1M015F	SC-SC Simplex Singlemode Ultra Polish 15 Foot
0000083633	FPKK8A1M020F	SC-SC Simplex Singlemode Ultra Polish 20 Foot
0000083624	FPKK8A1M001M	SC-SC Simplex Singlemode Ultra Polish 1 Meter
0000083627	FPKK8A1M003M	SC-SC Simplex Singlemode Ultra Polish 3 Meter
0000083635	FPKQ8A1M002F	SC-ST Simplex Singlemode Ultra Polish 2 Feet
0000083634	FPKQ8A1M0010F	SC-ST Simplex Singlemode Ultra Polish 10 Feet
0000060049	SFPKQ0A1M003M	SC-ST Simplex Singlemode 3 Meter
0000100371	SFPKK8A2V0005M	SCUPC-SCUPC Duplex Singlemode 5 Meter
0000100372	SFPKK8A2V008M	SCUPC-SCUPC Duplex Singlemode 8 Meter
0000100373	SFPKK8A2V010M	SCUPC-SCUPC Duplex Singlemode 10 Meter
0000060051	SFPQQ0A2Z003M	ST-ST Duplex Singlemode 3 Meter
0000060050	SFPQQ0A1M003M	ST-ST Simplex Singlemode 3 Meter



Who We Are

PREMIER® is a leading original equipment manufacturer (OEM) of voice and data communication products. Established in 1982, PREMIER® has provided product solutions for the communications industry for 25 years. We market a broad range of commodity products under PREMIER, Graphite Networks™ and private labeled brands with an emphasis on international sourcing, quality assurance, customer support and competitive pricing.

Our Value Proposition

Sourcing

- Established partnerships with more than 50 manufacturers worldwide—including in North America, Europe and the Pacific Rim
- Flexibility to source new products that meet individual customer needs
- By leveraging sourcing capabilities, we reduce the cost of goods.

Quality

- Rigorous testing standards ensure failure-free products, to save customers time and expense.
- Product specifications meet or exceed industry standards and performance requirements.
- Our quality verification occurs at four different phases: during development, during manufacturing, before shipping, and before receiving product in stock.
- Frequent on-site business reviews with offshore manufacturers maintain our high level of quality.
- EMBARQ™ labs used, where applicable, for testing to validate network compliance.
- Many of our products are approved for use in the EMBARQ™ network.



Jumper Wire



Jumper Wire

Jumper Wire

Jumper wire consists of tinned solid copper conductors with PVC insulation. Single paired or multi-conductor configurations are available for use in distribution frame wiring. Jumper wire has a minimum 3 twists per foot. Tight twist jumper wire has a minimum 12 twists per foot.

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000015518	310002	PT-JW220-RD/BK-S1300	2 Conductor 20 Gauge 1300 Foot Spool RD/BK
0000053276		PT-JW220-RD/BK	2 Conductor 20 Gauge Cut To Length RD/BK
3112297500	311229	PT-JW222-RD/WH-S500	2 Conductor 22 Gauge 500 Foot Spool RD/WH
3111237500	311123	PT-JW222-BK/WH-S1000	2 Conductor 22 Gauge 1000 Foot Spool BK/WH
0000125797		PT-JW222-WH-OR-S1000	2 conductor 22 Gauge 1000 Foot Spool WH/OR
0000125798		PT-JW222-WH-RD-S1000	2 conductor 22 Gauge 1000 Foot Spool WH/RD
0000032913	311033	PT-JW222-BK/WH-C3000	2 Conductor 22 Gauge 3000 Foot Coil BK/WH
0000015520	311035	PT-JW222-BL/WH-C3000	2 Conductor 22 Gauge 3000 Foot Coil BL/WH
3111117500	311111	PT-JW222-GN/WH-C3000	2 Conductor 22 Gauge 3000 Foot Coil GN/WH
3110077500	311007	PT-JW222-OR/WH-C3000	2 Conductor 22 Gauge 3000 Foot Coil OR/WH
0000032914	311015	PT-JW222-RD/WH-C3000	2 Conductor 22 Gauge 3000 Foot Coil RD/WH
0000112883		PT-JW222-O/BLU-C3000	2 conductor 22 Gauge 3000 Foot Coil OR/BLU
0000098991		PT-JW222-VI/RD-S3500	2 Conductor 22 Gauge 3500 Foot Spool VI/RD
3112197500	311219	PT-JW222-BK/WH-S5000	2 Conductor 22 Gauge 5000 Foot Spool BK/WH
3112217500	311221	PT-JW222-RD/WH-S5000	2 Conductor 22 Gauge 5000 Foot Spool RD/WH
3111617500	311161	PT-JW422-WH/BL/RD/BK-S2300	4 Conductor 22 Gauge 2300 Foot Spool WH/BL/RD/BK
0000085301	061505	PT-JW1P22-RD/BL-S1000	1 Pair 22 Gauge 1000 Foot Spool Tight Twist RD/BL
0000084317	061502	PT-JW1P22-RD/BL-C3000	1 Pair 22 Gauge 3000 Foot Coil Tight Twist RD/BL
0000085300	061504	PT-JW2P22-RD/BL-OR/RD-S500	2 Pair 22 Gauge 500 Foot Spool Tight Twist RD/BL OR/RD
0000089145	065819	PT-JW2P22-RD/BL-OR/RD-S1000	2 Pair 22 Gauge 1000 Foot Spool Tight Twist RD/BL OR/RD
0000035794	311009	PT-JW2P22-BL/WH-RD/GN-C1500	2 Pair 22 Gauge 1500 Foot Coil BL/WH RD/GN
0000084318	061503	PT-JW2P22-RD/BL-OR/RD-C1500	2 Pair 22 Gauge 1500 Foot Coil Tight Twist RD/BL OR/RD

Jumper Wire

Jumper Wire (continued)

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
3120047500	312004	PT-JW224-BK/WH-S1000	2 Conductor 24 Gauge 1000 Foot Spool BK/WH
0000051881		PT-JW224-BL/WH-S1000	2 Conductor 24 Gauge 1000 Foot Spool BL/WH
3112427500	311242	PT-JW222-BL/WH-S1000	2 Conductor 22 Gauge 1000 Foot Spool BL/WH
0000015516	302048	PT-JW224-GN/WH-S1000	2 Conductor 24 Gauge 1000 Foot Spool GN/WH
0000015526	302045	PT-JW224-RD/BK-S1000	2 Conductor 24 Gauge 1000 Foot Spool RD/BK
3120597500	312059	PT-JW224-RD/WH-S1000	2 Conductor 24 Gauge 1000 Foot Spool RD/WH
0000015522	530556	PT-JW224-BL/WH-C5000	2 Conductor 24 Gauge 5000 Foot Coil BL/WH
3120637500	312063	PT-JW224-BL/YL-C5000	2 Conductor 24 Gauge 5000 Foot Coil BL/YL
3120027500	312002	PT-JW224-BK/WH-S6000	2 Conductor 24 Gauge 6000 Foot Spool BK/WH
3120567500	312056	PT-JW224-RD/WH-S6000	2 Conductor 24 Gauge 6000 Foot Spool RD/WH
3120577500	312057	PT-JW324-RD/WH/BK-S4000	3 Conductor 24 Gauge 4000 Foot Spool RD/BK/WH
3120587500	312058	PT-JW424-RD/WH/GN/BK-S3300	4 Conductor 24 Gauge 3300 Foot Spool RD/WH/GN/BK
0000049311	312026	PT-JW524-BL/OR/GN/BR/SL-C1000	5 Conductor 24 Gauge 1000 Foot Coil BL/OR/GN/BR/SL-B-O-BR-SL-G
3120097500	312009	PT-JW2P24-RD/WH-GN/BK-S3300	2 Pair 24 Gauge 3300 Foot Spool RD/WH GN/BK

Cross Connect Wire



Cross Connect Wire

Cross-Connect Wire

Cross connect wire consists of solid, bare copper conductors with PVC insulation. The conductors are band marked with the color of the paired wires. Cross connect wire is designed for use in cross connecting apparatus in residential, commercial, and industrial applications. Cross connect wire has a minimum 2 twists per foot. Type F and Type H cross connect wire has a minimum 3 twists per foot. Tight twist cross connect wire has a minimum 12 twists per foot.

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000057877		PT-XC-1P22-G-RD/YL-S300	1 Pair 22 Gauge 300 Foot Spool Tight Twist RD-YL
3140197500	314019	XC-1P22-G-VI/BL-S300	1 Pair 22 Gauge 300 Foot Spool Tight Twist VI-BL
0000057878		PT-XC-1P24-RD/YL-S500	1 Pair 24 Gauge 500 Foot Spool Tight Twist RD-YL
3140207500	314020	XC-1P24-F-VI/BL-S500	1 Pair 24 Gauge 500 Foot Spool Tight Twist VI-BL
3140117500	314011	PT-XC-1P24-BL/WH-S1000	1 Pair 24 Gauge 1000 Foot Spool BL-WH
3140237500	314023	XC-1P24-GN/WH-S1000	1 Pair 24 Gauge 1000 Foot Spool GN-WH
3140247500	314024	XC-1P24-OR/WH-S1000	1 Pair 24 Gauge 1000 Foot Spool OR-WH
3140007500	314000	PT-XC-1P24-VI/WH-1000	1 Pair 24 Gauge 1000 Foot Spool VI-WH
0000015530	314026	XC-1P24-F-WH/BL-S1000	1 Pair 24 Gauge 1000 Foot Spool Type F BL-WH
3140157500	314015	XC-1P24-F-RD/WH-S1000	1 Pair 24 Gauge 1000 Foot Spool Type F RD-WH
3140147500	314014	XC-1P24-F-B/Y-S1000	1 Pair 24 Gauge 1000 Foot Spool Type F BL-YL
0000015532	019396	XC-1P24-OR/WH-S400	1 Pair 24 Gauge 400 Foot Spool Type H Tinned OR-WH
0000106048	314007	PT-JW224-H-OR/WH-S800	1 Pair 24 Gauge 800 Foot Spool Type H Tinned OR-WH
3140067500	314006	PT-XC-2P24-BL/WH-OR/WH-S1000	2 Pair 24 Gauge 1000 Foot Spool BL-WH OR-WH
3140177500	314017	XC-2P24-F-BL/RD-OR/RD-S1150	2 Pair 24 Gauge 1150 Foot Spool Type F BL-RD OR-RD
3140277500	314027	XC-2.5P24-BL/WH-OR/WH-GN-S1000	2.5 Pair 24 Gauge 1000 Foot Spool Tinned BL-WH OR-WH GN
3140127500	314012	PT-XC-3P24-BL/WH-OR/WH-GN/WH-S1000	3 Pair 24 Gauge 1000 Foot Spool BL-WH OR-WH GN-WH

Station Wire

Station Wire

Station wire is constructed with a tough PVC jacket for indoor/outdoor applications that provides additional protection when exposed to outside weather conditions. Station wire is made from 22 or 24 gauge solid bare copper conductors that are individually insulated with semi-rigid PVC. Station wire is available in Category 3 or Category 5e.

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
2010827500	201082	SW-C3X-2P22BG-P1000	2 Pair 22 Gauge CMX Category 3 1000 Foot Pop Box Beige
2010837500	201083	SW-C3X-3P22BG-P1000	3 Pair 22 Gauge CMX Category 3 1000 Foot Pop Box Beige
3043867500	304386	SW-C3X-2P24BG-P1000	2 Pair 24 Gauge CMX Category 3 1000 Foot Pop Box Beige
3043877500	304387	SW-C3X-3P24BG-P1000	3 Pair 24 Gauge CMX Category 3 1000 Foot Pop Box Beige
3043887500	304388	SW-C3X-4P24BG-P1000	4 Pair 24 Gauge CMX Category 3 1000 Foot Pop Box Beige
0000014266	201137	C5E100X-004GY24PM	4 Pair 24 Gauge CMX Category 5e 1000 Foot Pop Box Gray



Inside Wire

Superior Essex Category 6 Plus EX Plenum

Category 6 Plus EX Plenum has easy to see color-coded labels that match the color of the wire. It features the QuickCount® marking system that counts down to zero feet -- removing the guess work concerning how much wire remains inside the box or on the reel.

- UL listed
- UL verified category compliant
- Wire specification table on page 137

PREMIER®

Item No.	Mfg. Part No.	Description
0000125682	C6P-PLUS-004BL23BM	4 Pair 23 Gauge Blue 1000 Foot Reel-In-A-Box 54-246-2B
0000125683	C6P-PLUS-004YL23BM	4 Pair 23 Gauge Yellow 1000 Foot Reel-In-A-Box 54-246-2B
0000155805	C6P-PLUS-004WH23BM	4 Pair 23 Gauge White 1000 Foot Reel-In-A-Box 54-246-4B



Inside Wire

Superior Essex Category 6 Plus EX Riser

Category 6 Plus EX Riser with easy to see color-coded labels that match the color of the wire. It features the QuickCount® marking system that counts down to zero feet -- removes the guess work concerning how much wire remains inside the box or on the reel.

- UL listed
- UL verified category compliant
- Wire specification table on page 137

PREMIER

Item No.	Mfg. Part No.	Description
0000059355	C6R-PLUS-004BL23BM	4 Pair 23 Gauge Blue 1000 Foot Reel-In-A-Box 54-246-2A
0000125684	C6R-PLUS-004YL23BM	4 Pair 23 Gauge Yellow 1000 Foot Reel-In-A-Box 54-246-6A
0000115854	C6R-PLUS-004RD23BM	4 Pair 23 Gauge Red 1000 Foot Reel-In-A-Box 54-246-9A





Inside Wire

PREMIER®

Item No.	Mfg. Part No.	Description
2010967521	C6P-004BL23BM	4 Pair 23 Gauge Blue 1000 Foot Reel-In-A-Box 66-246-2B
0000106028	C6P-004GR23BM	4 Pair 23 Gauge Green 1000 Foot Reel-In-A-Box 66-246-5B
2010977521	C6P-004WH23BM	4 Pair 23 Gauge White 1000 Foot Reel-In-A-Box 66-246-4B
0000125839	C6P-004YL23BM	4 Pair 23 Gauge Yellow 1000 Foot Reel-In-A-Box 66-246-6B
0000146411	C6P-004BL23PM	4 Pair 23 Gauge Blue 1000 Foot Pop Box 66-240-2B
0000146412	C6P-004GY23PM	4 Pair 23 Gauge Gray 1000 Foot Pop Box 66-240-3B
0000146413	C6P-004WH23PM	4 Pair 23 Gauge White 1000 Foot Pop Box 66-240-4B
0000146414	C6P-004YL23PM	4 Pair 23 Gauge Yellow 1000 Foot Pop Box 66-240-6B



Inside Wire

PREMIER

Item No.	Mfg. Part No.	Description
2010987521	C6R-004BL23BM	4 Pair 23 Gauge Blue 1000 Foot Reel-In-A-Box 66-246-2A
0000101504	C6R-004GY23BM	4 Pair 23 Gauge Gray 1000 Foot Reel-In-A-Box 66-246-3A
0000106029	C6R-004GR23BM	4 Pair 23 Gauge Green 1000 Foot Reel-In-A-Box 66-246-5A
2010997521	C6R-004WH23BM	4 Pair 23 Gauge White 1000 Foot Reel-In-A-Box 66-246-4A
0000125840	C6R-004YL23BM	4 Pair 23 Gauge Yellow 1000 Foot Reel-In-A-Box 66-246-6A
0000146415	C6R-004BL23PM	4 Pair 23 Gauge Blue 1000 Foot Pop Box 66-240-2A
0000146416	C6R-004GY23PM	4 Pair 23 Gauge Gray 1000 Foot Pop Box 66-240-3A
0000146417	C6R-004WH23PM	4 Pair 23 Gauge White 1000 Foot Pop Box 66-240-4A
0000146418	C6R-004YL23PM	4 Pair 23 Gauge Yellow 1000 Foot Pop Box 66-240-6A
0000142476	C6R-004RD23PM	4 Pair 23 Gauge Yellow 1000 Foot Reel-In-A-Box 66-246-9A

Superior Essex Category 6 Plus Plenum

Category 6 Plus Plenum has easy to see color-coded labels that match the color of the wire. It features the QuickCount® marking system that counts down to zero feet -- removing the guess work concerning how much wire remains inside the box or on the reel.

- UL listed
- UL verified category compliant
- Wire specification table on page 137

Superior Essex Category 6 Plus Riser

Category 6 Plus Riser has easy to see color-coded labels that match the color of the wire. It features the QuickCount® marking system that counts down to zero feet -- removing the guess work concerning how much wire remains inside the box or on the reel.

- UL listed
- UL verified category compliant
- Wire specification table on page 137



Inside Wire

Superior Essex Category 5e Plus Plenum

Category 5e Plus Plenum with easy to see color-coded labels that match the color of the wire. It features the QuickCount® marking system that counts down to zero feet -- removing the guess work concerning how much wire remains inside the box or on the reel.

- UL listed
- UL verified category compliant
- Wire specification table on page 137

PREMIER®

Item No.	Mfg. Part No.	Description
0000106030	C5EP-004BL24PM	4 Pair 24 Gauge Blue 1000 Foot Pop Box 52-241-28
5127037521	C5EP-004BL24BM	4 Pair 24 Gauge Blue 1000 Foot Reel-In-A-Box 52-200-28
0000106031	C5EP-004GY24PM	4 Pair 24 Gauge Gray 1000 Foot Pop Box 52-241-38
0000106032	C5EP-004WH24PM	4 Pair 24 Gauge White 1000 Foot Pop Box 52-241-48
5126497521	C5EP-004WH24BM	4 Pair 24 Gauge White 1000 Foot Reel-In-A-Box 52-200-48
0000106033	C5EP-004YL24PM	4 Pair 24 Gauge Yellow 1000 Foot Pop Box 52-241-68
0000124526	C5EP-004GN24PM	4 Pair 24 Gauge Green 1000 Foot Pop Box 52-241-58



Inside Wire

Superior Essex Category 5e Plus Riser

Category 5e Plus Riser with easy to see color-coded labels that match the color of the wire. It features the QuickCount® marking system that counts down to zero feet -- removing the guess work concerning how much wire remains inside the box or on the reel.

- UL listed
- UL verified category compliant
- Wire specification table on page 137

PREMIER

Item No.	Mfg. Part No.	Description
0000100216	C5ER-004BL24PM	4 Pair 24 Gauge Blue 1000 Foot Pop Box 52-240-25
0187777521	C5ER-004BL24BM	4 Pair 24 Gauge Blue 1000 Foot Reel-In-A-Box 52-200-25
0000097858	C5ER-004GY24PM	4 Pair 24 Gauge Gray 1000 Foot Pop Box 52-240-35
0187817521	C5ER-004GY24BM	4 Pair 24 Gauge Gray 1000 Foot Reel-In-A-Box 52-200-35
0000106034	C5ER-004WH24PM	4 Pair 24 Gauge White 1000 Foot Pop Box 52-240-45
0187827521	C5ER-004WH24BM	4 Pair 24 Gauge White 1000 Foot Reel-In-A-Box 52-200-45
0000106035	C5ER-004YL24PM	4 Pair 24 Gauge Yellow 1000 Foot Pop Box 52-240-65



Inside Wire

Superior Essex Category 5e Plenum

Category 5e Plenum with easy to see color-coded labels that match the color of the wire. It features the QuickCount® marking system that counts down to zero feet -- removing the guess work concerning how much wire remains inside the box or on the reel.

- UL listed
- UL verified category compliant
- Wire specification table on page 137

PREMIER®

Item No.	Mfg. Part No.	Description
2011197521	C5E100P-004BL24PM	4 Pair 24 Gauge Blue 1000 Foot Pop Box 51-241-28
2010957521	C5E100P-004BL24BM	4 Pair 24 Gauge Blue 1000 Foot Reel-In-A-Box 51-243-28
0000014260	C5E100P-004GY24PM	4 Pair 24 Gauge Gray 1000 Foot Pop Box 51-241-38
0000014259	C5E100P-004GY24BM	4 Pair 24 Gauge Gray 1000 Foot Reel-In-A-Box 51-243-38
0000014258	C5E100P-004GN24BM	4 Pair 24 Gauge Green 1000 Foot Reel-In-A-Box 51-243-58
2011207521	C5E100P-004WH24PM	4 Pair 24 Gauge White 1000 Foot Pop Box 51-241-48
2010947521	C5E100P-004WH24BM	4 Pair 24 Gauge White 1000 Foot Reel-In-A-Box 51-243-48
0000014261	C5E100P-004YL24PM	4 Pair 24 Gauge Yellow 1000 Foot Pop Box 51-241-68
0000093071	C5E100P-004OR24PM	4 Pair 24 Gauge Orange 1000 Foot Pop Box 51-24-68
0000128025	C5E100P-004BLK24PM	4 Pair 24 Gauge Black 1000 Foot Pop Box 51-24-E8
0000069982	C5EP-025WH24RM	25 Pair 24 Gauge White 1000 Foot Reel 51-478-48



Inside Wire

Superior Essex Category 5e Riser

Category 5e Riser with easy to see color-coded labels that match the color of the wire. It features the QuickCount® marking system that counts down to zero feet -- removing the guess work concerning how much wire remains inside the box or on the reel.

- UL listed
- UL verified category compliant
- Wire specification table on page 137

PREMIER®

Item No.	Mfg. Part No.	Description
2011167521	C5E100R-004BL24PM	4 Pair 24 Gauge Blue 1000 Foot Pop Box 51-240-25
2010927521	C5E100R-004BL24BM	4 Pair 24 Gauge Blue 1000 Foot Reel-In-A-Box 51-243-25
2011157521	C5E100R-004GY24PM	4 Pair 24 Gauge Gray 1000 Foot Pop Box 51-240-35
0000014263	C5E100R-004GY24BM	4 Pair 24 Gauge Gray 1000 Foot Reel-In-A-Box 51-243-35
0000014262	C5E100R-004GN24PM	4 Pair 24 Gauge Green 1000 Foot Pop Box 51-240-55
0000107605	C5E100R-004RD24PM	4 Pair 24 Gauge Red 1000 Foot Pop Box 51-240-95
2011187521	C5E100R-004WH24PM	4 Pair 24 Gauge White 1000 Foot Pop Box 51-240-45
2010937521	C5E100R-004WH24BM	4 Pair 24 Gauge White 1000 Foot Reel-In-A-Box 51-243-45
0000014265	C5E100R-004YL24PM	4 Pair 24 Gauge Yellow 1000 Foot Pop Box 51-240-65
0000099749	C5E100R-004BLK24PM	4 Pair 24 Gauge Black 1000 Foot Pop Box 51-240-E5
0000069983	C5E100R-025GY24	25 Pair 24 Gauge Gray 1000 Foot Reel 51-478-35



Inside Wire

Superior Essex Category 3 Plenum

Category 3 Plenum with easy to see color-coded labels that match the color of the wire. It features the QuickCount® marking system that counts down to zero feet -- removing the guess work concerning how much wire remains inside the box or on the reel.

- UL listed
- UL verified category compliant
- Wire specification table on page 137

PREMIER®

Item No.	Mfg. Part No.	Description
2018387521	C3P-004GY24PM	4 Pair 24 Gauge Gray 1000 Foot Pop Box 18-241-36
2016227521	C3P-004GY24BM	4 Pair 24 Gauge Gray 1000 Foot Reel-In-A-Box 18-200-36
2016927521	C3P-004WH24PM	4 Pair 24 Gauge White 1000 Foot Pop Box 18-241-46
0000125680	C3P-004WH24BM	4 Pair 24 Gauge White 1000 Foot Reel-In-A-Box 18-200-46
2018397521	C3P-006GY24RM	6 Pair 24 Gauge Gray 1000 Foot Reel 18-320-36
2017957521	C3P-025GY24RM	25 Pair 24 Gauge Gray 1000 Foot Reel 18-475-36
0000117910	C3P-050GY24RM	50 Pair 24 Gauge Gray 1000 Foot Reel 18-579-36
0000117911	C3P-100GY24RM	100 Pair 24 Gauge Gray 1000 Foot Reel 18-784-36
0000117912	C3P-200GY24RM	200 Pair 24 Gauge Gray 1000 Foot Reel 18-A99-36
0000117913	C3P-300GY24RM	300 Pair 24 Gauge Gray 1000 Foot Reel 18-B99-36



Inside Wire

Superior Essex Category 3 Riser

Category 3 Riser with easy to see color-coded labels that match the color of the wire. It features the QuickCount® marking system that counts down to zero feet -- removing the guess work concerning how much wire remains inside the box or on the reel.

- UL listed
- UL verified category compliant
- Wire specification table on page 137

PREMIER®

Item No.	Mfg. Part No.	Description
2015967521	C3R-002BG24PM	2 Pair 24 Gauge Beige 1000 Foot Pop Box 18-002-13
2015977521	C3R-002GY24PM	2 Pair 24 Gauge Gray 1000 Foot Pop Box 18-002-33
2015217521	C3R-003BG24PM	3 Pair 24 Gauge Beige 1000 Foot Pop Box 18-141-13
2015267521	C3R-003GY24PM	3 Pair 24 Gauge Gray 1000 Foot Pop Box 18-141-33
2016327521	C3R-004BG24PM	4 Pair 24 Gauge Beige 1000 Foot Pop Box 18-241-13
2016337521	C3R-004GY24PM	4 Pair 24 Gauge Gray 1000 Foot Pop Box 18-241-33
2016007521	C3R-004WH24PM	4 Pair 24 Gauge White 1000 Foot Pop Box 18-241-43
2016017521	C3R-006BG24PM	6 Pair 24 Gauge Beige 1000 Foot Pop Box 18-341-13
2015997521	C3R-006BG24RM	6 Pair 24 Gauge Beige 1000 Foot Reel 18-320-13
2014087521	C3R-006GY24PM	6 Pair 24 Gauge Gray 1000 Foot Pop Box 18-341-33
2016347521	C3R-012BG24RM	12 Pair 24 Gauge Beige 1000 Foot Reel 18-872-13
2016357521	C3R-012GY24RM	12 Pair 24 Gauge Gray 1000 Foot Reel 18-872-33
2015287521	C3R-025BG24RM	25 Pair 24 Gauge Beige 1000 Foot Reel 18-475-13
2015447521	C3R-025GY24RM	25 Pair 24 Gauge Gray 1000 Foot Reel 18-475-33
2015297521	C3R-050BG24RM	50 Pair 24 Gauge Beige 1000 Foot Reel 18-579-13
2015637521	C3R-050GY24RM	50 Pair 24 Gauge Gray 1000 Foot Reel 18-579-33
2015647521	C3R-100BG24RM	100 Pair 24 Gauge Beige 1000 Foot Reel 18-789-13
2015657521	C3R-100GY24RM	100 Pair 24 Gauge Gray 1000 Foot Reel 18-766-33
0000035361	C3R-200GY24RM	200 Pair 24 Gauge Gray 1000 Foot Reel 18-A99-33
0000035362	C3R-300GY24RM	300 Pair 24 Gauge Gray 1000 Foot Reel 18-B99-33

Specification Table *

Characteristic Specifications	Unit of Measure	Measurement	Category 3	Category 5e Marathon LAN	Category 5e Plus Cobra	Category 6 Plus Data Gain®	Category 6 Plus EX Next Gain®
Attenuation	dB/100m (328ft) @ 20°C (68°F)	Maximum Guaranteed	9.7 @ 10MHz 13.1 @ 16MHz	22.0 @ 100MHz	21.7 @ 100MHz	19.7 @ 100MHz 32.6 @ 250MHz	19.7 @ 100MHz 32.6 @ 250MHz
Attenuation to Crosstalk Ratio	dB/100m (328ft)	Minimum Guaranteed		13.3 @ 100MHz	19.5 @ 100MHz	25.9 @ 100MHz 7.0 @ 250MHz	30.4 @ 100MHz 10.6 @ 250MHz
Power Sum ACR	dB/100m (328ft)	Minimum Guaranteed		10.3 @ 100MHz	18.0 @ 100MHz	24.0 @ 100MHz 5.1 @ 250MHz	28.4 @ 100MHz 9.3 @ 250MHz
Worst Pair Near End Crosstalk	dB/100m (328ft)	Minimum Guaranteed	26 @ 10MHz 23 @ 16MHz	35.3 @ 100MHz	38.3 @ 100MHz	45.3 @ 100MHz 39.3 @ 250MHz	50.3 @ 100MHz 43.6 @ 250MHz
Power Sum Near End Crosstalk	dB/100m (328ft)	Minimum Guaranteed		32.3 @ 100MHz	36.3 @ 100MHz	43.3 @ 100MHz 37.3 @ 250MHz	48.3 @ 100MHz 42.3 @ 250MHz
Equal Level Far End Crosstalk	dB/100m (328ft)	Minimum Guaranteed		23.8 @ 100MHz	23.8 @ 100MHz	28.8 @ 100MHz 20.8 @ 250MHz	33.8 @ 100MHz 25.8 @ 250MHz
Power Sum ELFEXT	dB/100m (328ft)	Minimum Guaranteed		20.8 @ 100MHz	20.8 @ 100MHz	25.8 @ 100MHz 17.8 @ 250MHz	30.8 @ 100MHz 22.8 @ 250MHz
Return Loss	dB/100m (328ft)	Minimum Guaranteed	12 @ 10MHz 10 @ 16MHz	20.1 @ 100MHz	20.1 @ 100MHz	22.5 @ 100MHz 20.5 @ 250MHz	22.5 @ 100MHz 20.5 @ 250MHz
Impedance	Ohms	Guaranteed	100+/-15 @ 1-100MHz	100+/-15 @ 1-100MHz 100+/-22 @ 100-200MHz 100+/-32 @ 200-350MHz	100+/-15 @ 1-100MHz 100+/-22 @ 100-200MHz 100+/-32 @ 200-350MHz	100+/-15 @ 1-100MHz 100+/-22 @ 100-200MHz 100+/-25 @ 200-250MHz 100+/-32 @ 250-350MHz	100+/-15 @ 1-100MHz 100+/-22 @ 100-250MHz 100+/-32 @ 250-650MHz
DC Resistance @ 20°C (68°F)	Ohms/100m (328ft)	Typical	9.0	9.0	9.0	7.0	7.0
Delay Skew	ns/100m (328ft)	Typical	45 CMP 45 CMR	21 CMP 21 CMR	14 CMP 12 CMR	20 CMP 20 CMR	18 CMP 18 CMR
Velocity of Propagation	Percentage (%)	Nominal		72 CMP 69 CMR	72 CMP 70 CMR	71 CMP 68 CMR	71 CMP 68 CMR

* Specifications are subject to change without notice.

QuickCount® - Length countdown to 0' in every box or on the reel - no more guessing how much cable is left

Colored box labels - match the jacket color of the wire



Distribution and Service Wire

Aerial Distribution Wire

Aerial drop wire is designed for use in extending telephone circuits to subscriber premises by means of an aerial drop from distribution wire or cable. Aerial drop wire consists of two solid copper covered steel, 18-1/2 AWG conductors laid in parallel and covered with an all-weather, flame-resistant, black polyvinyl chloride insulating/jacketing compound.

- ADP-D - (dumbbell) Jacket has lateral grooves for easier separation of the insulated conductors
- ADP-SRD - (super reduced dumbbell) similar to ADP-D, smaller in size and weight
- Conforms to PE-7

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Pair / AWG	Construction	Packaging	Length (Ft)
0000070664		2091050	1 / 18-1/2	ADP-D	Knockout Box	1000
0000070665		2091051	1 / 18-1/2	ADP-D	Pop Box	1000
0000070666	330055	2091052	1 / 18-1/2	ADP-SRD	Pop Box	1500



Glass Supported Drop Wire

Aerial Service Wire

Glass supported drop wire is intended for aerial service connection to the subscriber. This wire is compatible with commercially available wedge clamp hardware. Advantages of this wire are its light weight and ease of installation. Conforms to PE-7.

- Conductors: Solid, 22 AWG, annealed copper
- Insulation: High density polyethylene
- Strength member: Coated glass fibers
- Sheath: Flame retardant and weather resistant PVC
- Rip cord
- Conforms to PE-7

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Pair Count	Package	Length (Ft)
0000070658		2090010	2	Coil	1000
0000069255	330023	2090008	2	Pop Box	750
0000109592	069634	2090053	2	Reel	3500
0000070662	330000	2090052	3	Pop Box	600
0000070660	330032	2090014	6	Coil	400
0000070661	330046	2090051	6	Reel	1000

Distribution and Service Wire



C-Rural Wire

C-Rural Wire

"C" Rural wire is a self-supporting insulated one pair parallel wire intended for aerial distribution in rural exchange areas. Two solid 30% conductivity extra high strength (EHS) copper covered steel conductors insulated with solid high density black polyethylene. The insulation is applied over the conductors in parallel to form an integral dual configuration. A polarity ridge on one minor face of the insulation is located 45° above the major axis of the wire cross section.

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Pair / AWG	Package	Length (Ft)
0000070663		2091013	1 / 12	Reel	4000
0000070681	373003	3114733	1 / 14	Reel	5000



Double Jacketed Buried Service Wire

Buried Distribution Wire

Buried distribution wire (BDW) is a multiple pair double jacket drop wire with either a smooth copolymer-coated 8-mil aluminum tape or a 5-mil corrugated copper-clad alloy steel (CCAS) tape shield. The inner and outer jackets are a black low density polyethylene. The aluminum tape shield is recommended for non-gopher areas.

- Conductors: Solid annealed copper
- Insulation: High density polyethylene
- Package: Wood reel
- Rip cord

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Pair / AWG	Shield	Core Filling	Length (Ft)
0000070672		2095138	2 / 22	Aluminum	80° C Compound	1000
0000070669		2095125	2 / 22	Aluminum	80° C Compound	2500
0000070670		2095127	3 / 22	Aluminum	80° C Compound	2500
000082053		2095130	6 / 22	Aluminum	80° C Compound	5000
0000070673	068810	2095151	3 / 22	CCAS	80° C Compound	1000
0000070668	361032	2095064	3 / 22	CCAS	80° C Compound	2500
0000070676	361026	2096103-2095016	3 / 22	CCAS	80° C Compound	5000
000081102		2096117-2095067	3 / 24	CCAS	80° C Compound	2500
0000107266		2095066	3 / 24	CCAS	80° C Compound	5000
0000109594	069636	2096140	3 / 24	CCAS	Dry Powder	2500
0000145569		2096119	6 / 22	CCAS	80° C Compound	300
0000070674	361012	2096100-2095150	6 / 22	CCAS	80° C Compound	1000
000069257	362043	2096102-2095065	6 / 22	CCAS	80° C Compound	2500
000069256	066069	2095063	6 / 22	CCAS	80° C Compound	5000
000082604		2096118-2095068	6 / 24	CCAS	80° C Compound	2500

Distribution and Service Wire

Buried Service Wire

Buried service wire (BSW) is a multiple pair single jacket drop wire with a smooth copolymer-coated 8-mil aluminum tape, a 5-mil corrugated copper-clad alloy steel (CCAS) tape or is unshielded. The jacket is a black linear low density polyethylene. The aluminum tape shield and the unshielded are recommended for non-gopher areas.

- Conductors: Solid annealed copper
- Insulation: High density polyethylene
- Rip cord

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Pair / AWG	Shield	Core Filling	Package	Length (Ft)
0000070677		2096120	2 / 22	Aluminum	80° C Compound	Reel	1000
0000070678		2096121	2 / 22	Aluminum	80° C Compound	Reel	2500
0000070679		2096122	3 / 22	Aluminum	80° C Compound	Reel	1000
0000070680		2096123	3 / 22	Aluminum	80° C Compound	Reel	2500
0000119423	070055	2096138	4 / 24	None	Dry Powder	Coil	300
0000118238	069957	2096128	4 / 24	None	Dry Powder	Reel	2500
0000123849		2096139	4 / 24	None	Dry Powder	Reel	10,000

Temporary Drop Wire

Temporary Drop Wire

Temporary drop wire is a safety orange colored non-shielded drop wire intended to temporarily extend or replace service until permanent drop wire can be installed.

- Conductors: Solid annealed copper
- Insulation: Polyethylene
- Jacket: Bright orange color PVC

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Pair / AWG	Package	Length (Ft)
3300317500	330031	ADW-TEMP-1P24-P2000	1 / 24	Pop Box	2000
0000058108		ADW-TEMP-2P22-P1000	2 / 22	Pop Box	1000

Ground Wire



Ground Wire

Ground Wire

Ground wire available in soft drawn solid copper single conductor or stranded conductor. Solid conductor is available in a variety of gauges, with and without insulation in a variety of colors.

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Conductor	Wire Gauge (AWG)	Insulation	Packaging	Length (Ft)
3500347500	350034	PT-GW2-BARE-R125	Solid	2	Bare	Reel	125
3500267500	350026	PT-GW4-BARE-R200	Solid	4	Bare	Reel	200
3500167500	350016	PT-GW6-BARE-R315	Solid	6	Bare	Reel	315
3500067500	350006	PT-GW6-BARE-R500	Solid	6	Bare	Reel	500
3500627500	350062	PT-GW6-BGE-R500	Solid	6	PVC Beige	Reel	500
3500177500	350017	PT-GW6-BLK-C200	Solid	6	PVC Black	Coil	200
0000151615		PT-GW6-BLK-R200	Solid	6	PVC Black	Reel	200
3500617500	350061	PT-GW6-BLK-R500	Solid	6	PVC Black	Reel	500
3500087500	350008	PT-GW6-110-BLK-R500	Solid	6	110mil PE Black	Reel	500
3500027500	350002	PT-GW6-GRY-C600	Solid	6	PVC Gray	Coil	600
3500007500	350000	PT-GW6-GREEN-R500	Solid	6	PVC Green	Reel	500
3500287500	350028	PT-GW10-BGE-R300	Solid	10	PVC Beige	Reel	300
3501027500	350102	PT-GW10-BGE-K500	Solid	10	PVC Beige	Knockout Box	500
3501017500	350101	PT-GW10-BLK-K500	Solid	10	PVC Black	Knockout Box	500
3500017500	350001	PT-GW12-BLK-R500	Solid	12	PVC Black	Reel	500
3501037500	350103	PT-GW12-GRY-K500	Solid	12	PVC Olive Gray	Knockout Box	500
3501437500	350143	PT-GW14-BGE-K500	Solid	14	PVC Beige	Knockout Box	500
3501427500	350142	PT-GW14-BLK-K500	Solid	14	PVC Black	Knockout Box	500

Switchboard Cable



Switchboard Cable (Shielded)

Switchboard Cable

Switchboard cable is riser rated and has tinned copper conductors. It is used for central office cabling in telecommunication rooms and equipment rooms. Especially suitable for solderless wrap and quick clip type terminals, it is used for interconnection of distribution frames and digital switching and transmission equipment in central office exchanges or premise telephone equipment rooms. It is available in shielded or unshielded constructions.

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0252454907	025245	PT-SWBD-OS-025GY24 5000	Overall Shield 25 Pair 24 Gauge, Gray, Cut To Length from 5000 Master Reel
5127144907	512714	PT-SWBD-OS-032GY24 5000	Overall Shield 32 Pair 24 Gauge, Gray, Cut To Length from 5000 Master Reel
5333654907	533365	PT-SWBD-OS-100GY24 1000	Overall Shield 100 Pair 24 Gauge, Gray, Cut To Length from 1000 Master Reel
2022414907	202241	PT-SWBD-004GY24 1500	Unshielded 4 Pair 24 Gauge, Gray, Cut To Length from 1500 Master Reel
2022014907	202201	PT-SWBD-006GY24 1500	Unshielded 6 Pair 24 Gauge, Gray, Cut To Length from 1500 Master Reel
2020034907	202003	PT-SWBD-EI-25GY24 1000	Unshielded 25 Pair 24 Gauge, Gray, Extra Insulation Cut To Length from 1000 Master Reel
5127094907	512709	PT-SWBD-025GY24 5000	Unshielded 25 Pair 24 Gauge, Gray, Cut To Length from 5000 Master Reel
5127084907	512708	PT-SWBD-100GY24 2500	Unshielded 100 Pair 24 Gauge, Gray, Cut To Length from 2500 Master Reel

T-1 Cable



T-1 Cable

T-1 Cable

T-1 cable is riser rated tinned copper used for interconnecting digital (DS1) equipment to digital cross connect (DSX) equipment. The 1 pair, 2 pair, 4 pair, and 8 pair cables consist of individually shielded pairs with a 90% braid shield. The 600C-series 22 gauge cables consist of a dual overall aluminum foil shield with a 22 gauge solid tinned copper drain wire between the two shields. The 1161A-series 24 gauge cables consist of an overall aluminum foil shield with a 24 gauge solid tinned copper drain wire. The 1249C-series 26 gauge cables consist of a dual aluminum foil shield with a dual jacket. The 24 gauge solid tinned copper drain wire is placed between the two shields.

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000106047		2117037	1 Pair 22 Gauge, Orange, 500 Foot Reel
0000090068	202101	7056898	1 Pair 22 Gauge, Gray, 500 Foot Reel
0000090067	202102	7056880	2 Pair 22 Gauge, Gray, 500 Foot Reel
0000090069		7056922	4 Pair 22 Gauge, Gray, 500 Foot Reel
0000090070		7056948	8 Pair 22 Gauge, Gray, 500 Foot Reel
5137474907	513747	PT-T1-006GY22 3000	6 Pair 22 Gauge 606C, Gray, Cut To Length from 3000 Foot Master Reel
5137484907	513748	PT-T1-012GY22 3000	12 Pair 22 Gauge 607C, Gray, Cut To Length from 3000 Foot Master Reel
5137504907	513750	PT-T1-025GY22 3000	25 Pair 22 Gauge 609C, Gray, Cut To Length from 3000 Foot Master Reel
5137514907	513751	PT-T1-030GY22 3000	30 Pair 22 Gauge 613C, Gray, Cut To Length from 3000 Foot Master Reel
0000071562		PT-T1-012GY24 R7000	12 Pair 24 Gauge 1161A, Gray, 7000 Foot Reel
5475287501	547528	PT-T1-025GY24 R1000	25 Pair 24 Gauge 1161A, Gray, 1000 Foot Reel
0339487501	033948	PT-T1-028GY24 1000	28 Pair 24 Gauge 1161A, Gray, 1000 Foot Reel
0339474907	033947	PT-T1-032GY24 1000	32 Pair 24 Gauge 1161A, Gray, Cut To Length from 1000 Foot Master Reel
0000105143	067753	PT-T1-032GY26 R1000	32 Pair 26 Gauge 1249C, Gray, Cut To Length from 1000 Foot Master Reel
5475277500	547527	PT-T1-050GY26 R1000	50 Pair 26 Gauge 1249C, Gray, 1000 Foot Reel

Power Wire

Power Wire

Low Smoke Zero Halogen (LSZH) power wire is used for 600V general purpose telecommunications applications. LSZH cables are listed by UL as type RHH/RHW/USE for general purpose applications and can be installed in duct, conduit, raceway, underground or aerial applications. LSZH cables are rated for a maximum continuous conductor temperature of 90° Celsius in dry locations and 75° Celsius in wet locations and for installation in circuits not exceeding 600 volts. The low-smoke properties of the insulation/jacket compound make this product ideally suited for applications where limited smoke cables are required.

- 6 AWG through 750 kcmil coated tinned copper conductor available in I or B strand
- Multiple colors and gauges available
- Complies with Telecordia GR-347-CORE

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000073744	065612	PWR-B-14-BK-LSZH	14-Gauge Class B Stranded Black
0000073746	065610	PWR-B-14-GY-LSZH	14-Gauge Class B Stranded Gray
0000073745	065611	PWR-B-14-GRN-LSZH	14-Gauge Class B Stranded Green
0000073790	065609	PWR-B-14-RD-LSZH	14-Gauge Class B Stranded Red
0000079936	065613	PWR-B-6-BK-LSZH	6-Gauge Class B Stranded Black
0000073753	065608	PWR-B-6-GY-LSZH	6-Gauge Class B Stranded Gray
0000073752	064977	PWR-B-6-GRN-LSZH	6-Gauge Class B Stranded Green
0000102133	067516	PWR-B-6-RD-LSZH	6-Gauge Class B Stranded Red
0000102127	067514	PWR-B-4-BK-LSZH	4-Gauge Class B Stranded Black
0000073751	065614	PWR-B-4-GY-LSZH	4-Gauge Class B Stranded Gray
0000102128	067515	PWR-B-4-GRN-LSZH	4-Gauge Class B Stranded Green
0000102129	067513	PWR-B-4-RD-LSZH	4-Gauge Class B Stranded Red
0000102122	067518	PWR-B-2-BK-LSZH	2-Gauge Class B Stranded Black
0000073749	065615	PWR-B-2-GY-LSZH	2-Gauge Class B Stranded Gray
0000102123	067519	PWR-B-2-GRN-LSZH	2-Gauge Class B Stranded Green
0000102124	067517	PWR-B-2-RD-LSZH	2-Gauge Class B Stranded Red
0000102120	067521	PWR-B-1/0-BK-LSZH	1/0-Gauge Class B Stranded Black
0000073743	065616	PWR-B-1/0-GY-LSZH	1/0-Gauge Class B Stranded Gray
0000079953	065617	PWR-B-1/0-GRN-LSZH	1/0-Gauge Class B Stranded Green
0000073748	065618	PWR-B-2/0-GY-LSZH	2/0-Gauge Class B Stranded Gray
0000073747	065619	PWR-B-2/0-GRN-LSZH	2/0-Gauge Class B Stranded Green
0000073750	065620	PWR-B-4/0-GY-LSZH	4/0-Gauge Class B Stranded Gray
0000102131	067526	PWR-B-4/0-GRN-LSZH	4/0-Gauge Class B Stranded Green
0000073756	065621	PWR-I-4-0-BK-LSZH	4/0-Gauge Class I Flexible Stranded Black
0000073755	065623	PWR-I-350-GY-LSZH	350-MCM Class I Flexible Stranded Gray
0000073757	065624	PWR-I-500-GY-LSZH	500-MCM Class I Flexible Stranded Gray
0000073758	065625	PWR-I-750-GY-LSZH	750-MCM Class I Flexible Stranded Gray
0000128114		PWR-I-750-BLU-LSZH	750-MCM Class I Flexible Stranded Blue
0000128115		PWR-I-750-RD-LSZH	750-MCM Class I Flexible Stranded Red

Guy Strand



Galvanized Strand

Galvanized strand is built and tested to ASTM A603-70 and ASTM A475-78. It is available in utility grade and in extra high strength, and with either A or C levels of corrosion protection.

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Strength	Corrosion Level	Size (In)	Code	Reel (Ft)
1311337500	131133	1/4 EHS A R2500	EHS	A	1/4	6.6M	2,500
1311017500	131101	1/4 EHS A R5000	EHS	A	1/4	6.6M	5,000
1311217500	131121	5/16 IN EHS A R5000	EHS	A	5/16	10M	5,000
1310087500	131008	1/4 EHS C6.6M	EHS	C	1/4	6.6M	5,000
0000069997	131009	5-16EHSC5000R	EHS	C	5/16	10M	5,000
1311027500	131102	5/16 UTIL A 6M	Utility	A	5/16	6M	5,000
1311037500	131103	3/8 UTIL A 10M	Utility	A	3/8	10M	5,000
7214977500	721497	7/16 IN UTIL A 16M	Utility	A	7/16	16M	2,500
1311047500	131104	7/16 UTIL A 16M	Utility	A	7/16	16M	5,000
1311137500	131113	3/8 UTIL C10M	Utility	C	3/8	10M	5,000
7220257500	722025	7/16 UTIL C 16M	Utility	C	7/16	16M	2,500

Lashing Wire



Lashing Wire

Lashing wire is used to hold electrical and mechanical cables together on overhead telephone lines and other uses such as cable TV applications. Type 430 and 302 are stainless steel alloy. Type 430 is most common. Type 302 is used where more corrosion resistance is required.

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
3804537500	380453	PT-LW-302-045C1200SH	Type 302 .045 Stainless Steel 1200-Foot Coil Straight Hub
3804517500	380451	PT-LW-430-045C1200SH	Type 430 .045 Stainless Steel 1200-Foot Coil Straight Hub
3804527500	380452	PT-LW-430-045C1200TH	Type 430 .045 Stainless Steel 1200-Foot Coil Tapered Hub

Conduit Schedule 40

Rigid PVC Schedule 40 Conduit

For underground applications encased in concrete, direct burial or exposed or concealed applications above ground.

- Meets UL 651 and NEMA TC 2
- Sunlight resistant
- Rated for 90° C cable
- Bell end

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000035385	044266	PT-A52BA12	1-Inch x 10-Feet
0000095290	069768	A52BA42	1-Inch x 20-Feet
0000035386	044267	PT-A52BE12	1.5-Inch x 10-Feet
0000035387	044268	PT-A52CA12	2-Inch x 10-Feet
1610737500	161073	PT-A52CA42	2-Inch x 20-Feet
0000035388	044269	PT-A52DA12	3-Inch x 10-Feet
0000095291		A52DA42	3-Inch x 20-Feet
0000035389	044270	PT-A52EA12	4-Inch x 10-Feet
1610347500	161034	PT-A52EA42	4-Inch x 20-Feet
0000095292		A52GA42	6-Inch x 20-Feet

Split PVC Schedule 40 Conduit

Non-metallic split duct repairs damaged conduits without cutting or resplicing existing cables.

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
1610187500	161018	PT-V52CAZS	2-Inch x 10-Feet
1610387500	161038	PT-V52EASZS	4-Inch x 10-Feet

Conduit Schedule 40

PVC Schedule 40 Elbows

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
1681047500	168104	PT-5233768	2-Inch 45° Standard Radius Bell End
0000095288		5133836	2-Inch 90° 2-Feet Radius Plain End
1680997500	168099	PT-5233828	2-Inch 90° Standard Radius Bell End
0000095286		5133761	4-Inch 45° 4-Feet Radius Bell End
1681067500	168106	PT-5233772	4-Inch 45° Standard Radius Bell End
0000095295		5133821	4-Inch 90° 3-Feet Radius Plain End
0000095287		5133787	4-Inch 90° 6-Feet Radius Plain End
1681027500	168102	PT-5233832	4-Inch 90° Standard Radius Bell End

Conduit Accessories

PVC Conduit Accessories

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
1686577500	168657	PT-5163550	Adapter Schedule 40 4-Inch to C-Duct
1683057500	168305	PT-6141628	Schedule 40 Coupler 2-Inch
0000095289		6202000	Schedule 40 Coupler 2-Inch Long Line with Center Stop
1683097500	168309	PT-6141632	Schedule 40 Coupler 4-Inch
0000080577		PT-6202010	Schedule 40 Coupler 4-Inch Long Line with Center Stop
1610517500	161051	PT-6141684	Split Duct Coupler 2-Inch
1610537500	161053	PT-6141690	Split Duct Coupler 4-Inch
1683127500	168312	PT-5315258	2-Inch Plug with Pulling Eye
1680457500	168045	PT-5315262	4-Inch Plug with Pulling Eye

C-Duct

Telephone Duct Type C

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
1611027500	161102	PT-A66EA42	Telephone C-Duct Conduit 4-Inch x 20-Feet, Bell End
1610117500	161011	PT-V94EASZS-A93EASZS	Telephone C-Duct Split Conduit 4-Inch x 10-Feet

Telephone Duct Accessories

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
1682217500	168221	PT-5163748	C-Duct Elbow 4-Inch 45° 2-Feet Radius, Bell End
1682227500	168222	PT-5163750	C-Duct Elbow 4-Inch 45° 3-Feet Radius, Bell End
1680197500	168019	PT-5163753	C-Duct Elbow 4-Inch 45° 4-Feet Radius, Bell End
1682127500	168212	PT-5163850	C-Duct Elbow 4-Inch 90° 3-Feet Radius, Bell End
1681097500	168109	PT-5163859	C-Duct Elbow 4-Inch 90° 4-Feet Radius, Bell End
1682137500	168213	PT-5163847	C-Duct Elbow 4-Inch 90° 6-Feet Radius, Bell End
1680667500	168066	PT-6151690	Split C-Duct Coupler 4-Inch

Innerduct

Innerduct

Innerduct may be direct buried or used as innerducts to provide multiple raceways within an existing system. Innerducts allow maximum utilization of a larger conduit while preventing damage to new or existing cables during installation or removal.

- Call your sales representative today for a custom innerduct quote.
- Standard rope is 1/4 inch
- R/R = Ribbed out / Ribbed in
- Standard tape is 1250 lb
- S/S = Smooth out / Smooth in
- Corr = Corrugated
- S/R = Smooth out / Ribbed in

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Size (In)	Type	Wall	Color	Length (Ft)	Other
0000099898	901251	100CR000ORNA05T	1.00	Corr	Corr	Orange	500	Tape
0000099899	901252	100CR000ORNA25T	1.00	Corr	Corr	Orange	2500	Tape
0000099900	901253	100CR000ORNA50T	1.00	Corr	Corr	Orange	5000	Tape
0000099901	901235	100RR011BKNA05T	1.00	SDR11	R/R	Black	500	Tape
0000099902	901271	100RR011BKNA50T	1.00	SDR11	R/R	Black	5000	Tape
0000099903	901233	100RR011BLNA05T	1.00	SDR11	R/R	Blue	500	Tape
0000099905	901273	100RR011BLNA25T	1.00	SDR11	R/R	Blue	2500	Tape
0000099906	901274	100RR011BLNA50T	1.00	SDR11	R/R	Blue	5000	Tape
0000099904	901275	100RR011BLNA1XT	1.00	SDR11	R/R	Blue	10000	Tape
0000099975	901300	100RR011ORNA05T	1.00	SDR11	R/R	Orange	500	Tape
0000099993	901301	100RR011ORNA25T	1.00	SDR11	R/R	Orange	2500	Tape
0000099973	901302	100RR011ORNA50T	1.00	SDR11	R/R	Orange	5000	Tape
0000099994	901250	100RR011ORNA1XT	1.00	SDR11	R/R	Orange	10000	Tape
0000099907	901237	100RR011WHNA05T	1.00	SDR11	R/R	White	500	Tape
0000099908	901276	100RR011WHNA25T	1.00	SDR11	R/R	White	2500	Tape
0000099909	901277	100RR011WHNA50T	1.00	SDR11	R/R	White	5000	Tape
0000153703		100SS135GYNA50E	1.00	SDR13.5	S/S	Gray	5000	
0000119293	070072	100SS135ORNA50E	1.00	SDR13.5	S/S	Orange	5000	
0000099910	901197	100SS135ORNA1XE	1.00	SDR13.5	S/S	Orange	10000	
0000099911	901199	100SS135ORNA1XT	1.00	SDR13.5	S/S	Orange	10000	Tape
0000099949	901255	125CR000ORNA05T	1.25	Corr	Corr	Orange	500	Tape
0000099912	901256	125CR000ORNA25T	1.25	Corr	Corr	Orange	2500	Tape
0000099913	901230	125CR000ORNA50E	1.25	Corr	Corr	Orange	5000	
0000099948	901257	125CR000ORNA50T	1.25	Corr	Corr	Orange	5000	Tape
0000099914	901258	125CR000ORNA70T	1.25	Corr	Corr	Orange	7000	Tape
0000099915	901262	125RR011BKNA05T	1.25	SDR11	R/R	Black	500	Tape
0000099916	901266	125RR011BKNA25T	1.25	SDR11	R/R	Black	2500	Tape
0000099917	901264	125RR011BLNA05T	1.25	SDR11	R/R	Blue	500	Tape
0000099918	901282	125RR011BLNA25T	1.25	SDR11	R/R	Blue	2500	Tape
0000099919	901283	125RR011BLNA45T	1.25	SDR11	R/R	Blue	4500	Tape
0000099920	901284	125RR011BLNA65T	1.25	SDR11	R/R	Blue	6500	Tape
0000099969	901246	125RR011ORNA05T	1.25	SDR11	R/R	Orange	500	Tape
0000099970	901247	125RR011ORNA25T	1.25	SDR11	R/R	Orange	2500	Tape
0000099971	901248	125RR011ORNA45T	1.25	SDR11	R/R	Orange	4500	Tape
0000099972	901249	125RR011ORNA65T	1.25	SDR11	R/R	Orange	6500	Tape

Innerduct

Innerduct (continued)

Item No.	EMBARQ Item No.	Mfg. Part No.	Size (In)	Type	Wall	Color	Length (Ft)	Other
0000099921	901263	125RR011WHNA05T	1.25	SDR11	R/R	White	500	Tape
0000099922	901285	125RR011WHNA25T	1.25	SDR11	R/R	White	2500	Tape
0000099923	901286	125RR011WHNA45T	1.25	SDR11	R/R	White	4500	Tape
0000099924	901287	125RR011WHNA65T	1.25	SDR11	R/R	White	6500	Tape
0000099925	901192	125SR011ORNA50R	1.25	SDR11	S/R	Orange	5000	Rope
0000168165		125SS011ORNA50T	1.25	SDR11	S/S	Orange	5000	Tape
0000099927		125SS011ORNA70E	1.25	SDR11	S/S	Orange	7000	
0000099926	901211	125SR135ORNA50T	1.25	SDR13.5	S/R	Orange	5000	Tape
0000100217	901260	125SS135ORNA70E	1.25	SDR13.5	S/S	Orange	7000	
0000099928	901207	125SS135ORNA70R	1.25	SDR13.5	S/S	Orange	7000	Rope
0000099929	901208	125SS135ORNA70T	1.25	SDR13.5	S/S	Orange	7000	Tape
0000099930	901330	150SS011ORNA40T	1.50	SDR11	S/S	Orange	4000	Tape
0000099931	901261	200SR040ORNA25T	2.00	Schd40	S/R	Orange	2500	Tape
0000099932	901332	200SS011ORNA25E	2.00	SDR11	S/S	Orange	2500	
0000100017	901334	200SS011ORNA25R	2.00	SDR11	S/S	Orange	2500	Rope
0000100163	901336	200SS011ORNA25T	2.00	SDR11	S/S	Orange	2500	Tape
0000099933	068686	200SS011RDNA25T	2.00	SDR11	S/S	Red	2500	Tape
0000100009	901222	200SR135ORNA25E	2.00	SDR13.5	S/R	Orange	2500	
0000100010	901223	200SR135ORNA25R	2.00	SDR13.5	S/R	Orange	2500	Rope
0000128415		300SS011ORNA05E	3.00	SDR11	S/S	Orange	500	
0000128016		300SS011ORNA10T	3.00	SDR11	S/S	Orange	1000	Tape
0000119294	070070	300SS135ORNA10E	3.00	SDR13.5	S/S	Orange	1000	
0000105905	067901	300SS135ORNA10T	3.00	SDR13.5	S/S	Orange	1000	Tape
0000167183		400SS011ORNA05K	4.00	SDR11	S/S	Orange	500	Kevlar Tape
0000100020	901226	400SS135ORNA05E	4.00	SDR13.5	S/S	Orange	500	
9012957500	901295	400SS135ORNA05T	4.00	SDR13.5	S/S	Orange	500	Tape

Innerduct Couplers



COMFIT Innerduct Coupler

Innerduct Coupler

COMFIT is a simple and easily installed non-metallic coupler for HDPE ducts. No heat or tools needed, just push the duct ends into the coupler for a locked and air-sealed assembly.

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
9013517500	901351	PT-1-COMFIT-1.35OD	1.00-Inch COMFIT Push-Fit
9013507500	901350	PT-1.25-COMFIT-1.66OD	1.25-Inch COMFIT Push-Fit
9013497500	901349	PT-1.5-COMFIT-1.90OD	1.50-Inch COMFIT Push-Fit
9013487500	901348	PT-2-COMFIT-2.38OD	2.00-Inch COMFIT Push-Fit

Cable Guards

Cable Guards - Non-Metallic

- Gray hi-density polyethylene
- Flanged

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7200107500	720010	PT-PCGF-2-8	Cable Guard 2-Inch x 8-Feet
7203277500	720327	PT-PCGF-3-10	Cable Guard 3-Inch x 10-Feet
7200307500	720030	PT-PCGF-4-8	Cable Guard 4-Inch x 8-Feet
7203287500	720328	PT-PCGF-5-10	Cable Guard 5-Inch x 10-Feet

Suspension and Drop Hardware



Drop Wire Clamp

Aerial Drop Hardware

- Made of stainless steel for extra strength
- RUS approved
- Made in the U.S.A.

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000028826	721457	907D	Drop Wire Clamp 2-Pair Stainless Steel with Dimpled Shim
0000028827	723634	963	Drop Wire Clamp 6-Pair Stainless Steel with Dimpled Shim
0000083297	721035	4040	D Cable Lashing Clamp , Galvanized, Grade 5 Steel Stud, For 1/4" to 7/16" Strand
0000028829	721088	18922	Lashed Cable Support .010" x .75" x 16" Stainless Steel with Tapered Ends

Ground Rods

Ground Rods and Accessories



Ground Rods

Copper bonded ground rods have a 99.9% pure copper sheath, bonded to a cold drawn carbon steel core. These rods are round assuring maximum rigidity for easy driving and resistance to deformation. Tensile ratings exceed 90k PSI limiting mushrooming when driving in adverse soil conditions and provide a good fit with associated hardware. The uniform layer of permanently bonded copper guarantees and extends life in most soils. Copper bonded ground rods are available in a variety of lengths and diameters to fit most any application. Copper alloy accessories should be used with the copper bonded ground rods to maintain a UL listed installation without compromising quality.

- Available in several designs, lengths and diameters
- Regular (non-threaded) for most standard applications
- Sectional when extra length is required (threaded or non-threaded)
- Pigtail to assure a good electrical contact without the use of clamps applied to the rod
- Made in the U.S.A.

REGULAR RODS

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7260877500	726087	PT-1205C/611255	1/2-Inch x 5-Feet Copper Bonded Ground Rod
0000079211		611353	1/2-Inch x 5-Feet Copper Bonded Ground Rod (RUS)
7261077500	726107	PT-1206C/611265	1/2-Inch x 6-Feet Copper Bonded Ground Rod
7261497500	726149	PT-3805C/613850	3/8-Inch x 5-Feet Copper Bonded Ground Rod
7261377500	726137	PT-3806C/613860	3/8-Inch x 6-Feet Copper Bonded Ground Rod
7260667500	726066	PT-5806C/615860	5/8-Inch x 6-Feet Copper Bonded Ground Rod
5135157500	513515	PT-5808C-RUS/615883	5/8-Inch x 8-Feet Copper Bonded Ground Rod (RUS)
7261067500	726106	PT-5808C/615880	5/8-Inch x 8-Feet Copper Bonded Ground Rod (UL)



Sectional Threaded Rods

SECTIONAL THREADED RODS

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000057054	726025	PT-5805CS-635850	5/8-Inch x 5-Feet Copper Bonded Sectional Ground Rod
7261027500	726102	PT-5808CS/635880	5/8-Inch x 8-Feet Copper Bonded Sectional Ground Rod (UL)
7261037500	726103	PT-5810CS/635800	5/8-Inch x 10-Feet Copper Bonded Sectional Ground Rod (UL)
0000060918		PT-635803	5/8-Inch x 10-Feet Copper Bonded Sectional Ground Rod (RUS)

Ground Rods



Ground Rod-Pigtail

PIGTAIL RODS

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7261017500	726101	PT-3805CP/613859PT	3/8-Inch x 5-Feet Copper Bonded Ground Rod with 18-Inch #10 AWG Tail
0000013140	726005	PT-5808CP 615889	5/8-Inch x 8-Feet Copper Bonded Ground Rod with 48-Inch #6 AWG Tail



Ground Rod Coupling Threadless



Ground Rod Drive Cup

Ground Rod Coupling Threaded
with Driving Stud

ACCESSORIES

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7260347500	726034	PT-58CP-CC/CC58	5/8-Inch Threadless Ground Rod Compression Coupling
7260357500	726035	PT-58DS-CC/B13716	5/8-Inch Threadless Ground Rod Drive Cap
7261047500	726104	PT-58BCP/CR58	5/8-Inch Threaded Ground Rod Coupling
7261057500	726105	PT-58DS/DS58	5/8-Inch Threaded Ground Rod Driving Stud

Ground Rods



Bronze Ground Rod Clamp



Heavy Duty Bronze Ground Rod Clamp

CLAMPS

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7260027500	726002	PT-12BCL	1/2-Inch Bronze Ground Rod Clamp
7260017500	726001	PT-38BLC (PT-CEB-0)	3/8-Inch Bronze Ground Rod Clamp
7260517500	726051	PT-CP58	5/8-Inch Bronze Ground Rod Clamp (RUS)
7260037500	726003	PT-58BCL-H/HDC58R	5/8-Inch Heavy Duty Bronze Ground Rod Clamp

Bonding and Grounding Hardware



Bronze Lug Slotted Screw



K1 Bonding Clamp



Bronze Ground Pipe Clamp




Trailer I-Beam Clamp

GROUNDING & BONDING CONNECTORS AND CLAMPS

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7214277500	721427	PT-PNL-4/EL4	Bronze Lug Slotted Screw, PNL-4, L70
7261167500	726116	PT-K1/KUL	K1 Bonding Clamp
7260087500	726008	PT-KP-1-IMP	Bronze Ground Pipe Clamp 0.5-1 Inch
7260097500	726009	PT-KP-Z-IMP	Bronze Ground Pipe Clamp 1.25-2 Inch
7232267500	723226	PT-EM4015	Trailer I-Beam Clamp EM-4015, #6 and #10
7231127500	723112	PT-EM4014	Trailer I-Beam Clamp EM-4014, With Short Slot

Bonding and Grounding Hardware



Bronze Vise Grip Connector



Tinned Bronze Vise Grip Connector

WISE GRIP CONNECTORS

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7201357500	720135	PT-FF-2	Bronze Vise Grip Connector FF-2
7211127500	721112	PT-FF-4	Bronze Vise Grip Connector FF-4
7211137500	721113	PT-FF-6	Bronze Vise Grip Connector FF-6
7211117500	721111	PT-MGC-167-9/16	Tinned Bronze Vise Grip Connector C167



Copper Alloy Split Bolt



Tin Plated Split Bolt

SPLIT BOLTS

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7217257500	721725	PT-S-2	Copper Alloy Split Bolt S2 - 2H
7247387500	724738	PT-S-4/ESB4	Copper Alloy Split Bolt S4 - 4H
7247397500	724739	PT-S-6/ESB6	Copper Alloy Split Bolt S6 - 6H
7211077500	721107	PT-SEL-4	Copper Split Bolt SEL4 - 4H3
7211087500	721108	PT-SEL-6	Copper Split Bolt SEL6 - 6H3
7211057500	721105	PT-SW-6	Tin Plated Split Bolt SW6 - 1HPS
7211067500	721106	PT-SW-5	Tin Plated Split Bolt SW5 - 2HPS

Bonding Braids



Bond Braid #6 with Eyelets and Web

Bond Braid

Bond Braid is a flat woven braid composed of tinned-copper strands, used to affect an electrical and mechanical bond across cable shield openings. It is available as a solid braid, with eyelets, or with eyelets and webbing installed. The web cover is a poly-mesh plastic netting.



Bond Braid #6 with Eyelets

- Equivalent to No.6 AWG
- Individually tinned copper conductors
- 1/2 inch width
- Eyelets have 1/4 inch ID and are spaced every 3 inches

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7321877500	732187	PT-BBR-EW-25	Bond Braid #6 with Eyelets and Web 25 Ft/Reel, 2030
7321577500	732157	PT-BBR-E-25	Bond Braid #6 with Eyelets 25 Ft/Reel, 2025



Bonding Ribbon Clamp

Plain Bonding Ribbon



Bonding Ribbon Plain, 5 lb Spool

- Soft temper, flat wire for easy installation
- Solid wire for entering and exiting airtight applications
- Tin plated for solderability and corrosion resistance
- 3/8 inch wide x 0.051 inch thick
- 5-lb. spool

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7391627500	739162	PT-EM6567	Bonding Ribbon Clamp
7391617500	739161	PT-EM6868	Bonding Ribbon Plain, 5 lb Spool

Bonding Braids



Bond Bar with Tubing

Bond Bar

Bond Bar is typically used in applications that require effective shield continuity and a dependable mechanical bond. It is constructed of a solid copper, tin-plated strip and has a hole pattern that conforms to standard 3 and 6 pair terminal blocks and variably placed bond studs. Insulator tubing is available for protection against environmental electrical and mechanical damage.

- Equivalent to No.6 AWG
- Tin plated copper
- 1/2 inch width
- 13/64 inch holes - slots 1/4 inch center 13/64 inch radius

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7321597500	732159	PT-BBA-T-25	Bond Bar #6 with Insulator Tubing 25 Ft/Reel, 4422

Pedestals



Posts and Stakes

Mounting Posts and Stakes

Mounting posts are designed for mounting station protection blocks and network interface devices (NIDs) in applications where they cannot be wall mounted including businesses and mobile home communities. These posts are constructed of heavy gauge steel. Screws are provided.

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
1538497500	153849	AMHP-1	Mobile Home Post Adjustable 36-48-Inch
7220577500	722057	PT-MS-1342-GALV-GRN	Pedestal Mounting Stake 42-Inch
1537487500	153748	PT-TS-1236	Trailer Stake 36-Inch
1536827500	153682	PT-TS-1248	Trailer Stake 48-Inch

Terminal Block-Mini Rocker



Mini-Rocker Terminal Block

Terminal Block-Mini Rocker

PREMIER®


Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000161386	068174	5-Pr Ped Term Blk	5-Pair Pedestal Terminal Block
0000161384	068175	10-Pr Ped Term Blk	10-Pair Pedestal Terminal Block
0000161385	068176	25-Pr Ped Term Blk	25-Pair Pedestal Terminal Block

House Risers



House Risers

- RUS approved
- Lightweight gray PVC
- Clamps included



PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description	Height (Feet)	Clamp Packaging	Product Packaging pcs/ctn	I.D. (Inches)	O.D. (Inches)
0000047902	064382	12-119/PRM	PREMIER Riser, 7/8" OD x 5' in length w/offset end, both ends notched	5	Bulk	30	0.73	0.84
0000047903	064380	12-119-1/PRM	PREMIER Riser, 7/8" OD x 5' in length straight pipe	5	Bulk	30	0.73	0.84
0000047904	064381	12-119-2/PRM	PREMIER Riser, 7/8" OD x 5' in length, w/18" L-bend. Opposite end is notched & offset	5	Bulk	60	0.73	0.84
0000047909	064384	14-44/PRM	PREMIER 7/8" riser clamp	N/A	Bulk	60		
0000047906	064386	12-219/PRM	PREMIER Riser, 1.25" OD x 5' in length w/offset one end, both ends notched	5	Bulk	30	1.14	1.25
0000047907	064387	12-222-2-IP/PRM	PREMIER U-guard, 1.25" OD x 2' in length, straight pipe	2	Bulk	30	1.14	1.25
0000047908	064385	12-222-5/PRM	PREMIER U-guard, 1.25" OD x 5' in length, straight pipe	5	Bulk	30	1.14	1.25
7231997500	723199	HR-78-5-Offset	PREMIER Riser, 7/8" OD x 5' in length, 7/8" offset at one end, straight at other end w/notch on both ends.	5	2 clamps attached to risers w/tape	60	0.696	0.84
7231817500	723181	HR-78-5-Straight	PREMIER Riser, 7/8" OD x 5' in length, straight, without notches.	5	2 clamps attached to risers w/tape	60	0.696	0.84
7231827500	723182	HR-78-5-L-Bend	PREMIER Riser, 7/8" OD x 5' in length, w/7/8" offset & notch at one end and a 90 degree L-bend w/18" long leg w/o notch at other end.	5	2 clamps attached to risers w/tape	30	0.696	0.84
7233067500	723306	HR-78-CLAMP	Clamp to fit 7/8" PREMIER Riser	N/A				
7235717500	723571	HR-125-CLAMP	Clamp to fit 1 1/4" PREMIER Riser	N/A				
7236097500	723609	HR-125-5-LARGE	PREMIER Riser, 1 1/4" OD x 5' in length, 7/8" offset one end, w/notch at both ends.	5	2 clamps attached to risers w/tape	60	1.106	1.25

Speciality Tools

PREMIER® Speciality Tools



Terminal Can Wrench



Discrete Connector Pressure Plier



No. 3 Square Tipped Driver



Booth Wrench Security Tool

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000063993	064280	AL-T6	Terminal Wrench Can Wrench
7463027500	746302	NCT 105	Plier - UR/UY Presser
7462937500	746293	NCT 603R	Screwdriver - No. 3 Square Tipped (Robertson)
7467817500	746781	NCT 532	ScrewDriver - Booth Wrench Security Tool 5/32 inch Hex, 5-1/2 inches long
0000022254	746914	NCT 542	ScrewDriver - Booth Wrench Security Tool 5/32 inch Hex, 3-1/2 inches long

Hand Tools



Hammers

- Lifetime guarantee on every tool
- Made in the U.S.A.

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7468847500	746684	56-220	Hammer Blacksmith with 4 Pound New England Style Blacksmith Head and 13 Inch Yellow Jacketed Fiberglass Handle
7466417500	746641	51-616	Hammer Curved Claw 16 Ounce Wood Handle

Hand Tools



Scissors

- Lifetime guarantee on every tool
- Made in the U.S.A.

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000060425	746975	100CS	Nickel Plated Steel Lineman's Scissors with 19 Gauge and 23 Gauge Stripping Notches and Serrated Blade
0000060428	064334	HLCP-K	Splicers, Kit Consists of Knife, Scissors and Leather Case
0000060427		H11	Leather Pouch for Splicer Kit, Knife and Scissors



Knives and Blades

- Lifetime guarantee on every tool
- Made in the U.S.A.

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000060426	512771	100K	Stainless Steel 6-Inch Plicer Knife
0000060199	064339	10-799	Knife Utility Fatmax
0000091497		10-175	Knife Retractable Utility with Blade Storage In Handle
0000022252	746846	11-921	Blades Repl F/Utility Knife Straight Blade (Pack Of 5)
0000022256	747112	11-961	Blades Repl F/Utility Knife Hook Blade (Pack Of 5)
0000095696		11-931	Blades Small Pack Boxes of High Carbon Steel Utility Knife Blades Contains 5 Blades In a Retail Package
0000072150	064352	28-141	Knife Putty 1 1-2-Inch Stiff

Hand Tools



Nutdrivers

- Lifetime guarantee on every tool
- Made in the U.S.A.

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7460837500	746083	ST-828	Nutdriver Set Hollow Shaft Pro - 8-Piece
7461577500	746157	61-805	Nutdriver 3/16-Inch
7461617500	746161	61-806	Nutdriver 1/4-Inch
7461627500	746162	61-807	Nutdriver 5/16-Inch
5172777500	517277	ST-809	Nutdriver 11/32-Inch Green
7461637500	746163	61-809	Nutdriver 3/8-Inch
7461647500	746164	61-810	Nutdriver 7/16-Inch
7461667500	746166	61-811	Nutdriver 1/2-Inch



Tape Measures and Levels

- Lifetime guarantee on every tool
- Made in the U.S.A.

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000041566	061333	34-790	Tape Open Reel Fiberglass Long 100-Feet
0000041558	061325	33-599	Tape Maxsteel Rule 25-Feet
0000022241	026284	42-264	Level 9-Inch Torpedo-Style Magnet

Hand Tools



Tool Bags and Pouches

- Lifetime guarantee on every tool
- Made in the U.S.A.

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000041477	061244	95327	Tool Bag Heavy Duty 24-Inch x 15-Inch
0000060427	064333	H-11	Leather Pouch For Splicer Kit Of Splicer Knife And Lineman



Punches and Chisels

- Lifetime guarantee on every tool
- Made in the U.S.A.

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7471947500	747194	J3	Punch/Chisel Set (5pc) with Plastic Case
0000022234	746081	69-122	Awl Scratch 6-Inch

Hand Tools



Pliers



- Lifetime guarantee on every tool
- Made in the U.S.A.



PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7463167500	746316	225G	Pliers Curved Nose 6 1/4-Inch D302
0000072151	064356	286LN	Pliers Adjustable Locking Straight Long Nose Jaw 6-Inch
0000072152	064357	291R	Pliers Adjustable Locking Straight Jaw 7-Inch
7406777500	740677	288	Pliers Cutters Cable 8-Inch Compact 6305
0000069258	746062	9INCUTTER	Pliers Cable Cutter 9 1-2-Inch High Leverage
7461467500	746146	226G	Pliers Long-Nose with Cutter 6-Inch
0000072182	064360	J264SG	Pliers Tongue and Groove 12-Inch
0000022235	746103	28120	Pliers Diagonal Cut Midget 4-Inch
0000031294	064343	18576	Pliers Multi-Purpose Tool Needle-Nose
0000072146		14-563	Tin Snips Straight Edge



Saws and Blades



- Lifetime guarantee on every tool
- Made in the U.S.A.

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000022247	746657	15-265	Hacksaw Adjust with Blade
0000022257	747226	15-808A	Hacksaw Blade 10-Inch 18 Teeth
0000057813		20-556	Wall Board and Drywall Saw

Hand Tools



Screwdrivers



- Lifetime guarantee on every tool
- Made in the U.S.A.

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000041644	061403	66-565	Screwdriver Set Cushion Grip (Set Contains - 3/16" x 6" Standard, 5/16" x 6" Standard, 3/8" x 8" Standard, 1pt x 3" Phillips®, 2pt x 4" Phillips®, 3/16" x 3" Cabinet)
0000057691	747242	66-096	Screwdriver Cabinet 3-Inch
0000057692	303104	66-097	Screwdriver Cabinet 6-Inch
0000057679	064330	65-901	Screwdriver Phillips 3-Inch
0000057680	026292	65-902	Screwdriver Phillips 4-Inch
0000057681	064332	65-903	Screwdriver Phillips 6-Inch
0000057685	746213	66-090	Screwdriver Standard 4-Inch
0000057686	746214	66-091	Screwdriver Standard 6-Inch
0000057687	746215	66-092	Screwdriver Standard 8-Inch

Hand Tools



Sockets

- Lifetime guarantee on every tool
- Made in the U.S.A.

PREMIER® STANDARD SOCKETS

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000022227	014248	J5249	Socket Drive 3/8-Inch Ratchet 7-Inches Long, Thin Head, Reversing Lever
0000022229	016503	30612	Socket 3/8-Inch Drive 3/8-Inch 6 Point
0000022230	016504	88-977	Socket 3/8-Inch Drive 7/16-Inch 6 Point
0000022228	016502	88-978	Socket 3/8-Inch Drive 1/2-Inch 6 Point
0000022237	746743	88-979	Socket 3/8-Inch Drive 9/16-Inch 6 Point
0000072166	064361	88-980	Socket 3/8-Inch Drive 5/8-Inch 6 Point
0000072167	064362	30622	Socket 3/8-Inch Drive 11/16-Inch 6 Point
0000152380	999999	30624	Socket 3/8-Inch Drive 3/4-Inch 6 Point
0000072169	064364	88-164	Socket 3/8-Inch Drive 13/16-Inch 6 Point

PREMIER DEEP SOCKETS

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000072171	064366	HW-1512	Socket 3/8-Inch Deep 3/8 Drive
0000072168	064363	HW1514	Socket 7/16-Inch Deep 3/8 Drive
0000072172	064367	HW-1516	Socket 1/2-Inch Deep 3/8 Drive
0000072173	064368	HW-1518	Socket 9/16-Inch Deep 3/8 Drive
0000072176	064370	HW-1524	Socket 3/4-Inch Deep 3/8 Drive
0000072177	064371	HW-1526	Socket 13/16-Inch Deep 3/8 Drive
0000072174	064377	HW-1520	Socket 5/8-Inch Deep 3/8 Drive
0000072175	076974	91-297	Socket 11/16-Inch Deep 3/8 Drive
7467747500	746774	88-986	Socket 7/16-Inch Deep 3/8 Drive

PREMIER IMPACT SOCKETS

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000072159	064373	7712H	Socket Impact 3/8-Inch Deep 6 Point
0000072160	064374	7714H	Socket Impact 7/16-Inch Deep 6 Point
0000072161	746763	7716H	Socket Impact 1/2-Inch Deep 6 Point
0000072162	999999	7718H	Socket Impact 9/16-Inch Deep 6 Point

Hand Tools

Wrenches



- Lifetime guarantee on every tool
- Made in the U.S.A.



PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000125076	061410	J706S	Adjustable Wrench 6-inch Black Oxide Finish
0000125077	746234	J708S	Adjustable Wrench 8-inch Black Oxide Finish
0000125078	746235	J710S	Adjustable Wrench 10-inch Black Oxide Finish
7429917500	742991	J712G	Adjustable Wrench 12-inch Black Oxide Finish
0000022242	303096	BW-1160	Combination Wrench, Box and Open End 3/8-Inch
0000022243	303097	BW-1161	Combination Wrench, Box and Open End 7/16-Inch
7468987500	746898	86-835B	Combination Wrench, Box and Open End 1/2-Inch
0000141774	064348	BW-1163FP	Combination Wrench, Box and Open End 9/16-Inch
7469017500	746901	86-837B	Combination Wrench, Box and Open End 5/8-Inch
7469027500	746902	86-838B	Combination Wrench, Box and Open End 11/16-Inch
7469037500	746903	86-839B	Combination Wrench, Box and Open End 3/4-Inch
7469047500	746904	86-840B	Combination Wrench, Box and Open End 13/16-Inch
7469057500	746905	86-841B	Combination Wrench, Box and Open End 7/8-Inch
7469067500	746906	BW-1168	Combination Wrench, Box and Open End 15/16-Inch
0000072178	064347	86-843	Combination Wrench, Box and Open End 1-Inch
0000072179	064345	86-844	Combination Wrench, Box and Open End 1 1/16-Inch
0000072181	064344	86-846	Combination Wrench, Box and Open End 1 1/4-Inch
0000072180	064346	86-845	Combination Wrench, Box and Open End 1 1/8-Inch
0000072157	064353	J4980	Hex Key Set, 13 Piece SAE 3/64ths to 3/8ths Graduated by 64ths In Molded Plastic Holder
7462557500	746255	J4993CG	Hex Key Std Folding 9-Key Set Steel Case Keeps Wrenches Captive

Linemans Test Sets



PT-311

PREMIER

PREMIER® PT-311 Basic Test Set

The Premier PT-311 test set is built tough for use by repair technicians and installers. This durable Premier test set features an audible ringer, last number redial up to 31 digits, and standard alligator clips with angled bed-of-nails attachment.

- Mute and Polarity button
- Hearing aid compatible
- Water resistant

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
5518827521	551882	PT-311	Premier Test Set With Standard Alligator Clip And Angled Bed-Of-Nails Cord
5515237521	551523	PT-11286	Replacement Test Cord with Alligator Clip and Angled Bed-Of-Nails, 5-Feet



Fluke (Harris Dracon) TS44 44801

PREMIER

Fluke TS44 Deluxe Speakerphone Test Set with Data Override

Accidentally clipping onto the wrong pair in a wiring closet or cross-box is the biggest threat to data lines and can interrupt critical data traffic. The TS44 DLX test set is equipped with new DataSafe Pro data protection technology featuring superior high-impedance monitoring, data lockout and lockout override making you completely safe in talk, monitor or override mode.

- Speaker
- Data override
- Water proof

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000048177	044192	44801-009	Fluke/Harris model TS44 Deluxe Speakerphone Test Set with Angled Bed-Of-Nails Cord, Data Lockout and Data Lockout Override
0000048386	044194	44801-004	Fluke/Harris model TS44 Deluxe Speakerphone Test Set with 346A CO Plug Cord and Data Lockout Override

Linemans Test Accessories

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000056954	062384	P4080-248	Locking Belt Clip For Harris Model TS44 Test Sets
0000056955	062385	P4080-249	Standard Belt Clip For Harris Model TS44 Test Sets
0000056956	062386	P4480-004	Replacement Cord For Harris Model TS44 Deluxe 346A CO Plug Test Set
0000056957	062387	P4480-009	Replacement Cord For Harris Model TS44 Deluxe Angled Bed-Of-Nails Test Set

Test Sets



LAN ProNavigator Wire Map
Continuity Tester

LAN ProNavigator™ Wire Map Continuity Tester

The LAN ProNavigator is a two-piece wire map continuity tester with a main unit and remote unit that show PASS/FAIL test results at both ends. It generates an oscillating audio tone for use with tone probes to locate cables. Tests UTP and STP data cables and 50 ohm and 75 ohm BNC coax cables.

PREMIER®

Item No.	Mfg. Part No.	Description
0000031693	PT-1543.1	LAN ProNavigator Wire Map Continuity Tester

Banjo Adapter



Banjo Adapter

PREMIER Modular In-Line (Banjo) Adapter

Banjo adapter for in-line testing of circuits with 4-wire, 6-wire, or 8-wire modular plugs.

PREMIER

Item No.	Mfg. Part No.	Description
5516667501	PT-MTA-6	Banjo Adapter For In-Line Testing Of Circuits With 4-Wire Or 6-Wire Modular Plugs
5516677501	PT-MTA-8	Banjo Adapter For In-Line Testing Of Circuits With 8-Wire Modular Plugs

Crimping and Stripping Tools



Ratcheting Crimp Tool

PREMIER® Ratcheting Crimp Tool

The Ratcheting Crimp Tool is designed for consistent, high quality connections of three types of modular plugs. The triple crimp cavity accommodates 4P, 6P, and 8P modular plugs. The ratcheting mechanism assures consistent, repeatable crimps of the primary strain relief on modular plugs. Both tools cut and strip flat satin cordage, and round cable can be cut and stripped with the newly designed tool. The rubber-embedded handles provide superior leverage and comfort. The steel frame has a black oxide finish to prevent rust and corrosion.

PREMIER

Item No.	Mfg. Part No.	Description
7400017501	PT-1530	Ratcheting Crimp Tool For 4 pin 6 pin and 8 pin Modular Plugs (Professional)
0000127719	PT-1556	Ratcheting Crimp Tool For 4 pin 6 pin and 8 pin Modular Plugs (New Design)



Coaxial Compression Crimp Tool

SealTite™ Pro Coaxial Crimper

The SealTite Pro coaxial crimper is a universal tool that preforms a watertight compression crimp on RG59, RG6, and RG6 quad cables. The tool also crimps CATV "F", BNC, and RCA connectors from multiple manufacturers. The crimp height is easily adjustable and can be secured with a locking nut. With the new design, there is no need for separate adapters which are easily misplaced.

PREMIER

Item No.	Mfg. Part No.	Description
0000127990	PT-1555	Coaxial Crimp Tool Compression Type For Waterproof Connections on CATV "F", BNC, and RCA



Data SureStrip Cable Stripper

Data SureStrip® Stripper

The Data SureStrip stripper cuts and strips UTP/STP round cable, 25-pair phone cable, and flat satin phone cable. The blade depth easily adjusts with a thumb screw, and then self regulates to prevent nicks to the conductors under the outer jacket.

PREMIER

Item No.	Mfg. Part No.	Description
0000127988	PT-1116	Stripper for 4 pair and 25 pair Round Cable, and Flat Satin Cable

Punch Down Tool

PREMIER® Punch Down Tools



Hand Held Termination Tool



Punch Down Tool with 66 Blade



Replacement Double 110 Blade

PREMIER

Item No.	Mfg. Part No.	Description
0000024946	SP-1002P-RD	Punch Down Handheld Termination Tool (Handheld Puck)
7409247501	PT-3570	Punch Down Tool - Body Only
7450007501	PT-3578	Punch Down Tool Belt Pouch
7400007501	PT-3572	Punch Down Tool With 110 Blade
7406787501	PT-3573	Punch Down Tool With 66 Blade
7409257501	PT-4572	Replacement 110 Blade For Punch Down Tool
0000127991	PT-4591.13465	Replacement Double 110 Blade For Punch Down Tool - .15 Inch Center-To-Center Spacing
7409027501	PT-4573	Replacement 66 Blade For Punch Down Tool

Fiber Optic

PREMIER® Fiber Optic Installation Tools



FiverOptic Stripper

Fiber optic termination tooling includes fiber cleaving tool, fiber crimp tool, fiber polishing puck, and fiber termination kits.

The unique five-in-one stripper (FiverOptic™) strips multiple fiber types. In three separately calibrated slots it strips the outer jacket from 2.0-2.4 mm fiber, 2.8-3.0 mm fiber, and 2.0-3.0 mm loose tube fiber. The 4th slot strips the buffer only, and the 5th strips the buffer and acrylate both from 900/125 µm and 250/125 µm fiber. The high tolerance tool does not lose calibration when dropped.

PREMIER

Item No.	Mfg. Part No.	Description
0000127989	PT-1163	FiverOptic Stripper - Five-In-One, Multi-functional Fiber Optic Cable Stripper
0000118462	PT-86773-2000	Fiber Cleaving Tool For Express LC Connectors
0000118460	PT-86760-5000	Fiber Crimp Tool For Express SC Multimode Connectors
0000118458	PT-86024-1000	Fiber Polishing Puck For Express LC Connectors
0000118461	PT-86763-1000	Fiber Polishing Puck For Express SC Multimode Connectors
0000090397	MTRJ-TERMINATION-KIT	Fiber Termination Kit For Express MTRJ Multimode Connectors
0000118459	PT-86719-0000	Fiber Termination Kit For Express ST Multimode Connectors

Fish Tape



Fiberglass Fish Tape

PREMIER Fiberglass Fish Tape

Non-conductive fish tape is designed for working around energized panels and circuits. Integrated eyelet with a fiberglass core and outer nylon coating to reduce friction. The 200 foot fish tape features a multi-stranded wound-wire leader.

- Sturdy, impact resistant ABS plastic case

PREMIER

Item No.	Mfg. Part No.	Description
7427757500	PT-31-3382	3/16 Inch Round By 100 Feet Long With Eyelet
4123827500	PT-31-3381	3/16 Inch Round By 200 Feet Long With Leader

Cable Ties

PREMIER® Cable Ties and Accessories

PREMIER cable ties are constructed of heavy-duty nylon which assures optimum field performance. Plenum cable ties are also available to comply with fire codes. PREMIER® cable ties are produced in a variety of colors to comply with the Electronic Industries Association (EIA) color coding standard, which defines colors used in identification of electronic components and establishes a standard color-number relationship. PREMIER® cable ties are manufactured to meet industry standards and comply with Underwriters Laboratories specifications where applicable.



- Minimum tensile unlocking strength - up to 250 lbs.
- Operating temperature - up to 185°F (85°C)
- Available in a variety of colors to comply with EIA color coding standard
- Available in a variety of lengths - 4-inch to 29.75-inch
- PREMIER offers an orange pouch with an assortment of striped cable ties
- UL listed
- Made in the U.S.A.

STRIPED CABLE TIES

Item No.	Mfg. Part No.	Description	Package Qty.
7393917500	PT-18R-K-6-0	4" 18LB Blue/Black	50
7393927500	PT-18R-K-6-2	4" 18LB Blue/Red	50
7393947500	PT-18R-K-6-7	4" 18LB Blue/Violet	50
7393957500	PT-18R-K-6-10	4" 18LB Blue/White	50
7393937500	PT-18R-K-6-4	4" 18LB Blue/Yellow	50
7393617500	PT-18R-K-1-0	4" 18LB Brown/Black	50
7393627500	PT-18R-K-1-2	4" 18LB Brown/Red	50
7393647500	PT-18R-K-1-7	4" 18LB Brown/Violet	50
7393657500	PT-18R-K-1-10	4" 18LB Brown/White	50
7393637500	PT-18R-K-1-4	4" 18LB Brown/Yellow	50
7393817500	PT-18R-K-5-0	4" 18LB Green/Black	50
7393827500	PT-18R-K-5-2	4" 18LB Green/Red	50
7393847500	PT-18R-K-5-7	4" 18LB Green/Violet	50
7393857500	PT-18R-K-5-10	4" 18LB Green/White	50
7393837500	PT-18R-K-5-4	4" 18LB Green/Yellow	50
7393717500	PT-18R-K-3-0	4" 18LB Orange/Black	50
7393727500	PT-18R-K-3-2	4" 18LB Orange/Red	50
7393747500	PT-18R-K-3-7	4" 18LB Orange/Violet	50
7393757500	PT-18R-K-3-10	4" 18LB Orange/White	50
7393737500	PT-18R-K-3-4	4" 18LB Orange/Yellow	50
7394017500	PT-18R-K-8-0	4" 18LB Slate/Black	50
7394027500	PT-18R-K-8-2	4" 18LB Slate/Red	50
7364747500	PT-18R-K-8-7	4" 18LB Slate/Violet	50
7394057500	PT-18R-K-8-10	4" 18LB Slate/White	50
7394037500	PT-18R-K-8-4	4" 18LB Slate/Yellow	50

Cable Ties

PREMIER® Cable Ties and Accessories (continued)

STANDARD CABLE TIES

Item No.	Mfg. Part No.	Description	Package Qty.
7365297500	PT-18S	3-3/8" 18LB Natural	100
7394187500	PT-18R-C-0W	4" 18LB Black	100
7364727500	PT-18R-K-0	4" 18LB Black	50
7393347500	PT-18R-C-6	4" 18LB Blue	100
7393267500	PT-18R-C-1	4" 18LB Brown	100
7393367500	PT-18R-C-8	4" 18LB Gray	100
7393337500	PT-18R-C-5	4" 18LB Green	100
7393017500	PT-18R-C-9	4" 18LB Natural	100
7393287500	PT-18R-C-3	4" 18LB Orange	100
7393277500	PT-18R-C-2	4" 18LB Red	100
7364737500	PT-18R-C-11	4" 18LB Telco Gray	100
7393357500	PT-18R-C-7	4" 18LB Violet	100
7393297500	PT-18R-C-4	4" 18LB Yellow	100
7364697500	PT-18L-C-11	5.75" 18LB Telco Gray	100
7393377500	PT-30R-C-0	6" 30LB Black	100
7394067500	PT-30R-C-0W	6" 30LB Black	100
7393447500	PT-30R-C-6	6" 30LB Blue	100
7393387500	PT-30R-C-1	6" 30LB Brown	100
7393437500	PT-30R-C-5	6" 30LB Green	100
7393037500	PT-30R-C-9	6" 30LB Natural	100
7393417500	PT-30R-C-3	6" 30LB Orange	100
7393397500	PT-30R-C-2	6" 30LB Red	100
7393467500	PT-30R-C-8	6" 30LB Slate	100
7393457500	PT-30R-C-7	6" 30LB Violet	100
7393427500	PT-30R-C-4	6" 30LB Yellow	100
7364717500	PT-18L-C-0	8" 18LB Black	100
7362487500	PT-18L-C-9	8" 18LB Natural	100
7364777500	PT-30M-C-11	8" 30LB Telco Gray	100
7394077500	PT-50R-C-0W	8" 50LB Black	100
7393587500	PT-50R-C-6	8" 50LB Blue	100
7393537500	PT-50R-C-1	8" 50LB Brown	100
7393667500	PT-50R-C-8	8" 50LB Gray	100
7393577500	PT-50R-C-5	8" 50LB Green	100
7393057500	PT-50R-C-9	8" 50LB Natural	100
7393557500	PT-50R-C-3	8" 50LB Orange	100
7393547500	PT-50R-C-2	8" 50LB Red	100
7393567500	PT-50R-C-4	8" 50LB Yellow	100

Cable Ties

PREMIER® Cable Ties and Accessories (continued)

STANDARD CABLE TIES

Item No.	Mfg. Part No.	Description	Package Qty.
7364817500	PT-40R-C-O	8.5" 40LB Black	100
7394547500	PT-40R-C-9	8.5" 40LB Natural	100
7364757500	PT-30I-C-11	11.25" 30LB Telco Gray	100
7364797500	PT-40I-C-0	11.5" 40LB Black	100
7396187500	PT-40I-C-9	11.5" 40LB Natural	100
7369457500	PT-50I-C-0	12" 50LB Black	100
7394097500	PT-50I-C-9	12" 50LB Natural	100
7364767500	PT-30L-C-11	14.5" 30LB Telco Tray	100
7398787500	PT-150R-0	15" 175LB Black	100
7393087500	PT-120R-K-0W	15.25" 120LB Black	50
7393077500	PT-120R-K	15.25" 120LB Natural	50
7398457500	PT-50L-C-0W	15.5" 50LB Black	100
7393097500	PT-50L-C-9	15.5" 50LB Natural	100
7396687500	PT-120L-C-0	29.75" 120LB Black	50
7364847500	PT-120L-K-9	29.75" 120LB Natural	50

FLAME RETARDANT CABLE TIES

Item No.	Mfg. Part No.	Description	Package Qty.
0000079108	T30R9V0C2	6" 30LB Natural Flame Retardant	100
0000079109	T50L9V0C2	15.5" 50LB Natural Flame Retardant	100

HALAR CABLE TIE

Item No.	Mfg. Part No.	Description	Package Qty.
7369727500	PT-50R-2-HAL-C	8" 50LB Red Halar Plenum	100



IDENTIFICATION CABLE TIES

Item No.	Mfg. Part No.	Description	Package Qty.
0000119518	PT-IT18FL9C2	4" 18LB Flag Style	100
7360297500	PT-IT-18R	4" 18LB Natural	100
7365477500	PT-IT-18R-10	4" 18LB White	100
7393127500	PT-IT-50R-C-9	8" 50LB Natural	100
7364687500	PT-IT-50L-C-9	15" 50LB Natural	100

Cable Ties

PREMIER® Cable Ties and Accessories (continued)



MOUNTING CABLE TIES

Item No.	Mfg. Part No.	Description	Package Qty.
7396897500	PT-30MR-C-9	6.375" 30LB Natural	100
7394087500	PT-50MR-C-0W	8.5" 50LB Black	100
7393117500	PT-50MR-C -9	8.5" 50LB Natural	100
7364827500	PT-50MR-C-11	8.5" 50LB Telco Gray	100
7365247500	PT-120MR-C-0	16.25" 120LB Black	100
7393147500	PT-120MR-C-9	16.25" 120LB Natural	100



RELEASABLE CABLE TIES

Item No.	Mfg. Part No.	Description	Package Qty.
7364857500	PT-RT-40R-C-11	8.5" 40LB Telco Gray	100



VELCRO CABLE TIES

Item No.	Mfg. Part No.	Description	Package Qty.
0000093082	PT-VCT-12-BLK-1	12" Black	1
7377377500	PT-VCT-12-BLK	12" Black	25/roll

Cable Ties

PREMIER® Cable Ties and Accessories (continued)



Cable Tie Pouch



PT-E-Adhesive



Cable Tie Anchor Mount



Cable Tie Mount



Cable Tie Mount Low Profile



Adhesive Mounting Base Cable Tie



ID Marker Plate

CABLE TIE MOUNTS AND ACCESSORIES

Item No.	Mfg. Part No.	Description	Package Qty.
7364677500	PT-E-ADHESIVE	4" 18LB Ivory With 3/4" Adhesive Mtg Base	100
7361467500	PT-CTAM-1	Cable Tie Anchor Mount 4-Way #8 Screw Hole White	100
7364647500	PT-CTM3-C-0	Cable Tie Mount #10 Screw Hole Black	100
7364627500	PT-CTM3-C-9	Cable Tie Mount #10 Screw Hole Natural	100
7364657500	PT-CTM2-C-0	Cable Tie Mount #8 Screw Hole Black	100
7364637500	PT-CTM2-C-9	Cable Tie Mount #8 Screw Hole Natural	100
7390847500	PT-MB2	Cable Tie Mount Low Profile #8 Screw Hole White	100
7394177500	PT-MB5A	Cable Tie Mounting Base Adhesive 4-Way 1.5"	100
7361547500	PT-IMP-2.5	I.D. Marker Plates Natural 2.5" x 0.75"	100
7363017500	PT-IMP-2.5-W1.75	I.D. Marker Plates White 2.5" x 1.75"	100
7364667500	PT-PIC-POUCH	Cable Tie Pouch Empty	1
7410067500	PT-PIC-PAC	Cable Tie Pouch With Striped Ties	1

Cable Ties

PREMIER® Cable Ties and Accessories (continued)



Adhesive Cable Clamp




Horizontal Siding Clip



Vertical Siding Clip



Masonry Clip



Spiral Wrap



Nail Clip

CABLE ACCESSORIES

Item No.	Mfg. Part No.	Description	Package Qty.
7235037500	PT-12-0188	Adhesive Cable Clamp Gray .188" Max Bundle Diameter	100
7235057500	PT-12-0375	Adhesive Cable Clamp Gray .375" Max Bundle Diameter	100
7235067500	PT-12-0500	Adhesive Cable Clamp Natural .500" Max Bundle Diameter	100
7235087500	PT-12-0750	Adhesive Cable Clamp Gray .750" Max Bundle Diameter	100
7230557500	PT-16-0109	Horizontal Siding Clip Olive-Gray	100
7230567500	PT-16-0110	Vertical Siding Clip Olive-Gray	100
7235097500	PT-M63-1	Masonry Clip Clear .188" Max Cable Diameter	100
7235117500	PT-M63-2	Masonry Clip Clear .500" Max Cable Diameter	100
7368157500	PT-2.5NFP-ORANGE	Spiral Wrap 100ft .375" OD Max Bundle 5/16-3"	100
7234287500	PT-NC3.5	3/4" Black Nail Clip Range .13-.16"	100
7234877500	PT-NC5.0	3/4" Black Nail Clip Range .19-.23"	100
7234317500	PT-NC6	1" Black Nail Clip Range .23-.27"	100
7234337500	PT-NC9	1" Black Nail Clip Range .32-.40"	100

Splicing Supplies



Tape



- Premium vinyl all-weather electrical and telephone tape
- Approved by UL and CA
- Tested for temperatures up to 105° C
- For uses up to 600 volts

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000088930	731059	96204	Mastic Telephone Tape 4-Inch x 10-Feet
0000088932	731233	96409	Black Vinyl Tape 1-Inch x 36-Feet 88T Type
0000088933	731048	96410	Black Vinyl Tape 3/4-Inch x 36-Feet 88T Type
0000088934	731036	96411	Black Vinyl Tape 1 1/2-Inch x 44-Feet 88T Type
0000088935	731035	96412	Black Vinyl Tape 3/4-Inch x 60-Feet 88T Type
0000088936	731082	96413	Yellow Vinyl Tape 3/4-Inch x 66-Feet 35 Type
0000126721		96782	Blue Vinyl Tape 3/4-Inch x 66-Feet 35 Type
0000126722		96783	Red Vinyl Tape 3/4-Inch x 66-Feet 35 Type
0000126723		96784	Green Vinyl Tape 3/4-Inch x 66-Feet 35 Type

Decals and Tags



Pair Separators

Pair Separators made from hollow plastic tubing allow for quick and easy identification of tested circuits.

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000066097	732745	732745	Plastic Tags Black
0000066096	732744	732744	Plastic Tags White

Decals and Tags



Reflective Decal Lettering - Orange

Reflective letters and numbers designed and manufactured to provide long-term durability adhere in even the most adverse weather conditions. Characters remain highly visible even at extreme angles, day and night, in all types of weather. Decals are available with black characters on orange backgrounds and conform to ANSI standards.

- Made of the best materials, including 3M backing.
- Packaged in zip locking poly bags. 25 to a package.
- Made in the U.S.A.

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7399317500	739931	PT-RD-O-1-BLK/ORG	1
7399327500	739932	PT-RD-O-2-BLK/ORG	2
7399337500	739933	PT-RD-O-3-BLK/ORG	3
7399347500	739934	PT-RD-O-4-BLK/ORG	4
7399357500	739935	PT-RD-O-5-BLK/ORG	5
7399377500	739937	PT-RD-O-7-BLK/ORG	7
7399387500	739938	PT-RD-O-8-BLK/ORG	8
7399367500	739936	PT-RD-O-6/9-BLK/ORG	6 and 9
7399017500	739901	PT-RD-O-A-BLK/ORG	A
7399027500	739902	PT-RD-O-B-BLK/ORG	B
7396927500	739692	PT-RD-O-BLANK-BLK/OR	Blank
7399037500	739903	PT-RD-O-C-BLK/ORG	C
7399047500	739904	PT-RD-O-D-BLK/ORG	D
7399287500	739928	PT-RD-O-DASH	Dash
7399057500	739905	PT-RD-O-E-BLK/ORG	E
7399067500	739906	PT-RD-O-F-BLK/ORG	F
7399077500	739907	PT-RD-O-G-BLK/ORG	G
7399087500	739908	PT-RD-O-H-BLK/ORG	H
7399097500	739909	PT-RD-O-I-BLK/ORG	I
7399117500	739911	PT-RD-O-J-BLK/ORG	J
7399127500	739912	PT-RD-O-K-BLK/ORG	K
7398417500	739841	PT-RD-36KIT-O	Kit of All Letters and Numbers
7399137500	739913	PT-RD-O-L-BLK/ORG	L
7399147500	739914	PT-RD-O-M-BLK/ORG	M
7399157500	739915	PT-RD-O-N-BLK/ORG	N
7399297500	739929	PT-RD-O-O-BLK/ORG	O and 0
7399167500	739916	PT-RD-O-P-BLK/ORG	P
7399177500	739917	PT-RD-O-Q-BLK/ORG	Q
7399187500	739918	PT-RD-O-R-BLK/ORG	R
7399197500	739919	PT-RD-O-S-BLK/ORG	S
7399217500	739921	PT-RD-O-T-BLK/ORG	T
7399227500	739922	PT-RD-O-U-BLK/ORG	U
7399237500	739923	PT-RD-O-V-BLK/ORG	V

Decals and Tags

Reflective Decal Lettering - Orange (continued)

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7399247500	739924	PT-RD-O-W-BLK/ORG	W
7399257500	739925	PT-RD-O-X-BLK/ORG	X
7399267500	739926	PT-RD-O-Y-BLK/ORG	Y
7399277500	739927	PT-RD-O-Z-BLK/ORG	Z



Reflective Decal Lettering - Yellow

Reflective letters and numbers designed and manufactured to provide long-term durability adhere in even the most adverse weather conditions. Characters remain highly visible even at extreme angles, day and night, in all types of weather. Decals are available with black characters on yellow backgrounds and conform to ANSI standards.

- Made of the best materials, including 3M backing.
- Packaged in zip locking poly bags. 25 to a package.
- Made in the U.S.A.

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7398017500	739801	PT-RD-Y-1-BLK/YLW	1
7398027500	739802	PT-RD-Y-2-BLK/YLW	2
7398037500	739803	PT-RD-Y-3-BLK/YLW	3
7398047500	739804	PT-RD-Y-4-BLK/YLW	4
7398057500	739805	PT-RD-Y-5-BLK/YLW	5
7398077500	739807	PT-RD-Y-7-BLK/YLW	7
7398087500	739808	PT-RD-Y-8-BLK/YLW	8
7398067500	739806	PT-RD-Y-6/9-BLK/YLW	6 and 9
7398117500	739811	PT-RD-Y-A-BLK/YLW	A
7398127500	739812	PT-RD-Y-B-BLK/YLW	B
7398397500	739839	PT-RD-Y-BLANK	Blank
7398137500	739813	PT-RD-Y-C-BLK/YLW	C
7398147500	739814	PT-RD-Y-D-BLK/YLW	D
7398387500	739838	PT-RD-Y-DASH-BLK/YLW	Dash
7398157500	739815	PT-RD-Y-E-BLK/YLW	E
7398167500	739816	PT-RD-Y-F-BLK/YLW	F
7398177500	739817	PT-RD-Y-G-BLK/YLW	G
7398187500	739818	PT-RD-Y-H-BLK/YLW	H
7398197500	739819	PT-RD-Y-I-BLK/YLW	I
7398217500	739821	PT-RD-Y-J-BLK/YLW	J
7398227500	739822	PT-RD-Y-K-BLK/YLW	K
7398237500	739823	PT-RD-Y-L-BLK/YLW	L

Decals and Tags

Reflective Decal Lettering - Yellow (continued)

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7398247500	739824	PT-RD-Y-M-BLK/YLW	M
7398257500	739825	PT-RD-Y-N-BLK/YLW	N
7398097500	739809	PT-RD-Y-0-BLK/YLW	O and 0
7398267500	739826	PT-RD-Y-P BLK/YLW	P
7398277500	739827	PT-RD-Y-Q-BLK/YLW	Q
7398287500	739828	PT-RD-Y-R-BLK/YLW	R
7398297500	739829	PT-RD-Y-S-BLK/YLW	S
7398317500	739831	PT-RD-Y-T-BLK/YLW	T
7398327500	739832	PT-RD-Y-U-BLK/YLW	U
7398337500	739833	PT-RD-Y-V-BLK/YLW	V
7398347500	739834	PT-RD-Y-W-BLK/YLW	W
7398357500	739835	PT-RD-Y-X-BLK/YLW	X
7398367500	739836	PT-RD-Y-Y-BLK/YLW	Y
7398377500	739837	PT-RD-Y-Z-BLK/YLW	Z



Marking Paint



Marking and Touch-Up Paint

Marking paints and touch-up paints for every telecom application.

- All of these paints are approved for use in all 50 states
- Marking paints are inverted-tip style for better coverage and easier use
- 12 cans per case, 64 cases per pallet
- Environmentally friendly - no CFC's
- Special pricing for pallet quantities

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7366857500	736685	PT-PNT-BLU-20	Marking Paint Fluorescent Blue – Water Based
7366877500	736687	PT-PNT-GRN-20	Marking Paint Fluorescent Green – Water Based
7366917500	736691	PT-PNT-ORG-20	Marking Paint Fluorescent Orange – Water Based
5123497500	512349	PT-PNT-ORG-20-SOLV	Marking Paint Fluorescent Orange Extra Long-Duration – Solvent Based
7366927500	736692	PT-PNT-RED-20	Marking Paint Red – Water Based
7373517500	737351	PT-PNT-WHT-20	Marking Paint White – Water Based
7366867500	736686	PT-PNT-YLW-20	Marking Paint Yellow – Water Based
7361557500	736155	PT-PNT-WAND-33	Marking Paint Applicator Inverted
5173087500	517308	PT-MP16S3-BG-16	Touch-Up Paint Beige
5173047500	517304	PT-98-2-GLWHT-16	Touch-Up Paint Gloss White
7394327500	739432	PT-1155-UTILGRN-16	Touch-Up Paint Marconi Green
5173077500	517307	PT-MP16S2-LTGY-16	Touch-Up Paint Light Gray
7370107500	737010	PT-51-7310-GRYGRN-16	Touch-Up Paint Bell Gray
7371787500	737178	PT-16-050-MEDBRNZ-16	Touch-Up Paint Medium Bronze
7394327500	517308	PT-1155-UTILGRN-16	Touch-Up Paint Green

Encapsulants

Re-Enterable Encapsulant

Reenterable Encapsulant is a two part compound used for encapsulation of buried service wire and cable splices.

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000099001	066049	72565-0750GM	Reenterable Encapsulant 750 Gram
0000099002	066047	72565-1500GM	Reenterable Encapsulant 1500 Gram
0000099003	065922	72565-3000PL	Reenterable Encapsulant 3000 Gram
0000099005	066048	72565-6000GM	Reenterable Encapsulant 6000 Gram
0000099006	066050	72565-8000GM	Reenterable Encapsulant 8000 Gram

Batteries



Super Alkaline Batteries

Super alkaline batteries for all of your battery powered tools, testers and flashlights.

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7820587500	782058	BATTERY AAA	AAA-Cell
7820497500	782049	BATTERY AA	AA-Cell
7820457500	782045	BATTERY C	C-Cell
7820487500	782048	BATTERY D	D-Cell
7820357500	782035	BATTERY 9V	9-Volt

General Supplies



Hand Cleaner Towels

PREMIER hand cleaner towels are a unique patented waterless cleaning system combining both a high-quality liquid hand cleaner formula and a heavy-duty, non-scratching, abrasive towel. They remove lcky-PIC, lubricants, grease, oils, tar, wax, adhesives, sealants, caulk, paint, ink, greasy dirt and more from hands, tools and equipment.

- 72 towels per bucket
- Towels are 10.5 Inch x 12.125 Inch
- Pre-moistened
- Waterless one-step cleaning

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7333157500	733315	PT-SCRUBS-422C-072	PREMIER Hand Cleaner Towels 72 Towels Per Bucket

Graffiti Remover Towels

- One Step Process
- 30 Towels per Tub

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7330177500	733017	PT-SCRUBS-90130-030	Graffiti Remover Scrubs-in-a-bucket

General Supplies

Liquid Hand Cleaner

- Fortified with skin conditioning emollients
- Pleasantly Scented

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
5178997500	517899	PT-20124	Liquid Hand Cleaner 24oz. Tube
5179017500	517901	PT-24224	Liquid Hand Cleaner with Pumice 24oz. Tube

Lubricant

- Lubricates
- Penetrates
- Cleans
- Protects
- Preserves
- Non-Toxic
- No CFC's
- No Carcinogens
- Bio-Degradeable

PREMIER

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
0000117076	512691	SP-Ballistol-06	Ballistol Lube Multi-Purpose Lubicant 6oz. Aerosol



Wasp and Hornet Spray

- Instant knockdown
- Sprays up to 20-feet
- Dielectric breakdown voltage of 40,700
- Kills wasps, hornets, yellow jackets and bees
- Kills nest and insects with residual action

PREMIER®

Item No.	EMBARQ Item No.	Mfg. Part No.	Description
7350007500	735000	PT-18320/PT-A424	Wasp and Hornet Spray 12 oz. Net