






Structured Cable Products

Quality Installations Deserve Quality Products

Manufacturer & Supplier of Low Voltage Wire, Cable & Accessories

ISSUE NO. 010



USA
Toll Free

866-470-5742

Intl Direct Line: +1-954-327-5770 • Email: sales@scpcat5e.com

www.scpcat5e.com



Structured Cable Products

Quality Installations Deserve Quality Products

Structured Cable Products, Inc. is a leading global manufacturer and supplier of Low Voltage Cables and Accessories. Our commitment to quality, price, selection and service is unmatched and has been the recipe for our success.

The first key ingredient in SCP's success is manufacturing products of elite quality and performance. All of our products are UL & CE approved, and meet all residential and commercial standards. Quality is our highest concern. Supporting our quality in our Lifetime Warranty on all our cable.

Another integral ingredient in SCP's success is our unmatched customer service. Without our customers there would be no company. In today's industry, integrators need product the same day or the next day. Because of this urgency SCP, has four stocking warehouses. One on the East coast, one on the West coast, one in the Midwest and one in Europe - all to accommodate our customers' expedited needs. These four facilities enable SCP to process, fill and ship orders quickly and efficiently... usually the same day.

The next ingredients to SCP's success are pricing and selection. Our pricing is second to none. SCP is well aware that the difference between winning and losing a bid depends on pricing. SCP's price structure is designed to keep our customers competitive and most of all profitable. Our vast selection of cables and components create a one stop purchasing source for our customers.

SCP is very excited about the future. We are developing and offering new products all the time to make our customers installations convenient, cost effective and most of all reliable.

I want to personally thank all of our customers for their continued support and loyalty and for helping make SCP the success it is today.

David Spiller
President

Corporate Office:

5607 Hiatus Road, Ste. 500
Tamarac, Florida 33321
Tel: (954) 327-5770
Fax: (954) 327-8176

West Coast Warehouse

2514 East Mohawk Lane, Ste.109-110
Phoenix, AZ 85050
Tel: (602)404-2966
Fax: (602) 404-2967

Midwest Warehouse

1184 W. Corporate Dr. Ste. D
Arlington, TX 76006
Tel: (817) 635-2052
Fax: (817) 635-2056

EU Distribution Center

Tradeboulevard 4
Haven 528
4761 RL Moerdijk
The Netherlands
Email: sales@scpcat5e.com

OEM & Private Label: SCP has the capacity to design & manufacture a vast majority of voice/data and structured wiring products as well as other low-voltage products. With factories overseas, SCP is well positioned to accommodate almost any requirements. SCP will also Private Label any of the products shown in this catalog if minimum requirements are met. Please call for more information.

USA
Toll Free

866-470-5742

Intl Direct: +1(954)327-5770 • Email: sales@scpcat5e.com

SCP Introduces New Line of Pull Boxes

Structured Cable Products introduces our new boxes for our cable product lines. We had our customers in mind while planning the production of our new boxes. They provide a double walled cardboard construction with moisture resistant exterior coating. We understand our customers needed reliable, lightweight, yet strong boxes; and Structured Cable Products has delivered!

Even 350lbs. of steel can't crush SCP's New boxes



What makes SCP's boxes superior?

- 7mm thick double-walled corrugated cardboard construction
- Moisture resistant exterior coating
- Super Strong
- Lightweight
- Hand grip won't rip
- Zero snags or tangles

SUPER STRONG!
LIGHTWEIGHT!


New Products

CRESTRON* COMPATIBLE CABLES



Part# CREST-6

4 Fiber Multimode 50/125 Breakout Non Plenum



Part# CREST-DM

1x CAT 6 Shielded + 1x CAT5e UTP + Crest-1 BLUE

PAGE #12

LUTRON* COMPATIBLE CABLES



Part# LUTRON-WT

Homeworks - 4C/18 AWG stranded shielded with Drain



Part# LUTRON-PK


Homeworks - 2C/18 AWG stranded shielded with Drain

Part# LUTRON-RED

Homeworks - 2C/18 AWG stranded shielded with Drain
+ 2C/16 AWG + 1C/18 AWG

PAGE #13

SCP HOME NETWORKING CABLES



Part# HNC-9

2x CAT6 550 MHz, 2x RG6U Quad Shield + Cat 5e

Part# HNC-10

4x CAT5e 350 MHz (Bundled)

Part# HNC-11

4x CAT6 550 MHz (Bundled)

PAGE #23

HIGH SPEED HDMI® CABLES WITH ETHERNET



Part# 944E

High Speed HDMI® Cable with Ethernet



Part# 947E

High Speed HDMI® Cable with Ethernet
Swivel Head Series

- HDMI Ethernet Channel
- Audio Return Channel
- 3D / 4K
- Content Type - Automatic selection of viewing mode based on content type
- Deep Color, x.v. Color, Dolby True HD, and DTS-HD Master Audio
- 480i, 480p, 720p, 1080i, 1080p, up to 2160p
- HDCP Compliant
- Transfer Digital Audio and Video signals at fast speeds up to 10.2 Gigabytes per second
- Unparalleled Video/Audio Performance



PAGE #30

HDMI EXTENDER OVER SINGLE CAT5E/6



Part# 948

SCP's 946 allows the use of UTP Lan Cable (CAT5e/Cat 6) to substitute HDMI Cable to achieve long distance transmission.

PAGE #31

WALLPLATE HDMI & IR CAT5E EXTENDER



Part# 954

SCP's 954 Wall Plate HDMI & IR Cat5e Extender is designed to use two CAT5e cables to extend HDTV sources from DVD Players, Blu-Ray Disc Player.

PAGE #32

* Crestron®, DigitalMedia® are registered trademarks of Crestron Electronics, Inc. / Lutron®, Homeworks®, Sivoia® are registered trademarks of Lutron Electronics Co., Inc

Manufacturer & Supplier of Low
Voltage Wire, Cable & AccessoriesUSA
Toll Free

866-470-5742

Intl Direct: +1(954)327-5770 • Email: sales@scpcat5e.com



Most of our products are ROHS compliant

New Products

4X4 HDMI MATRIX SWITCHER



Part# 949

SCP'S 949 is a 4 by 4 DVI/HDMI True Matrix. It allows any source (Blu-Ray, HD DVD Player, satellite receiver, games system) to be shown on any of the four displays simultaneously.

PAGE #34

8X8 HDMI MATRIX SWITCHER



Part# 952

SCP'S 952 is a 8x8 Matrix Switcher that allows up to eight HDMI sources to be independently switched to HDMI monitors, HDTV's or projectors.

PAGE #35

LOW VOLTAGE MOUNTING BRACKETS



From single and 2-gang Low Voltage Mounting Brackets, Mounting Brackets for New Construction, Single through 4 gang brackets for installation on existing construction. To Reversible Non-Metallic Cable Entrance Plates. We have you covered.

PAGES #45, 46

TERMINATION/ CUTTING TOOL FOR 90° KEYSTONE JACK



Part# 820

All in one termination and wire cutting tool for 90 degree keystone jacks.

PAGE # 48

EZ TOOL PRO

Part# EZ-TOOL -PRO

Built-in wire cutter and strippers are part of an all-in-one design that reduces the number of tools needed on the job. Zero flex frame prevents torque loss during crimping. Steel die head assembly provides 360° connector support during crimp.



PAGE # 50

FIBER PATCH CABLES



Multimode 62.5/125u (OM1) & Multimode 50/125u (OM3)

PAGE #51

AUDIO/VIDEO BRUSH WALL PLATES



Part# 252/253

SCP's A/V Brush Plate allows installers to offer clean on wall wire management device. There is no need to stock multiple plates and connectors for various wire feeds. SCP's A/V Brush Wall Plate does it all.

PAGE # 59

Audio Cables

SCP Heavy Duty Premier Speaker Cables



SCP's Oxygen Free Heavy Duty Premier Speaker cable with an extra-thick jacket (average thickness of the jacket is 0.95mm) and high quality stranded bare copper conductor is one of the highest quality speaker offered in the industry. With 105 strands for the 14 AWG cable and 65 strands for the 16 AWG cable you can be sure these cables will suit your installation requirements and appease the most demanding audiophile.



- **Conductor: Stranded Oxygen Free Copper**
- **65 and 105 strands**
- **CL2R-CMR-MPR Extra-Thick Jacket (0.95mm)**
- **Sequential foot markings**

0.95mm
Jacket thickness




5/8 in.
15.875 mm

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
16/2OFC-HD	2C/16 GA. 65 STRAND OXYGEN-FREE HEAVY DUTY SPEAKER CABLE - White, Purple*	6.3	19/8.7	500' Box
16/4OFC-HD	4C/16 GA. 65 STRAND OXYGEN-FREE HEAVY DUTY SPEAKER CABLE - White, Purple*	7.0	32/14.5	500' Box
14/2OFC-HD	2C/14 GA. 105 STRAND OXYGEN-FREE HEAVY DUTY SPEAKER CABLE - White, Yellow*, Purple*	7.2	28/12.7	500' Box
14/4OFC-HD	4C/14 GA. 105 STRAND OXYGEN-FREE HEAVY DUTY SPEAKER CABLE - White, Yellow*	8.2	44/20.4	500' Box

* Colors only available at our EU Warehouse

SCP Premier Speaker Cables (Oxygen Free)



SCP's Premier Speaker Cable is oxygen-free and offers high strand counts.


- **Conductor: Stranded Oxygen Free Copper**
- **CL2R-CMR-MPR Jacket**
- **Oxygen-Free**
- **Ripcord, Sequential foot markings**

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
16/2OFC	2C/16 GA. 65 STRAND OXYGEN-FREE SPEAKER CABLE - White	6.25	17/6.9	500' Box
16/4OFC-XX	4C/16 GA. 65 STRAND OXYGEN-FREE SPEAKER CABLE - Purple, Teal, White	7.0	27.5/12.4	500' Box
14/2OFC	2C/14 GA. 105 STRAND OXYGEN-FREE SPEAKER CABLE - White	7.2	23/10.3	500' Box
14/4OFC-XX	4C/14 GA. 105 STRAND OXYGEN-FREE SPEAKER CABLE - Teal, White	8.2	39/17.5	500' Box
12/2OFC	2C/12 GA. 65 STRAND OXYGEN-FREE SPEAKER CABLE - White	8.0	36/16.3	500' Box

Audio Cables

SCP Standard Speaker Cables

- Conductor: Stranded Bare Copper
- UL / PVC Insulation
- Sequential Foot Marking
- CL2R / CMR



SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
16/2SP-26-XX-1000	2C/16 GA. 26 STRAND SPEAKER CABLE - PURPLE, BLUE, WHITE	5.1	30/13.4	1000' Box
16/2SP-26-XX	2C/16 GA. 26 STRAND SPEAKER CABLE - BLUE	5.1	14/6.4	500' Box
16/2SP-65-XX-1000	2C/16 GA. 65 STRAND SPEAKER CABLE - PURPLE, WHITE	5.2	30/13.4	1000' Box
16/2SP-65-XX	2C/16 GA. 65 STRAND SPEAKER CABLE - PURPLE, WHITE, BLUE, BLACK	5.2	14/6.4	500' Box
16/4SP-26-XX	4C/16 GA. 26 STRAND SPEAKER CABLE - WHITE, PURPLE	6.2	27/12.1	500' Box
16/4SP-65-XX	4C/16 GA. 65 STRAND SPEAKER CABLE - WHITE, PURPLE, BLUE, BLACK	6.2	27/12.1	500' Box
14/2SP-YL-1000	2C/14 GA. 41 STRAND SPEAKER CABLE - YELLOW	6.4	46/21	1000' Spool
14/2SP-YL	2C/14 GA. 41 STRAND SPEAKER CABLE - YELLOW	6.4	24/10.7	500' Box
14/4SP-41-XX	4C/14 GA. 41 STRAND SPEAKER CABLE - YELLOW	7.5	42/19.1	500' Box

SCP Premier Speaker Cables - Low Smoke Zero Halogen

- Conductor: Stranded Bare Copper
- LSZH Jacket
- UL approved, Ripcord
- Sequential Foot Marking

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
16/2OFC-LSZH	2 COND/ 16GA 65 STRAND, OXYGEN FREE, LSZH - WHITE	6.3	15/6.8	500' Box
16/4OFC-LSZH	4 COND/ 16GA 65 STRAND, OXYGEN FREE, LSZH - WHITE	7.0	22/10	500' Box
14/2OFC-LSZH	2 COND/ 14GA 105 STRAND, OXYGEN FREE, LSZH - WHITE	7.2	23/10.7	500' Box
14/4OFC-LSZH	4 COND/ 14GA 105 STRAND, OXYGEN FREE, LSZH - WHITE	8.2	39/17.5	500' Box

CAT 5E

CAT 5E PVC




CAT 5E PVC



CAT 5E 25 PAIR



CAT 5E SHIELDED



CAT 5E SIAMESE

**PRODUCT DESCRIPTION:**

- **Conductor: 24 AWG Solid Bare Copper**

CABLE SPECIFICATIONS:


- **10 Base-T (IEEE802.3) / 100Vg-AnyLan (IEEE802.12) / Token Ring (IEEE802.5) / 100 Base-T (IEEE802.3) / FDDI/CDDI 100 Mbps / ATM 155, 622 Mbps / 1000 Base-T**

INDUSTRY STANDARDS:

- **UL/CSA approved / ETL Verified to ANSI/TIA/EIA568A / ISO/IECC/1801**
- **CMR**

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
CAT 5E PVC				
CAT5E-XX	CAT 5E 350 MHz, 24 AWG, PVC XX = Colors Available: BLUE, GREEN, RED, WHITE, YELLOW, BLACK, PURPLE, ORANGE, GRAY	4.8	23/10.5	1000' Box
CAT 5E PLENUM				
CAT5E-P-XX	CAT 5E 350 MHz, 24 AWG, PLENUM XX = Colors Available: BLACK, BLUE, GRAY, YELLOW, WHITE, GREEN	4.8	23/10.5	1000' Box
CAT 5E SHIELDED				
CAT5E-SH-XX	CAT 5E 350 MHz, 24 AWG, SHIELDED - BLACK, BLUE, GRAY, WHITE	6.0	23/10.5	1000' Box
CAT 5E SIAMESE				
CAT5E-S	CAT 5E 350 MHz, 24 AWG, SIAMESE - BLUE	10.5	44/19.8	1000' Spool
CAT 5E LOW SMOKE ZERO HALOGEN				
CAT5E-LSZH-XX	CAT 5E 350 MHz, 24 AWG, LSZH Colors Available: BLUE, WHITE, YELLOW	4.8	23/10.5	1000' Box
CAT 5E - DIRECT BURIAL				
CAT5E-DB	CAT 5E 350 MHz, 24 AWG DIRECT BURIAL - BLACK	6.5	23/10.5	1000' Spool
CAT5E-DB-GEL	CAT 5E 350 MHz, 24 AWG DIRECT BURIAL GEL TYPE - BLACK	13.2	26/11.6	1000' Spool
CAT5E-DB-SH	CAT 5E 350 MHz, 24 AWG DIRECT BURIAL SHIELDED - BLACK	6.5	25/11.4	1000' Spool
CAT5-25PR-DB	CAT 5, 25 PAIR DIRECT BURIAL - BLACK	13.2	150/68	1000' Spool
CAT 5E / CAT3 25 PAIR				
CAT3-25PR	CAT 3 25 PAIR PVC - GRAY	8.5	93/42.1	1000' Spool
CAT5-25PR	CAT 5 25 PAIR PVC - BLUE	13.0	154/70	1000' Spool
CAT5-25PR-DB	CAT 5E 350 MHz 25 PAIR DIRECT BURIAL - BLACK	13.2	150/68	1000' Spool
CAT 5E LOW SKEW				
CAT5E-LW-SKEW	CAT 5E LOW SKEW - BLUE	5.1	27/11.8	1000' Box

CAT 6 PVC



CAT 6 PVC



CAT 6 DIRECT BURIAL

APPLICATIONS:

- Conductor: 23 AWG Solid Bare Copper

CABLE SPECIFICATIONS:

- 10 Base-T (IEEE802.3) / 100Vg-AnyLan (IEEE802.12) / T Token Ring (IEEE802.5)
- 100 Base-T (IEEE802.3) / FDDI/CDDI 100 Mbps / ATM 155,622 Mbps / 1000 Base-T

INDUSTRY STANDARDS

- UL/CSA approved / ETL Verified to ANSI/TIA/EIA568A/ISO/IECC/1801
- Available in CMR, CMP and LSZH

CAT 6



NEW PRODUCT



CAT6A AUGMENTED

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
CAT 6 PVC				
CAT6-XX	CAT 6 550 MHz, 23 AWG, PVC - XX = Colors Available: BLACK, BLUE, GREEN, GRAY, PURPLE, RED, WHITE, YELLOW	6.2	35/15.8	1000'Box
CAT 6 SIAMESE				
CAT6-S	CAT 6 550 MHz, 23 AWG, PVC - SIAMESE - WHITE	6.2+6.2	70/31.6	1000'Reel
CAT 6 PLENUM				
CAT6-P-XX	CAT 6 550 MHz, 23 AWG, PLENUM XX = Colors Available: BLUE, GRAY, PURPLE, WHITE, BLACK	6.4	34/15.4	1000'Box
CAT6-SH-P	CAT 6 550 MHz, 23 AWG, SHIELDED PLENUM - GRAY	8.0	46.5/21	1000'Spool
CAT 6 SHIELDED				
CAT6-SH-XX	CAT 6 550 MHz, 23 AWG, SHIELDED - WHITE, BLUE	8.0	46.5/21	1000'Spool
CAT 6 LOW SMOKE ZERO HALOGEN				
CAT6-LSZH-BL	CAT 6E 550 MHz, 23 AWG, LSZH - BLUE	6.2	31/13.9	1000'Box
CAT6-LSZH-WT	CAT 6E 550 MHz, 23 AWG, LSZH - WHITE	6.2	31/13.9	1000'Box
CAT 6 - DIRECT BURIAL				
CAT6-DB	CAT 6E 550 MHz, 23 AWG, DIRECT BURIAL - BLACK	6.2	31/13.9	1000'Box
CAT6-SH-DB	CAT 6E 550 MHz, 23 AWG, SHIELDED DIRECT BURIAL - BLACK	8.1	50/22.8	1000'Spool
CAT 6A				
CAT6A	CAT 6A AUGMENTED 600 MHz, 23 AWG PVC - BLUE	8.0	46/20.8	1000'RIB

Coaxial Cable/ CCTV Coax

RG-59/U CCTV

- Industry Standards: UL/CSA approved /
- ETL Verified to ANSI/TIE/EIA568A/ISO/IECC/1801
- CL2 - CM Rated



RG59/U PVC

RG59/ U 95% COPPER
+ 2C/18 GA SIAMESE

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
RG59/U 95% COPPER PVC				
RG59/U95-XX-RIB	RG59/U COAX CCTV 20 AWG BC, 95% BC BRAID- BLACK, WHITE	6.0	33/14.8	1000' RIB
RG59/U95-XX-500	RG59/U COAX CCTV 20 AWG BC, 95% BC BRAID- BLACK, WHITE	6.0	17/7.8	500' RIB
RG59/U95-S-XX	RG59/U SIAMESE 20 AWG BC 95% BC BRAID + 18/2 PWR- BLACK, WHITE	6 + 4.4	50/22.8	1000' Spool
RG59/U95-S-XX-500	RG59/U SIAMESE 20 AWG BC 95% BC BRAID + 18/2 PWR- BLACK, WHITE	6 + 4.4	26/11.6	500' Spool
RG59/U95-S-XX-RIB5	RG59/U SIAMESE 20 AWG BC 95% BC BRAID + 18/2 PWR- BLACK, WHITE	6 + 4.4	28.5/12.9	500' RIB
RG59/U95-S-OJ-XX-5	RG59/U SIAMESE OVERALL JACKET- 20 AWG 95% BC BRAID + 18/2 PWR- BLACK, WHITE	6 + 4.4	29/13.2	500' RIB
RG59/U 95% COPPER PLENUM				
RG59/U95-P-SPL	RG59/U CCTV PLENUM 20 AWG BC, 95% BC BRAID-WHITE	6.0	27/12.3	1000' Spool
RG59/U95-P-500	RG59/U CCTV PLENUM 20 AWG BC, 95% BC BRAID- WHITE	6.0	16/7.1	500' Box
RG59/U95-S-P	RG59/U CCTV SIAMESE PLENUM 20 AWG BC, 95% BC BRAID + 18/2 PWR- WHITE	6.0	48/21.6	1000' Spool
RG59/U95-S-P-500	RG59/U SIAMESE PLENUM- 20 AWG BC 95% BC BRAID + 18/2 PWR- WHITE	6.0	24/10.5	500' Spool
RG59/U 95% COPPER DIRECT BURIAL				
RG59/U95-DB	RG59/U CCTV DIRECT BURIAL 20 AWG BC, 95% BC BRAID- BLACK	6.0	28/12.8	1000' Spool
RG59/U-S-DB	RG59/U SIAMESE DIRECT BURIAL 20 AWG + 18/2 PWR- BLACK	6.2 + 11.7	54/24.6	1000' Spool
RG59/U-S-DB-500	RG59/U SIAMESE DIRECT BURIAL 20 AWG + 18/2 PWR- BLACK	6.2 + 11.7	27/12.3	500' Spool

RG-6/U CCTV

- Industry Standards:
- UL Approved • CM Rating



SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
RG6/U 95% COPPER PVC				
RG6/U95-BK	RG6/U CCTV COAX 18 AWG BC 95% BC BRAID, CM RATING- BLACK	6.9	39/17.5	1000' Box
RG6/U95-S	RG6/U SIAMESE CCTV 18 AWG BC 95% BC BRAID + 18/2 PWR- BLACK	6.9 + 4.6	63/28.4	1000' Spool
RG6/U 95% COPPER PLENUM				
RG6/U95-P	RG6/U PLENUM CCTV 18 AWG BC 95% BC BRAID- WHITE	6.9	28/12.8	1000' Spool
RG6/U95-S-P	RG6/U SIAMESE PLENUM 18 AWG BC 95% BC BRAID + 18/2 PWR CCTV- WHITE	6.9 + 4.6	63/28.4	1000' Spool
RG6/U 95% COPPER DIRECT BURIAL				
RG6/U95-DB	RG6/U DIRECT BURIAL CCTV 18 AWG BC 95% BC BRAID- BLACK	6.9	28/12.8	1000' Spool

RG11/U & CT100 CATV-SATELLITE

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
RG11/U COPPER CLAD STEEL (CCS) PVC				
RG11/U-SPL	RG-11/U COAX 3.0 GHz 14 AWG CCS, 60% AL BRAID - BLACK	10.0	59/26.6	1000' Spool
CT100 CATV SATELLITE (AVAILABLE AT EU WAREHOUSE ONLY)				
CT100	CT100 18 AWG BC 60% COPPER BRAID, COPPER FOIL SHIELD, FPE,PVC-BLACK	6.5	31/14	250 m RIB



Manufacturer & Supplier of Low
Voltage Wire, Cable & Accessories

USA
Toll Free

866-470-5742

Intl Direct: +1(954)327-5770 • Email: sales@scpcat5e.com



Most of our products are ROHS compliant



RG6/U-BC-MES

Coaxial Cable /CATV Coax

RG6/U CATV-Satellite

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
RG6/U 3.0 GHz BARE COPPER (BC)				
RG6/U-BC-XX-BOX	RG6/U CATV 3.0GHz 18 AWG BC 60% AL BRAID- WHITE, BLACK	7.6	35/15.7	1000' Box
RG6/U-BC-BK-500	RG6/U CATV 3.0GHz 18 AWG BC 60% AL BRAID- BLACK	7.6	19/8.5	500' Box
RG6/U-S-BC-BK-5	RG6/U SIAMESE CATV 3.0GHz 18 AWG BC 60%/40% AL BRAID- BLACK	7.6	36/16.3	500' RIB
RG6/U-BC-MES-5	RG6/U CATV 3.0 GHz 18 AWG BC 60% AL BRAID W/ MESSENGER- BLACK	7.6	36/16.3	500' RIB
RG6/U-S-MES-BK-5	RG6/U SIAMESE CATV 3.0GHz 18 AWG BC 60% AL BRAID W/MESSENGER - BLACK	7.6	40/18.1	500' RIB
RG6/U 3.0 GHz COPPER CLAD STEEL (CCS)				
RG6/U-CCS-XX-SPL	RG6/U CATV 18 AWG CCS 60% AL BRAID- BLACK, WHITE	7.6	36/16.3	1000'SPOOL
RG6/U-CCS-XX	RG6/U CATV 18 AWG CCS 60% AL BRAID- BLACK, WHITE	7.6	36/16.3	1000'BOX
RG6/U-CCS-XX-500	RG6/U CATV 18 AWG CCS 60% AL BRAID- BLACK, WHITE, YELLOW	7.6	18.5/8.6	500'BOX
RG6/U-S-CCS-BK-RIB-5	RG6/U SIAMESE CATV 18 AWG CCS 60%/40% AL BRAID- BLACK	6.9+6.9	32/14.3	500'RIB
RG6/U 3.0 GHz PLENUM				
RG6/U-P-CCS-SPL	RG6/U PLENUM CATV 18 AWG CCS 60% AL BRAID- WHITE	6.4	30/14	1000'SPOOL
RG6/U 3.0 GHz DIRECT BURIAL				
RG6/U-DB	RG6/U CATV DIRECT BURIAL 18 AWG- BLACK	6.9	23/10.5	1000'SPOOL

RG6/U Quad Shield




SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
RG6/U 3.0 GHz QUAD SHIELD BARE COPPER (BC)				
RG6/UQ-BC-XX	RG6/U QUAD SHIELD 3.0 GHz 18 AWG BC, 60%/40% AL BRAID- BLACK, WHITE	7.6	35/15.7	1000'BOX
RG6/UQ-BC-XX-SPL	RG6/U QUAD SHIELD 3.0 GHz 18 AWG BC, 60%/40% AL BRAID- BLACK, WHITE	7.6	40/18.1	1000'SPOOL
RG6/UQ-BC-XX-5	RG6/U QUAD SHIELD 3.0 GHz 18 AWG BC, 60%/40% AL BRAID- BLACK, WHITE	7.6	19/8.6	500'BOX
RG6/UQ-BC-RIB-WT	RG6/U QUAD SHIELD 3.0 GHz 18 AWG BC, 60%/40% AL BRAID- WHITE	7.6	40/18.1	1000'RIB
RG6/UQ-S-BC-XX-5	RG6/U QUAD SHIELD SIAMESE 3.0GHz, 18 AWG BC 60%/40% AL BRAID- BLACK, WHITE	7.6+7.6	45/20	500'SPOOL
RG6/U QUAD SHIELD COPPER CLAD STEEL (CCS) PVC				
RG6/UQ-CCS-XX	RG6/U QUAD SHIELD 3.0 GHz 18 AWG CCS, 60%/40% AL BRAID- BLACK, WHITE	7.6	36/16.3	1000'BOX
RG6/UQ-CCS-XX-5	RG6/U QUAD SHIELD 3.0 GHz 18 AWG CCS, 60%/40% AL BRAID- BLACK, WHITE	7.6	19/8.6	500'BOX
RG6/UQ-CCS-RIB-XX	RG6/U QUAD SHIELD 3.0 GHz 18 AWG CCS, 60%/40% AL BRAID- BLACK, WHITE	7.6	40/18.1	1000'RIB
RG6/UQ-CCS-XX-SPL	RG6/U QUAD SHIELD 3.0 GHz 18 AWG CCS, 60%/40% AL BRAID- BLACK, WHITE	7.6	40/18.1	1000'SPOOL
RG6/UQ-CCS-BK-SPL-5	RG6/U QUAD SHIELD 3.0 GHz 18 AWG CCS, 60%/40% AL BRAID- BLACK	7.6	19/8.6	500'SPOOL
RG6/UQ-S-CCS-XX-5	RG6/U QUAD SHIELD SIAMESE 3.0GHz, 18 AWG 60%/40% AL BRAID- BLACK, WHITE	7.6	40/18.1	500'SPOOL
RG6/U QUAD SHIELD BARE COPPER (BC) PLENUM				
RG6/UQ-P-SPL	RG6/U QUAD SHIELD PLENUM 18 AWG BC 60%/40% AL BRAID- WHITE	6.9	26/11.9	1000'SPOOL
RG6/U QUAD SHIELD DIRECT BURIAL				
RG6/UQ-DB-CCS	RG6/U QUAD SHIELD DIRECT BURIAL 18 AWG CCS 60%/40% AL BRAID- BLACK	6.9	23/10.5	1000'SPOOL

Control Cables


Crestron* Compatible Cables



CREST-1



CREST-3




CREST-4



CREST-2


- Conductor: Bare Copper
- UL Listed NEC Type CL2 / CM
- Temperature and Voltage Rating 75 C, 300V
- Low capacitance rating on data pair
- Data pairs shielded for lowest noise
- Sequential footage marking



CREST-5

Crestron DigitalMedia* Compatible Cable

NEW PRODUCT



CREST-DM

1x CAT6 SHIELDED + 1X CAT5E UTP + CREST-1 - BLUE

SCP's **CREST-DM-CBL** cable provides high performance, single-cable wiring solution for Digital Media* (DM) Systems. Within a single jacket, our **CREST-DM-CBL** cable contains one high band-width/low crosstalk 4 twisted pair (STP) CAT 6 Shielded cable, One CAT5e (UTP) cable and one CREST-1 cable.

Crestron* Fiber Optic Compatible Cable

NEW PRODUCT



CREST-6

4 FIBER MULTI MODE 50/125 BREAKOUT NON PLENUM

SCP's **CREST-6** is a multi mode fiber optic cable designed to ensure the simple and reliable installation of fiber based Digital Media* System. High-bandwidth laser optimized OM3 cores enable wire runs up to a maximum of 1000 ft. between DM devices. Breakout cable construction helps simplify termination providing four individually jacketed fiber strands separate breakout assembly or intermediary splice. Only two fiber strands are required for connecting Digital Media Equipment, leaving two spare strands for backup or expansion.

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
CREST-1	DATA=22/2C BC STRANDED SHLD W/DRAIN + PWR=18/2C BC STRANDED PVC -TEAL	6.0	37/16.6	1000' Spool
CREST-2	CREST-1 + 1x CAT 5E 350 MHz - TEAL	8.0	36/16.2	500' Spool
CREST-3	CREST-1 + 2x CAT 5E 350 MHz - TEAL	13.0	66/29.8	500' Spool
CREST-4	CREST-1 + 4x CAT 5E 350 MHz -TEAL	17.2	101/46	500' Spool
CREST-5	CREST-1 + 2x CAT 5E 350 MHz + 2x RG6/U QUAD SHIELD - TEAL	20.0	77/35	500' Spool
CREST-6	4 FIBER MULTI MODE 50/125 BREAKOUT NON PLENUM	8.0	35/16	1000' Spool
CREST-DM	1x CAT6 SHIELDED + 1X CAT5E UTP + 1 CREST-1, PVC - BLUE	14.73	70/36	500' Spool
CRESTRON - LOW SMOKE ZERO HALOGEN				
CREST-1-LSZH	DATA=22/2C BC STRANDED SHLD W/DRAIN + PWR=18/2C BC STRANDED PVC LSZH -GRAY	6.0	37/16.6	1000' Spool
CREST-2-LSZH	CREST-1 + 1x CAT 5E 350 MHz, 24 AWG, LSZH - GRAY	8.0	36/16.2	500' Spool
CREST-3-LSZH	CREST-1 + 2x CAT 5E 350 MHz, 24 AWG, LSZH - GRAY	13.0	66/29.8	500' Spool
CREST-4-LSZH	CREST-1 + 4x CAT 5E 350 MHz, 24 AWG, LSZH - GRAY	17.2	101/46	500' Spool
CREST-5-LSZH	CREST-1 + 2x CAT 5E 350 MHz, 24 AWG + 2x RG6/U QUAD SHIELD-LSZH - GRAY	20.0	77/35	500' Spool
CREST-DM-LSZH	1x CAT6 SHIELDED + 1X CAT5E UTP + CREST-1, LSZH - GRAY	14.73	70/36	500' Spool


*Crestron®, DigitalMedia® are registered trademarks of Crestron Electronics, Inc.

Control Cables

Lutron* Compatible Cables

NEW PRODUCT

Compatible with Sivoia* and Homeworks* Systems



LUTRON-WT




LUTRON-PK



LUTRON-RED

SCP manufactures Lutron* Compatible Cables that combine power and communications. They are specially designed for Lutron home automation applications.

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
LUT-1-PK	LUTRON PINK- HOMEWORKS- 2C/18 AWG STRANDED SHIELDED W/DRAIN - BLUE W/ PINK STRIPE	7.6	42/19.1	1000' Spool
LUTRON-WT	LUTRON WHITE - HOMEWORKS - 4C/18 AWG STRANDED SHIELDED W/DRAIN - BLUE W/ WHITE STRIPE	6.1	49/22.5	1000' Spool
LUTRON-RED	LUTRON RED- SIVOIA - 4C/18 AWG STRANDED SHIELDED W/ DRAIN + 2C/16 AWG + 1C/18 AWG - BLUE W/ RED STRIPE	8.6	46/21	500' Spool



Elan Home Systems Cable

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
ELAN-1	2C/18 GA STRANDED + RG59/U 20GA 95% COPPER + CAT5E 350MHz - PURPLE	13	52/23.7	500' Spool

*Lutron®, Homeworks®, Sivoia® are registered trademarks of Lutron Electronics Co., Inc



Most of our products are ROHS compliant

USA
Toll Free

866-470-5742

Intl Direct: +1(954)327-5770 • Email: sales@scpcat5e.com


Manufacturer & Supplier of Low
Voltage Wire, Cable & Accessories



Direct Burial


Direct Burial - Speaker / Security Cables

- VNTC Quad Rated Jacket
- Suitable for Indoor/ Outdoor Direct Burial Application



SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
18/2SHDB	2C/18 GA. STRANDED SHIELDED BARE COPPER - BLACK	4.6	39/17.7	1000' Spool
18/4SHDB	4C/18 GA. STRANDED SHIELDED BARE COPPER - BLACK	7.5	57/25.9	1000' Spool
18/6SHDB	6C/18 GA. STRANDED SHIELDED BARE COPPER - BLACK	6.5	79/35.7	1000' Spool
16/2SHDB	2C/16 GA. STRANDED SHIELDED BARE COPPER - BLACK	7.1	39/17.8	1000' Spool
16/4DB	4C/16 GA. STRANDED BARE COPPER - BLACK	8.1	75/34	1000' Spool
14/4DB	4C/14 GA. STRANDED BARE COPPER - BLACK	8.0	100/45.2	1000' Spool
14/2SHDB	2C/14 GA. STRANDED SHIELDED BARE COPPER - BLACK	8.0	66/30	1000' Spool

Direct Burial - Cat 5e



SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
CAT5E-DB	CAT 5E 350 MHz DIRECT BURIAL - BLACK	6.5	23/10.5	1000' Spool
CAT5E-DB-GEL	CAT 5E 350 MHz DIRECT BURIAL GEL TYPE - BLACK	6.5	26/11.6	1000' Spool
CAT5E-SH-DB	CAT 5E 350 MHz DIRECT BURIAL SHIELDED - BLACK	6.5	25/11.4	1000' Spool
CAT5-25PR-DB	CAT 5 25 PAIR DIRECT BURIAL - BLACK	13.2	150/68	1000' Spool

Direct Burial - Cat 6



SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
CAT6-DB	CAT 6 550 MHz DIRECT BURIAL - BLACK	7.0	36/16.2	1000' Spool
CAT6SH-DB	CAT 6 550 MHz SHIELDED DIRECT BURIAL - BLACK	8.1	50/22.8	1000' Spool

Direct Burial / Ground Wire

Direct Burial - RG59/U

RG59/U Siamese + 18/2 PWR



SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
RG59/U-DB	RG59/U DIRECT BURIAL - BLACK	6.0	28/12.7	1000' Spool
RG59/U-S-DB	RG59/U + 18/2 PWR BLACK	6.2 + 11.7	54/24.6	1000' Spool
RG59/U-S-DB-5	RG59/U SIAMESE DIRECT BURIAL - BLACK	6.2 + 11.7	27/12.3	500' Spool

Direct Burial - RG6/U



SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
RG6/U-DB	RG6/U 60% ALUMINUM DIRECT BURIAL - BLACK	6.9	23/10.5	1000' Spool

GROUND WIRE


Ground Wire THHN/THWN



SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
GW-10	10 GA SOLID COPPER - GREEN	3.8	19/8.7	500' Spool
GW-14	14 GA SOLID COPPER - GREEN	2.6	8/3.7	500' Spool

Fire Alarm

Fire Alarm Cable - PVC



- PRODUCT DESCRIPTION:
- **Conductors:** Solid Bare Copper
 - PVC with sun resistance, ripcord and sequential footage marking
 - **Rated temperature:** 60 degrees C
 - PVC Jacket
 - Cabled Construction
 - 300V operation
 - **Applications include:** Power limited fire alarm and communications cable for riser or no-riser applications. Fire alarm, smoke detectors, signaling fire protective circuits
- APPROVALS:
- UL Type FPLR
 - NEC Article 760/ CUL Type CMR/ FPLR
 - FT4 / California State Fire Marshal (By Request)

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
22/4FPLR	4C/22 GA SOLID FPLR	3.6	13/5.7	1000' Box
22/4FPLR-500	4C/22 GA SOLID FPLR	3.6	7/3.2	500' Box
22/4FPLR-COIL	4C/22 GA SOLID FPLR - COIL PACK	3.6	6/2.7	500' Coil Pk
18/2FPLR	2C/18 GA SOLID FPLR	4.0	16/7.1	1000' Box
18/2FPLR-500	2C/18 GA SOLID FPLR	4.0	7/3.2	500' Box
18/4FPLR	4C/18 GA SOLID FPLR	5.0	30/13.4	1000' Spool
18/4FPLR-500	4C/18 GA SOLID FPLR	5.0	15/6.6	500' Box
18/6FPLR	6C/18 GA SOLID FPLR	5.2	44/20	1000' Spool
18/6FPLR-500	6C/18 GA SOLID FPLR	5.2	24/10.7	500' Box
16/2FPLR	2C/16 GA SOLID FPLR	4.8	23/10.5	1000' Box
16/4FPLR	4C/16 GA SOLID FPLR	5.4	43/19.3	1000' Spool
14/2FPLR	2C/14 GA SOLID FPLR	5.5	35/16	1000' Spool
14/4FPLR	4C/14 GA SOLID FPLR	6.4	66/30	1000' Spool
12/2FPLR	2C/12 GA SOLID FPLR	6.6	51/23	1000' Spool

Fire Alarm

Fire Alarm Cable - Shielded PVC

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
18/2FPLR-SH	2C/18 GA SOLID FPLR SHIELDED	4.0	19/8.7	1000' Box or Spool
18/4FPLR-SH	4C/18 GA SOLID FPLR SHIELDED	5.0	33/15	1000' Spool
16/2FPLR-SH	2C/16 GA SOLID FPLR SHIELDED	4.8	26/11.8	1000' Box
16/4FPLR-SH	4C/16 GA SOLID FPLR SHIELDED	5.4	47/21.4	1000' Spool
14/2FPLR-SH	2C/14 GA SOLID FPLR SHIELDED	5.5	40/18.2	1000' Spool
14/4FPLR-SH	4C/14 GA SOLID FPLR SHIELDED	6.4	70/32	1000' Spool

Fire Alarm Cable - Plenum

PRODUCT DESCRIPTION:

Conductors: Solid Bare Copper • Low Smoke PVC with ripcord sequential footage marking/ Rated temperature: 75 / Low Smoke PVC insulation / Cabled construction / 300V operation/ Operations Include: Power limited fire alarm and communication cable for plenum applications, Fire alarm, smoke detectors, fire protective circuits

APPROVALS:

UL Type FPLP / NEC Article 760 / CUL Type CMP/FT6 / California State Fire Marshal (By Request)

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
18/2FPLP	2C/18 GA SOLID FPLP PLENUM	3.7	17/7.5	1000' Box/Spool
18/4FPLP	4C/18 GA SOLID FPLP PLENUM	4.7	30/13.4	1000' Spool
18/4FPLP-500	4C/18 GA SOLID FPLP PLENUM	4.7	14/6.3	500' Box
18/6FPLP	6C/18 GA SOLID FPLP PLENUM	4.9	44/20	1000' Box
16/2FPLP	2C/16 GA SOLID FPLP PLENUM	4.3	24/10.7	1000' Spool
16/4FPLP	4C/16 GA SOLID FPLP PLENUM	5.1	43/19.7	1000' Spool
14/4FPLP	4C/14 GA SOLID FPLP PLENUM	6.1	66/30	1000' Spool
14/2FPLP	2C/14 GA SOLID FPLP PLENUM	5.2	35/16	1000' Spool
14/2FPLP-500	2C/14 GA SOLID FPLP PLENUM	5.2	18/8	500' Box
12/2FPLP	2C/12 GA SOLID FPLP PLENUM	6.3	53/23.8	1000' Spool


Fire Alarm Cable - Shielded Plenum

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
18/2FPLP-SH	2C/18 GA SOLID FPLP SHIELDED PLENUM	3.6	20/8.9	1000' Box
18/4FPLP-SH	4C/18 GA SOLID FPLP SHIELDED PLENUM	4.7	34/15.6	1000' Spool
16/2FPLP-SH	2C/16 GA SOLID FPLP SHIELDED PLENUM	4.3	31/14.1	1000' Spool
16/4FPLP-SH	4C/16 GA SOLID FPLP SHIELDED PLENUM	5.1	47/21.4	1000' Spool
14/4FPLP-SH	4C/14 GA SOLID FPLP SHIELDED PLENUM	6.1	70/32	1000' Spool
14/2FPLP-SH	2C/14 GA SOLID FPLP SHIELDED PLENUM	5.2	40/18.2	1000' Spool

HDTV Digital

Mini-RGB Component Video


- Conductor: 25 AWG Solid Bare Copper
- Miniature Coaxial Cable
- 100% bonded foil + 95% tinned copper braid
- Gas injected foam
- 75 Ohm
- Tested to 3 GHz
- UL
- CM Rating



RGB-3



RGB-5




RGB-6

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
RGB-3	3 COND / MINI RG59/U 25 GA SOLID BARE COPPER - BLACK	11.0	40/18.2	500' Spool
RGB-5	5 COND / MINI RG59/U 25 GA SOLID BARE COPPER - BLACK	13.0	31/13.9	250' Spool
RGB-6	5 COND / MINI RG59/U 25 GA SOLID BARE COPPER + 1x CAT5E 350 MHz - BLACK	16.0	37/16.6	250' Spool

3 GHz Digital Coax Cable

DESIGN FOR HDTV APPLICATIONS

- Conductor: Solid Bare Copper
- Gas injected foam dielectric
- 100% aluminum foil tape
- 95% tinned copper braid
- 75 Ohm
- Sweep-tested to 3.0 GHz



Transparent Jacket

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
RG59/UDC-XX	RG59/U 20 GA 3.0 GHZ DIGITAL COAX - BLUE, GREEN, RED, WHITE, YELLOW	6.1	18/8	500' Box
RG6/UDC-XX	RG6/U 18 GA 3.0 GHZ DIGITAL COAX - BLUE, GREEN, RED, WHITE, YELLOW	6.7	23/10.2	500' Box

Low Smoke Zero Halogen

Low Smoke Zero Halogen - FOR EU MARKETS
Available in US - Call for lead time

Cat 5e - Low Smoke Zero Halogen

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
CAT5E-LSZH-BL	CAT 5E 350 MHZ, 24 AWG, LSZH - BLUE	4.8	19/8.64	1000' Box
CAT5E-LSZH-WT	CAT 5E 350 MHZ, 24 AWG, LSZH - WHITE	4.8	19/8.64	1000' Box
CAT5E-LSZH-YL	CAT 5E 350 MHZ, 24 AWG, LSZH - YELLOW	4.8	19/8.64	1000' Box

Cat 6 - Low Smoke Zero Halogen

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
CAT6-LSZH-BL	CAT 6E 550 MHz, 23 AWG, LSZH - BLUE	6.2	19/8.64	1000' Box
CAT6-LSZH-WT	CAT 6E 550 MHz, 23 AWG, LSZH - WHITE	6.2	19/8.64	1000' Box

Speaker Cables - Low Smoke Zero Halogen

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
16/20FC-LSZH	2 COND/ 16GA 65 STRAND, OXYGEN FREE, LSZH - WHITE	6.3	15/6.8	500' Box
16/40FC-LSZH	4 COND/ 16GA 65 STRAND, OXYGEN FREE, LSZH - WHITE	7.0	22/10	500' Box
14/20FC-LSZH	2 COND/ 14GA 105 STRAND, OXYGEN FREE, LSZH - WHITE	7.2	23/10.7	500' Box
14/40FC-LSZH	4 COND/ 14GA 105 STRAND, OXYGEN FREE, LSZH - WHITE	8.2	39/17.5	500' Box

Crestron* Compatible Cables - Low Smoke Zero Halogen

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
CREST-1-LSZH	DATA=22/2C BC STRANDED SHLD W/DRAIN + PWR=18/2C BC STRANDED PVC LSZH - GRAY	6.0	37/16.6	1000' Spool
CREST-2-LSZH	CREST-1 + 1x CAT 5E 350 MHz, 24 AWG, LSZH - GRAY	8.0	36/16.2	500' Spool
CREST-3-LSZH	CREST-1 + 2x CAT 5E 350 MHz, 24 AWG, LSZH - GRAY	13.0	66/29.8	500' Spool
CREST-4-LSZH	CREST-1 + 4x CAT 5E 350 MHz, 24 AWG, LSZH - GRAY	17.2	101/46	500' Spool
CREST-5-LSZH	CREST-1 + 2x CAT 5E 350 MHz, 24 AWG + 2x RG6/U QUADSHIELD-LSZH - GRAY	20.0	77/35	500' Spool
CREST-DM-LSZH	1x CAT6 SHIELDED + 1X CAT5E UTP + CREST-1, LSZH - GRAY	14.73	79/36	500' Spool

* Crestron® is a registered trademark of Crestron Electronics, Inc.



Most of our products are ROHS compliant

USA
Toll Free

866-470-5742

Intl Direct: +1(954)327-5770 • Email: sales@scpcat5e.com

Manufacturer & Supplier of Low
Voltage Wire, Cable & Accessories




Security

Security Cable Coil Packs


- 22/2 & 22/4 in Solid and Stranded Bare Copper
- CMR/ CL2R
- Easy to strip
- UL approved

Available Colors: White, Blue, Green, Orange, Brown, Beige, Yellow and Black



SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
22/2COIL-XX	2 COND/22 GA. STRANDED COIL PACK	3.0	4/1.8	500' Coil Pk
22/2COIL-WT-1000	2 COND/22 GA. STRANDED COIL PACK	3.0	10/4.3	1000' Coil Pk
22/2-SOL-COIL-XX	2 COND/22 GA. SOLID COIL PACK	2.7	4/1.8	500' Coil Pk
22/2-SOL-COIL-XX-1000	2 COND/22 GA. SOLID COIL PACK	2.7	7/3.0	1000' Coil Pk
22/4SOL-COIL-XX	4 COND/22 GA. SOLID COIL PACK	3.1	12/5.5	500' Coil Pk
22/4COIL-XX	4 COND/22 GA. STRANDED COIL PACK	3.4	7/3.0	500' Coil Pk
22/4COIL-XX-1000	4 COND/22 GA. STRANDED COIL PACK	3.4	16/7.1	1000' Coil Pk

Security Cable PVC



PRODUCT DESCRIPTION

- Conductor: Bare Copper
- 300 V operation
- Rated Temperature 60°
- Polypropylene or PVC insulation
- Cable construction
- PVC w/sun resistance, ripcord and sequential footage marking
- Applications include: Power limited circuit and communication cable for riser or non-riser applications. Remote control, signaling, security systems, communications, intercom P.A. systems, sound/audio and nurse call.

APPROVALS

- UL Type CMR/ CL2R/ CL3R, CMP, MMP, CL3P
- NEC Article 725, 800
- CUL Type CMG/ FT4

22/2 Available Colors: White, Gray, Blue, Green, Orange, Brown, Beige, Yellow and Black

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
22/2SOL-WT	2C/22 GA SOLID PVC - WHITE	2.7	9/4.1	1000' Box
22/4SOL-WT-500	4C/22 GA SOLID PVC - WHITE	3.1	7/3.0	500' Box
22/4SOL-WT	4C/22 GA SOLID PVC - WHITE	3.1	13/5.9	1000' Box
22/2-XX	2C/22 GA STRANDED PVC - WT, GY, BL, GN, OR, BR, BG, YL, BK	3.0	11/5.0	1000' Box
22/2-ZIP-WT	2C 22 GA STRANDED ZIP CABLE - WHITE	3.0	9/4.1	1000' Box
22/4-WT-500	4C/22 GA STRANDED PVC - WHITE	3.4	8/3.6	500' Box
22/4-XX	4C/22 GA STRANDED PVC - WHITE, GRAY	3.4	15/6.8	1000' Box
22/6-GY	6C/22 GA STRANDED PVC - GRAY	4.3	24/11	1000' Box
22/8-GY	8C/22 GA STRANDED PVC - GRAY	4.7	31/14.1	1000' Box
22/12-GY-500	12C/22 GA STRANDED PVC - GRAY	6.2	47/21.4	500' Box
18/2-WT	2C/18 GA STRANDED PVC - WHITE	4.2	21/9.6	1000' Box
18/2-WT-500	2C/18 GA STRANDED PVC - WHITE	4.2	10/4.6	500' Box
18/4-GY	4C/18 GA STRANDED PVC - GRAY	5.1	35/15.9	1000' Box
18/4-GY-500	4C/18 GA STRANDED PVC - GRAY	5.1	18/8.2	500' Box
18/6-GY	6C/18 GA STRANDED PVC - GRAY	6.2	47/21.4	1000' Box
16/2-GY	2C/16 GA STRANDED PVC - GRAY	5.1	26/11.8	1000' Box
14/2-GY	2C/14 GA STRANDED PVC - GRAY	6.4	24/10.7	500' Box
12/2-GY	2C/12 GA STRANDED PVC - GRAY	8.0	33/15.1	500' Box

Security

Security Cable - Shielded - PVC

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
22/2SH	2C/22 GA STRANDED SHLD PVC - GRAY	3.4	11/5.0	1000' Box
22/4SH	4C/22 GA STRANDED SHLD PVC - GRAY	3.8	21/9.4	1000' Box
22/4SH-500	4C/22 GA STRANDED SHLD PVC - GRAY	3.8	11/5.1	500' Box
22/6SH	6C/22 GA STRANDED SHLD PVC - GRAY	5.0	29/13.2	1000' Box
22/8SH	8C/22 GA STRANDED SHLD PVC - GRAY	5.2	35/15.9	1000' Box
18/2SH	2C/18 GA STRANDED SHLD PVC - GRAY	4.6	24/10.9	1000' Box
18/4SH	4C/18 GA STRANDED SHLD PVC - GRAY	5.5	39/17.5	1000' Box
18/4SH-500	4C/18 GA STRANDED SHLD PVC - GRAY	5.5	20/9.2	500' Box
18/6SH	6C/18 GA STRANDED SHLD PVC - GRAY	6.5	55/25	1000' Spool
18/6-SH-500	6C/18 GA STRANDED SHLD PVC - GRAY	6.5	28/12.7	500' Box
18/8SH	8C/18 GA STRANDED SHLD PVC - GRAY	7.0	36/16.4	1000' Spool
16/2SH	2C/16 GA STRANDED SHLD PVC - GRAY	5.2	32/14.7	1000' Box
14/2SH	2C/14 GA STRANDED SHLD PVC - GRAY	6.4	46/21	1000' Spool
14/4SH	4C/14 GA STRANDED SHLD PVC - GRAY	8.0	90/46	1000' Spool

Security Cable - Plenum



SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
22/2P	2C/22 GA STRANDED PLENUM - WHITE	3.0	9/4.1	1000' Box
22/4P	4C/22 GA STRANDED PLENUM - WHITE	3.1	13/5.9	1000' Box
22/4P-500	4C/22 GA STRANDED PLENUM - WHITE	3.1	9/4.1	500' Box
22/6P	6C/22 GA STRANDED PLENUM - WHITE	4.3	24/10.9	1000' Box
22/8P	8C/22 GA STRANDED PLENUM - WHITE	4.7	28/12.7	1000' Box
18/2P	2C/18 GA STRANDED PLENUM - WHITE	4.3	18/8.2	1000' Box
18/2P-500	2C/18 GA STRANDED PLENUM - WHITE	4.3	10/4.6	500' Box
18/4P	4C/18 GA STRANDED PLENUM - WHITE	5.1	35/15.9	1000' Box
18/4P-500	4C/18 GA STRANDED PLENUM - WHITE	5.1	18/8.2	500' Box
18/6P	6C/18 GA STRANDED PLENUM - WHITE	6.2	47/21.4	1000' Box
16/2P	2C/16 GA STRANDED PLENUM - WHITE	4.6	26/11.8	1000' Box
16/4P	4C/16 GA STRANDED PLENUM - WHITE	5.6	49/22.3	1000' Spool
14/2P	2C/14 GA STRANDED PLENUM - WHITE	5.8	38/17.3	1000' Spool
14/4P	4C/14 GA STRANDED PLENUM - WHITE	7.0	71/32.3	1000' Spool
12/2P	2C/12 GA STRANDED PLENUM - WHITE	7.0	33/15.1	1000' Spool

Security

Security Cable - Plenum - Shielded

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
22/2SHP	2C/22 GA STRANDED SHLD PLENUM - WHITE	3.4	11/5.0	1000' Box
22/4SHP	4C/22 GA STRANDED SHLD PLENUM - WHITE	3.8	21/9.4	1000' Box
22/6SHP	6C/22 GA STRANDED SHLD PLENUM - WHITE	5.0	29/13.2	1000' Box
22/8SHP	8C/22 GA STRANDED SHLD PLENUM - WHITE	5.2	35/15.9	1000' Box
18/2SHP	2C/18 GA STRANDED SHLD PLENUM - WHITE	4.6	24/10.9	1000' Box
18/4SHP	4C/18 GA STRANDED SHLD PLENUM - WHITE	5.5	39/17.5	1000' Spool
18/6SHP-SPL	6C/18 GA STRANDED SHLD PLENUM - WHITE	6.5	55/25	1000' Spool
18/6SHP-500	6C/18 GA STRANDED SHLD PLENUM - WHITE	6.5	28/12.7	500' Box
16/2SHP	2C/16 GA STRANDED SHLD PLENUM - WHITE	5.2	32/14.7	1000' Box
14/2SHP	2C/14 GA STRANDED SHLD PLENUM - WHITE	6.4	46/21	1000' Spool

Access Control Security Cable



SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
ACC-1	2C/22 GA STRD+4C/22 GA STRD+6C/22 GA STRD SHLD+4C/18GA STD (BUNDLED) - GRAY	12.5	54/24.7	500' Spool
ACC-2	CAT5E 2 PAIR+ 2C/16 GA STRANDED BUNDLED - WHITE	10.8	68/30.9	1000' Spool

Structured Wiring


SCP Home Networking Cables




HNC-1




HNC-2



HNC-3



HNC-4



HNC-5



HNC-6



HNC-8



HNC-9



HNC-10




HNC-11

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
HNC-1-BL	1x CAT 5E 350 MHz, 24 AWG + 1x RG6/U QUAD SHIELD (SIAMESE) - BLUE	12.4	30/13.7	500' Spool
HNC-1-WT	1x CAT 5E 350 MHz, 24 AWG + 1x RG6/U QUAD SHIELD (SIAMESE) - WHITE	12.4	30/13.7	500' Spool
HNC-1-OR	1x CAT 5E 350 MHz, 24 AWG + 1x RG6/U QUAD SHIELD (SIAMESE) - ORANGE	12.4	30/13.7	500' Spool
HNC-1-1000-BL	CAT 5E 350 MHz, 24 AWG + RG6/U QUAD SHIELD SIAMESE - BLUE	12.4	57/25.7	1000' Spool
HNC-1-1000-OR	CAT 5E 350 MHz, 24 AWG + RG6/U QUAD SHIELD SIAMESE - ORANGE	12.4	57/25.7	1000' Spool
HNC-2	2x CAT 5E 350MHz, 24 AWG + 2x RG6/U QUAD SHIELD (BUNDLED) - BLUE	17	79/35.8	500' Spool
HNC-2-BC	2x CAT 5E 350MHz, 24 AWG + 2x RG6/U QUAD SHIELD BARE COPPER - BLUE	16.5	81/37	500' Spool
HNC-3	2x CAT 5E 350MHz, 24 AWG + 2x RG6/U QUAD SHLD + 2x MULTIMODE FIBER (BUNDLED)- PURPLE	17.4	85/38.7	500' Spool
HNC-4	1x CAT 5E 350 MHz, 24 AWG + 1x 4C/16 GA. 65 STRAND SPEAKER CABLE (SIAMESE) - PURPLE	13.2 X 7	43/19.6	500' Spool
HNC-5	1x CAT 5E 350 MHz, 24 AWG + 2x RG6/U QUAD SHIELD (TRIAMESE) - GRAY	5.5 X 15.2	49/22.1	500' Spool
HNC-6	2x CAT 5E 350 MHz, 24 AWG + 1x RG6/U QUAD SHIELD (TRIAMESE) - BLUE	7.3 X 18.6	40/18.2	500' Spool
HNC-8	2x CAT 6 550 MHz, 23 AWG + 2x RG6/U QUAD SHIELD (BUNDLED) - BLUE	17.5	88/40	500' Spool
HNC-9	2x CAT 6 550 MHz, 2x RG6/U QUAD SHIELD + 1 CAT5E - BLUE*	19.5	112/50	500' Spool
HNC-10	4x CAT5E 350 MHz (BUNDLED) - BLACK OR BLUE	5.2	92/ 41	500' Spool
HNC-11	4x CAT 6 550 MHz (BUNDLED) - BLACK*	6.2	92/41	500' Spool

* HNC 9 & HNC-11 available in EU Warehouse Only

Thermostat

Thermostat Cable PVC



- **UL Type CL2 - Conductor:** Soft Drawn Bare Solid Copper -
- **Insulation:** Semi-Rigid PVC - **PVC Overall Jacket:** Brown
- **Industry Standards:** Meets UL Subject 13 per article 725 of the 1990 National Electric Code (NEC) for power limited circuit cable/ Sun Resistant, Riser Rated
- **Packaging:** All 2-3 Conductors are 4x500'/case or 1x500' Coil Pak
All 4-12 Conductors are 4x250'/Case or 1x250' /Coil-Pak

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
18/2T	18/2 THERMOSTAT CABLE - PVC 500FT SP	3.5	8/3.4	500' Spool
18/3T	18/3 THERMOSTAT CABLE - PVC 500FT SP	3.7	11/4.8	500' Spool
18/4T	18/4 THERMOSTAT CABLE - PVC 250FT SP	4.0	7/3.1	250' Spool
18/5T	18/5 THERMOSTAT CABLE - PVC 250FT SP	4.4	9/3.8	250' Spool
18/6T	18/6 THERMOSTAT CABLE - PVC 250FT SP	4.6	10/4.6	250' Spool
18/7T	18/7 THERMOSTAT CABLE - PVC 250FT SP	4.8	11/5	250' Spool
18/8T	18/8 THERMOSTAT CABLE - PVC 250FT SP	5.2	13/5.8	250' Spool
18/9T	18/9 THERMOSTAT CABLE - PVC 250FT SP	5.6	14/6.3	250' Spool
18/10T	18/10 THERMOSTAT CABLE - PVC 250FT SP	5.8	16/7.2	250' Spool
18/12T	18/12 THERMOSTAT CABLE - PVC 250FT SP	6.2	19/8.6	250' Spool
20/2T	20/2 THERMOSTAT CABLE - PVC 500FT SP	2.9	6/2.5	500' Spool
20/3T	20/3 THERMOSTAT CABLE - PVC 500FT SP	3.1	7.5/3.4	500' Spool
20/4T	20/4 THERMOSTAT CABLE - PVC 250FT SP	3.4	5/2.3	250' Spool
20/5T	20/5 THERMOSTAT CABLE - PVC 250FT SP	3.8	5/2.3	250' Spool
20/6T	20/6 THERMOSTAT CABLE - PVC 250FT SP	4.0	7/3.1	250' Spool
20/7T	20/7 THERMOSTAT CABLE - PVC 250FT SP	4.1	8/3.4	250' Spool
20/8T	20/8 THERMOSTAT CABLE - PVC 250FT SP	4.4	9/3.8	250' Spool
20/9T	20/9 THERMOSTAT CABLE - PVC 250FT SP	4.8	10/4.6	250' Spool
20/10T	20/10 THERMOSTAT CABLE - PVC 250FT SP	4.9	11/5	250' Spool
20/12T	20/12 THERMOSTAT CABLE - PVC 250FT SP	5.2	13/5.8	250' Spool

Thermostat Cable Plenum

SCP PART #	DESCRIPTION	OVERALL DIA. (MM)	WEIGHT (LBS./KG.)	PKG
18/2TP	18/2 THERMOSTAT CABLE - PLENUM 500FT SP	3.5	8/3.4	500' Spool
18/3TP	18/3 THERMOSTAT CABLE - PLENUM 500FT SP	3.7	11/4.8	500' Spool
18/4TP	18/4 THERMOSTAT CABLE - PLENUM 250FT SP	4.0	7/3.1	250' Spool
18/5TP	18/5 THERMOSTAT CABLE - PLENUM 250FT SP	4.4	9/3.8	250' Spool
18/6TP	18/6 THERMOSTAT CABLE - PLENUM 250FT SP	4.6	10/4.6	250' Spool
18/7TP	18/7 THERMOSTAT CABLE - PLENUM 250FT SP	4.8	11/5	250' Spool
18/8TP	18/8 THERMOSTAT CABLE - PLENUM 250FT SP	5.2	13/5.8	250' Spool
18/9TP	18/9 THERMOSTAT CABLE - PLENUM 250FT SP	5.6	14/6.3	250' Spool
18/10TP	18/10 THERMOSTAT CABLE - PLENUM 250FT SP	5.8	16/7.2	250' Spool
18/12TP	18/12 THERMOSTAT CABLE - PLENUM 250FT SP	6.2	19/8.6	250' Spool
20/2TP	20/2 THERMOSTAT CABLE - PLENUM 500FT SP	2.9	6/2.5	500' Spool
20/3TP	20/3 THERMOSTAT CABLE - PLENUM 500FT SP	3.1	7.5/3.4	500' Spool
20/4TP	20/4 THERMOSTAT CABLE - PLENUM 250FT SP	3.4	5/2.3	250' Spool
20/5TP	20/5 THERMOSTAT CABLE - PLENUM 250FT SP	3.8	5/2.3	250' Spool
20/6TP	20/6 THERMOSTAT CABLE - PLENUM 250FT SP	4.0	7/3.1	250' Spool
20/7TP	20/7 THERMOSTAT CABLE - PLENUM 250FT SP	4.1	8/3.4	250' Spool
20/8TP	20/8 THERMOSTAT CABLE - PLENUM 250FT SP	4.4	9/3.8	250' Spool
20/9TP	20/9 THERMOSTAT CABLE - PLENUM 250FT SP	4.8	10/4.6	250' Spool
20/10TP	20/10 THERMOSTAT CABLE - PLENUM 250FT SP	4.9	11/5	250' Spool
20/12TP	20/12 THERMOSTAT CABLE - PLENUM 250FT SP	5.2	13/5.8	250' Spool

Audio & Video

RCA Cables



3 RCA Plugs to 3 RCA Plugs



2 RCA Plugs to 2 RCA Plugs

- Gold Plated
- Aluminum Housing
- Oxygen Free Copper Cable

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
942-3	3 FT. 2 RCA TO 2 RCA CABLES	.27/.12	1 EA/BAG
942-6	6 FT. 2 RCA TO 2 RCA CABLES	.7/.32	1 EA/BAG
942-10	10 FT. 2 RCA TO 2 RCA CABLES	1/.45	1 EA/BAG
942-15	15 FT. 2 RCA TO 2 RCA CABLES	1/.45	1 EA/BAG
942-25	25 FT. 2 RCA TO 2 RCA CABLES	1.7/.76	1 EA/BAG
943-3	3 FT. 3 RCA TO 3 RCA CABLES	.37/.17	1 EA/BAG
943-6	6 FT. 3 RCA TO 3 RCA CABLES	.65/.3	1 EA/BAG
943-10	10 FT. 3 RCA TO 3 RCA CABLES	1/.45	1 EA/BAG
943-15	15 FT. 3 RCA TO 3 RCA CABLES	1.45/.65	1 EA/BAG
943-25	25 FT. 3 RCA TO 3 RCA CABLES	2.35/1.07	1 EA/BAG

Banana Plugs

- Gold Plated
- Solderless Connectors
- Stackable



SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
928-R	BANANA PLUG - GOLD PLATED - RED	.41/.19	10 EA/BAG
928-B	BANANA PLUG - GOLD PLATED - BLACK	.41/.19	10 EA/BAG

Audio & Video

In-line Surge Protector

NEW PRODUCT

A MUST FOR ANY LCD, LED, PLASMA



PATENTED PRODUCT

- **UL Rating:** UL 1449 Revision 3
- **Line Voltage:** 120 VAC, 50/60 Hz
- **Maximum current load capacity:** 10 amps
- **Protection Mode:** 3 way: line to ground, line to neutral, neutral to ground
- **Thermal fusing(3):** Yes
- **Power dissipation:** 1575 joules
- **Peak impulse current:** 60,000 amps
- **Catastrophic surge circuit:** Yes
- **Warranty:** 90 day warranty against manufacturer's defects

Voltage spikes can destroy your most expensive electronics in seconds. Structured Cable Products' Surge Protector can ensure the safety of your valuable electronic devices. Proven time and again the best advice most commonly given is to install surge protection on your electronic devices.

SCP's ILS-200 In-Line Surge Protector is designed to plug behind any LCD/LED/ Plasma TV or a standard wall receptacle. It has a right angle male plug with an in line surge suppression and RFI reducer. This allow the TV and wall mount to have a lower profile and fit close to the wall without plug and cord protecting into space between outlet and TV.

It shields your equipment from lightning, utility company surges and fluctuations from in-home spikes and surges caused by drills, fans, saws, HVAC units, etc. It has one of the highest joule protection ratings in its class.

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
ILS-200	IN LINE SURGE PROTECTOR	.5/.23	1 EA/BAG

Power Adapter Cord

SCP's **Power Adapter Cord (PAC-1)** is a special Power Adapter Cord for the SCP's ILS-200 In-line Surge Protector. The purpose of the PAC-1 is to allow the ILS-200 In-line Surge Protector to be used on Slim Line TV's and other female 3-Prong plugs that do not have a removable power cord. You can also use it to take advantage of the unused IEC outlets on the back of some PC's to power printers, monitors and other 120V devices.



Male IEC Plug

Female 3 Prong Plug

NEW PRODUCT

SCP PART #	DESCRIPTION	PKG
PAC-1	POWER ADAPTER CORD FOR ILS-200	1 EA/BAG



Manufacturer & Supplier of Low
Voltage Wire, Cable & Accessories

USA
Toll Free

866-470-5742

Intl Direct: +1(954)327-5770 • Email: sales@scpcat5e.com



Most of our products are ROHS compliant

Connectors/ Adapters

Compression Connectors

SCP's line of compression connectors offer superior quality combined with ease of termination and installation

RCA Compression Connectors



SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
920-59	RCA COMPRESSION CONNECTOR GOLD RG59/U	.3/.14	10 EA/BAG
921-6	RCA COMPRESSION CONNECTOR GOLD RG6/U	.3/.14	10 EA/BAG
922-6Q	RCA COMPRESSION CONNECTOR GOLD RG6/UQ	.3/.14	10 EA/BAG

BNC Compression Connectors



SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
923-59	BNC COMPRESSION CONNECTOR GOLD RG59/U	.3/.14	10 EA/BAG
924-6	BNC COMPRESSION CONNECTOR GOLD RG6/U	.3/.14	10 EA/BAG
925-6Q	BNC COMPRESSION CONNECTOR GOLD RG6/UQ	.3/.14	10 EA/BAG

F Type Compression Connectors



SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
908	F COMPRESSION CONN FOR RG6/U QUAD	1.5/.68	100 EA/BAG
909	F COMPRESSION CONN FOR RG6/U	2/.91	100 EA/BAG
950	F COMPRESSION CONN FOR RG59/U	2/.91	100 EA/BAG

RGB Mini Compression Connectors



SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
926	RCA COMPRESSION CONNECTOR GOLD RGB-MINI 25 GA	.34/.15	10 EA/BAG
927	BNC COMPRESSION CONNECTOR GOLD RGB-MINI 25 GA	.34/.15	10 EA/BAG



* Each compression connector comes with six different colored bands (red, white, yellow, blue, black) for the installer to choose from.

Connectors/ Adapters

Connector & Adapters

SCP's line of compression connectors offer superior quality combined with ease of termination and installation

F Connectors



SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
901	F-56 CONNECTOR W/ ATTACHED 1/2" CRIMP RING FOR RG6/U	1.3/.57	100 EA/BAG
902	F-56 CONNECTOR W/ATTACHED 1/2" CRIMP RING FOR QUAD SHIELD	1.3/.57	100 EA/BAG

BNC Connectors



904



905



907

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
904	BNC 2 PIECE MALE CRIMP CONNECTOR FOR RG6/59	2.2/1	10 EA/ BAG 100
904A	BNC 2 PIECE MALE CRIMP CONNECTOR FOR RG6/U	2.2/1	10 EA/ BAG 100
904B	BNC MALE 2 PIECE CRIMP CONNECTOR FOR RG6/U PLENUM	1.1/.5	10 EA/ BAG 100
905	FEMALE 2 PIECE BNC CRIMP CONNECTOR FOR RG59/U	1.7/.75	10 EA/ BAG 100
906	3 PIECE BNC MALE CRIMP CONNECTOR FOR RG59/U	2.3/1.1	10 EA/ BAG 100
907	BNC TWIST ON FOR RG59/U	3/1.35	10 EA/ BAG 100
907A	BNC TWIST ON FOR RG6/U	2.3/1.1	50 EA/ BAG
907B	BNC FEMALE TWIST ON FOR RG6	1.4/.64	50 EA/ BAG
908A	BNC MALE 2 PIECE CRIMP FOR RG59/U PLENUM	1.1/.5	10 EA/ BAG 100



911



914



914B



915



916



917B



918



929



930



999

BNC, RCA, F Adapters Connectors

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
911	BNC FEMALE TO RCA MALE	1.7/.75	10 EA/ BAG 100
914	F FEMALE TO RCA MALE	1.5/.68	10 EA/ BAG 100
914B	F FEMALE TO BNC MALE	1.5/.68	10 EA/ BAG 100
915	RCA FEMALE TO F MALE	2/.91	10 EA/ BAG 100
916	BNC MALE TO RCA FEMALE	2.3/1.1	10 EA/ BAG 100
917	F FEMALE TO F FEMALE ADAPTOR	1.3/.6	10 EA/ BAG 100
917B	BNC FEMALE TO BNC FEMALE	1.5/.68	10 EA/ BAG 100
918	RCA FEMALE TO RCA FEMALE ADAPTOR	1.3/.6	10 EA/ BAG 100
929	BNC RIGHT ANGLE MALE TO FEMALE	2/.91	10 EA/ BAG 50
930	BNC T ADAPTER FEMALE TO DOUBLE FEMALE	2.4/1.1	10 EA/ BAG 50
999	BNC T ADAPTER MALE TO DOUBLE FEMALE	1.5/.68	10 EA/ BAG 100

We make heads turn...

HIGH SPEED HDMI® CABLES WITH ETHERNET

- HDMI Ethernet Channel
- Audio Return Channel
- 3D
- 4K
- Content Type - Automatic selection of viewing mode based on content type
- Deep Color, x.v. Color, Dolby True HD, and DTS-HD Master Audio
- 480i, 480p, 720p, 1080i, 1080p, up to 2160p
- HDCP Compliant
- Unparalleled Video/Audio Performance
- CL3- In Wall Rated
- Backwards Compatible with all previous versions of HDMI



PART# 944E



SWIVEL HEAD SERIES
PART# 947E

SCP Complete Line of HDMI Products

HDMI MATRIX SWITCHERS



Part 121

HDMI EXTENDERS



WALLPLATES & ACCESSORIES



HDMI™



Most of our products are ROHS compliant

USA
Toll Free

866-470-5742

Intl Direct: +1(954)327-5770 • Email: sales@scpcat5e.com

Manufacturer & Supplier of Low
Voltage Wire, Cable & Accessories



HDMI Cables

High Speed HDMI® Cables with Ethernet

NEW PRODUCT



- HDMI Ethernet Channel
- Audio Return Channel
- 3D
- 4K
- Content Type - Automatic selection of viewing mode based on content type
- Deep Color, x.v. Color, Dolby True HD, and DTS-HD Master Audio
- 480i, 480p, 720p, 1080i, 1080p, up to 2160p
- HDCP Compliant
- Transfer Digital Audio and Video signals at fast speeds up to 10.2 Gigabytes per second
- Unparalleled Video/Audio Performance
- CL3- In Wall Rated

HDMI™
HIGH SPEED
with ETHERNET

BACKWARDS COMPATIBLE WITH
ALL PREVIOUS VERSIONS OF HDMI


3D READY

HDMI™
HIGH DEFINITION MULTIMEDIA INTERFACE

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
944E-3	HIGH SPEED HDMI CABLE WITH ETHERNET - CL3 IN WALL RATED - 3 FT.	.45/.2	1 EA/BAG
944E-6	HIGH SPEED HDMI CABLE WITH ETHERNET - CL3 IN WALL RATED - 6 FT.	.6/.25	1 EA/BAG
944E-10	HIGH SPEED HDMI CABLE WITH ETHERNET - CL3 IN WALL RATED - 10 FT.	.4/.17	1 EA/BAG
944E-15	HIGH SPEED HDMI CABLE WITH ETHERNET - CL3 IN WALL RATED - 15 FT.	1/.45	1 EA/BAG
944E-25	HIGH SPEED HDMI CABLE WITH ETHERNET - CL3 IN WALL RATED - 25 FT.	1.3/.59	1 EA/BOX
944E-30	HIGH SPEED HDMI CABLE WITH ETHERNET - CL3 IN WALL RATED - 30 FT.	2.8/1.3	1 EA/BOX
944E-50	HIGH SPEED HDMI CABLE WITH ETHERNET - CL3 IN WALL RATED - 50 FT.	4.8/2.2	1 EA/BOX

High Speed HDMI® Cable with Ethernet - Swivel Head Series

NEW PRODUCT



- HDMI Ethernet Channel
- Audio Return Channel
- 3D
- 4K
- Content Type - Automatic selection of viewing mode based on content type
- Deep Color, x.v. Color, Dolby True HD, and DTS-HD Master Audio
- 480i, 480p, 720p, 1080i, 1080p, up to 2160p
- HDCP Compliant
- Transfer Digital Audio and Video signals at fast speeds up to 10.2 Gigabytes per second
- Unparalleled Video/Audio Performance
- CL3- In Wall Rated

HDMI™
HIGH SPEED
with ETHERNET

BACKWARDS COMPATIBLE WITH
ALL PREVIOUS VERSIONS OF HDMI

3D READY

HDMI™
HIGH DEFINITION MULTIMEDIA INTERFACE

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
947E-3	SWIVEL HEAD HIGH SPEED HDMI CABLE WITH ETHERNET w/NYLON MESH JACKET - 3 FT	.2/.08	1 EA/BAG
947E-6	SWIVEL HEAD HIGH SPEED HDMI CABLE WITH ETHERNET w/NYLON MESH JACKET - 6 FT	.3/.14	1 EA/BAG
947E-10	SWIVEL HEAD HIGH SPEED HDMI CABLE WITH ETHERNET w/NYLON MESH JACKET - 10 FT	.45/.20	1 EA/BAG
947E-15	SWIVEL HEAD HIGH SPEED HDMI CABLE WITH ETHERNET w/NYLON MESH JACKET - 15 FT	.7/.30	1 EA/BAG



Manufacturer & Supplier of Low
Voltage Wire, Cable & Accessories

USA
Toll Free

866-470-5742

Intl Direct: +1(954)327-5770 • Email: sales@scpcat5e.com



Most of our products are ROHS compliant

HDMI Extenders

HDMI Extender Over Dual CAT5E/CAT 6

PART # 946



SCP's HDMI™ CAT 5e/CAT 6 Extender set uses CAT5e/ CAT6 cables as the transmission media. This enables easy HDMI™ installation over a long distance. The installer will also have the ability to customize the length by using this extender set. The system will auto adjust feedback, equalization and amplification. One pair is a full functional plug'n play module.

- HDMI® High Speed
- DTV/HDTV - 1080p, 1080i, 720p and other standard video formats
- HDCP Compliant
- Extends HDMI signal over two CAT5e/CAT6 Cables
- Transmission range up to 70m. at 1080i, 30m. at 1080p resolution
- Local and remotes included
- No power needed within 30m.
- High quality digital video and audio over CAT5E without any signal loss

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
946	HDMI EXTENDER SET OVER DUAL CAT5E / CAT 6	1.5/.68	1EA/BOX

HDMI Extender Over Single CAT5E/CAT 6

PART # 948



- HDMI High Speed
- DTV/HDTV - 1080p, 1080i, 720p and other standard video formats
- HDCP Compliant
- Extends HDMI signal over a single Cat5e/CAT6 Cable
- Transmission distance 50m.
- Able to be cascaded

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
948	HDMI EXTENDER SET OVER SINGLE CAT5E/CAT 6	1.9/.86	1EA/BOX

HDMI Extenders

Wall Plate HDMI & IR CAT5E Extender

NEW PRODUCT



SCP's 954 Wall Plate HDMI & IR Cat5e Extender is designed to use two CAT5e cables to extend HDTV sources from DVD players, Blu-Ray Disc players, etc. Includes extra IR repeater function for easy and friendly control of HDMI sources from a remote site.

- **HDMI® High Speed**
- **DTV/HDTV - 1080p, 1080i, 720p and other standard video formats**
- **HDCP Compliant**
- **Extends HDMI and IR signal over two CAT5e/ Cat6 cables**
- **Transmission range up to 100 meters**
- **Built in auto EQ function. No adjustment needed for different range**
- **Built in IR repeater function can control the source devices from remote site.**
- **Receiver unit power can be sent from PCB inside 5V terminal or external 5V DC Jack**
- **Package includes: transmitter and receiver unit, one external power adapter, IR emitter cable and IR receiver cable**

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
954	WALL PLATE HDMI & IR CAT5E EXTENDER	.5/.2	1EA/BOX


In-Wall Passive Audio/Video Balun Wall Plate

NEW PRODUCT



SCP's In-Wall Passive Audio/Video Balun and IR control uses two Cat 5e / Cat 6 cables as transmission mode. This enables easy Component Video, Digital Audio, Analog Audio and IR control over a long distance. The passive design simplifies installation and is the ideal choice for a variety of installations. One pair of baluns is a fully functional plug'n play set.

- **Transmission: Up to 1000 feet with 480i / 500 feet with 1080i or 1080p signals and digital audio.**
- **IR Port - Supports an IR sensor (3 wired) or emitter (2 wires) via 3.5mm (1/8) jack.**
- **Simple connections on the rear support tool-less wiring or typical punch-down tools.**
- **Unit can be used as Component Video with Digital Audio on only one CAT 5e/Cat 6 cable.**
- **Gold plated RCA input connectors.**
- **Fits in standard single-gang junction box.**
- **White and Light Almond plates included.**



SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
132	IN-WALL PASSIVE AUDIO/VIDEO BALUN WALL PLATE	.5/.2	1EA/BOX

HDMI Splitters/Switchers

HDMI Splitter /Distribution Hub



945-2



945-4

SCP's 945-2 is a two output HDMI Splitter (Asynchronous method). It distributes the HDMI input into two asynchronous outputs. These outputs are not synchronized. SCP's 945-4 is a four- way HDMI Splitter. It distributes the input HDMI signal to four identical HDMI Outputs.

- HDMI® High Speed
- DTV/ HDTV - 1080p, 1080i, 720p and other standard video formats
- HDCP Compliant
- Supports Dolby/ DTS-HD 7.1
- Plug and play - Installs in seconds

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
945-2	2X1 SPLITTER	2.5/1.2	1 EA/BOX
945-4	4X1 SPLITTER	2.5/1.2	1 EA/BOX

HDMI Switchers - 2x1 / 4x1 Switch



HS4

SCP's HDMI™ Switchers allow up to 2 & 4 HDMI™ sources to share one digital display. SCP's HDMI™ Switchers can switch different video sources with remote control and / or with a push button front. Perfect for home theater systems and easily connects to different digital video sources (DVD, A/V Receiver, Satellite, Etc.)

- HDMI® High Speed
- DTV/ HDTV - 1080i, 1080p, 720p and other standard video formats
- HDCP Compliant
- Low cost solution for home theater integration
- Plug and play, no software installation. Installs in seconds


HDMI™
HIGH-DEFINITION MULTIMEDIA INTERFACE

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
HS-2	2 X 1 SWITCH	2/9	1 EA/BOX
HS-4	4 X 1 SWITCH	2/9	1 EA/BOX

HDMI Switchers

4x4 HDMI Matrix Switcher

NEW PRODUCT



SCP's 949 is a 4-by-4 DVI/HDMI True Matrix. It allows any source (Blu-Ray player, HD DVD player, satellite receiver, game system, etc.) to be shown on any of the four displays simultaneously. Extra infrared receiver extension, IR emitter are supplied for the control. SCP's 949 has the ability of equalization and amplification to ensure HDMI signal's transmission through long cable without quality loss. It offers solutions for digital entertainment center, HDTV retail and show site, HDTV, STB, DVD and projector factory, noise, space and security concerns, data center control, information distribution, conference room presentation, school and corporate training environments.

- **HDMI® High Speed**
- **DTV/HDTV - 1080p, 1080i, 720p and other standard video formats**
- **HDCP compliant**
- **Easy to use: install in seconds, no setting required**
- **Allows up to four HDMI audio/video devices to be independently switched to four HDMI monitors, HDTVs, or projectors**
- **The four outputs could show the same or different source simultaneously**
- **Each port supports HDMI or DVI inputs**
- **With extra infrared receiver extension**

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
949	4x4 HDMI MATRIX SWITCHER	7/3.2	1EA/BOX


HDMI™
HIGH-DEFINITION MULTIMEDIA INTERFACE

HDMI Switchers

NEW PRODUCT

8x8 HDMI Matrix Switcher

PART # 952



SCP's 952 is an 8x8 DVI/HDMI True Matrix Switcher. It allows any of the eight sources (Blu Ray players, HD DVD Player, Satellite Receivers, Game Systems), to be routed to any of the eight displays simultaneously. The user can choose several different ways to control the matrix: By infrared extension receiver, RS232, RS485, LAN and supplied remote control. IR emitters in the matrix are for controlling the sources, the IR control signal could be from remote locations via STP/UTP type HDMI connection on the rear panel.

- **HDMI® High Speed**
- **DTV/ HDTV - 1080p, 1080i, 720p and other standard video formats**
- **HDCP compliant**
- **Allows up to eight HDMI audio/video devices to be independently switched to eight HDMI monitors, HDTVs, or projectors**
- **Outputs can show the same or different sources simultaneously**
- **Each output includes one HDMI A type connector and a set of dual RJ-45 connectors as the second mirrored HDMI output**
- **The two outputs work simultaneously. The UTP outputs supports both dual and single cat5e/cat6**
- **Reading and saving EDID function from displays**
- **Each port supports both HDMI and DVI inputs**
- **With extra infrared extension receiver**
- **Six switching modes: panel buttons, local IR, IR call back from remote locations, RS232, RS485 and Ethernet**
- **Eight IR emitters to control the HDMI sources**

AVAILABLE IN OUR EU WAREHOUSE ONLY

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
952	8x8 HDMI MATRIX SWITCHER	13.2/6	1 EA/BOX

HDMI™
 HIGH-DEFINITION MULTIMEDIA INTERFACE


Most of our products are ROHS compliant


USA
Toll Free**866-470-5742**

Intl Direct: +1(954)327-5770 • Email: sales@scpcat5e.com

Manufacturer & Supplier of Low
Voltage Wire, Cable & Accessories

Installation Accessories

Speaker Pre-Wire Installation Kit



Patented Product

The purpose of the EZ-Cap™ Pre-Wire Installation Kit is to allow easy access to the wiring for customers who wish to install speaker components sometime in the future while remaining inconspicuous when not in use.

Audio/video contractors, electrical contractors, or any low-voltage contractor pre-wiring new construction homes, townhouses, condominiums, track homes, apartment buildings and commercial buildings for speaker components will find the EZ-Cap™ Pre-Wire Installation Kit invaluable. It gives the low-voltage contractor the ability to pick a location to pre-wire for a speaker component and secure the wire in place. After the wallboard is installed, the contractor returns to install the flush mount cap over the wire outlet hole in the drywall. The cap gives a low-voltage contractor future access to the wire for easy installation of a speaker component. At the same time, the cap is small and unobtrusive. The EZ-Cap cover can be painted to blend into the wall or ceiling.

The EZ-Cap™ Pre-Wire Installation Kit can also be used in other pre-wire applications such as security systems, garage door motor control wire, or any device that requires low-voltage wire to penetrate the drywall of a structure.

A MUST FOR ANY PRE-WIRE SPEAKER INSTALLATION




Fig. 1.1




Fig. 1.2



Fig. 1.3



Fig. 1.4



24" Center Mark Break Point 16" Center Mark Bridge Wire Inlet Holes Wire Cavity





Fig. 2.1



Fig. 2.2



SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
EZ-CAP	EZ -CAP PRE WIRE INSTALLATION KIT - 20PK	9.2/4.2	20EA/BOX

Installation Accessories

Installation Accessories



B CONNECTORS



CABLE TIES

- Nylon construction
- UL recognized
- Available in Black or Natural color
- Made in the U.S.A.

CABLE CLIP



- For RG-6/U & RG6/U Quad
- Hard steel nail can be used on wood, brick & mortar
- Available in Black or White.



PART# 222



PART# 223



PART# 244



PART# 288

CATV SPLITTERS

- Tin plated zinc die-cast housings for perfect corrosion protection and grounding.
- Completely soldered back provides the highest possible RFI shielding more than 130 dB.
- High precision machine threaded F-ports.
- No DC power passing design.
- 1 GHz

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
B-CONN	B WIRE CONNECTORS NON GEL	2.6/1.2	1000 EA/BAG
B-CONN-G	B WIRE CONNECTORS GEL FILLED	2.7/1.3	1000 EA/BAG
CABLE TIES			
CT-8	8" CABLE TIES	.2/1	100 EA/BAG
CT-8-PL	8" CABLE TIES - PLENUM	.2/1	100 EA/BAG
CT-11	11" CABLE TIES	.4/2	100 EA/BAG
CT-15	15" CABLE TIES	.5/.23	100 EA/BAG
CABLE CLIPS			
900	CABLE CLIP - BLACK	.3/2	100 EA/BAG
900-W	CABLE CLIP - WHITE	.3/2	100 EA/BAG
CATV SPLITTERS			
222	2-WAY CATV SPLITTER, 1 GHz	.1/.05	1 EA/BAG
223	3-WAY CATV SPLITTER, 1 GHz	.14/.06	1 EA/BAG
244	4-WAY CATV SPLITTER, 1 GHz	.14/.06	1 EA/BAG
288	8-WAY CATV SPLITTER, 1 GHz	.4/2	1 EA/BAG

Patch Cords

CAT 5e Patch Cords



- Stranded
- UL
- Molded & Booted
- 50u gold RJ45 plugs
- Colors Available: Blue, Gray, White, Red, Orange, Yellow or Black.
Other colors available upon request.

XX= BLUE, GRAY, GREEN, RED, WHITE, YELLOW, BLACK

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
C5PC-1-XX	1 FT PATCH CORD CAT5E	.5/.23	1 EA/PK OF 10
C5PC-2-XX	2 FT PATCH CORD CAT5E	.7/.32	1 EA/PK OF 10
C5PC-3-XX	3 FT PATCH CORD CAT5E	.9/.41	1 EA/PK OF 10
C5PC-5-XX	5 FT PATCH CORD CAT 5E	1.3/.6	1 EA/PK OF 10
C5PC-7-XX	7 FT PATCH CORD CAT 5E	1.7/.8	1 EA/PK OF 10
C5PC-10-XX	10 FT PATCH CORD CAT 5E	2.5/1.2	1 EA/PK OF 10
C5PC-15-XX	15 FT PATCH CORD CAT 5E	3/1.4	1 EA/PK OF 10
C5PC-25-XX	25 FT PATCH CORD CAT 5E	5/2.3	1 EA/PK OF 10
C5PC-50-XX	50 FT PATCH CORD CAT 5E	1/.45	1 EA/BAG
C5PC-100-XX	100 FT PATCH CORD CAT 5E	2/.91	1 EA/BAG

CAT 6 Patch Cords

- Stranded
- UL
- Molded & Booted
- 50u gold RJ45 plugs
- Colors Available: Blue, Gray, Green, White, Yellow or Red
Other colors available upon request.



XX= BLUE, GRAY, GREEN, RED, WHITE, YELLOW, BLACK

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
C6PC-3-XX	3 FT PATCH CABLE CAT6	1/.45	1 EA/PK OF 10
C6PC-5-XX	5 FT PATCH CABLE CAT6	1.4/.64	1 EA/PK OF 10
C6PC-7-XX	7 FT PATCH CABLE CAT6	1.9/.86	1 EA/PK OF 10
C6PC-10-XX	10 FT PATCH CABLE CAT6	2.5/1.2	1 EA/PK OF 10
C6PC-14-XX	14 FT PATCH CABLE CAT6	3.4/1.6	1 EA/PK OF 10
C6PC-25-XX	25 FT PATCH CABLE CAT6	6.3/2.9	1 EA/PK OF 10

Patch Panels


CAT 5E & CAT6 Patch Panels



312




324



348



396



501




524

- UL
- Meets and exceeds ANSI/TIA/EIA 568A/B CAT 5 standards
- Metal sheets: Corrosion resistant steel for better magnetic field interference shielding as well, not only electric field shielding
- Contacts: All with phosphor bronze, modular jack spring with 50 micro-inch gold over 100 micro with nickel
- Writable and erasable marking surfaces for each port on the front panel
- Standard EIA 19" rack and cabinet mount
- 110 IDC contacts and RJ45 jack with 568B pinning
- Cable clips fixed for organizing running cable
- Exceeding current TIA/EIA CAT 5 specification to support 1000 Base-T and Gigabit Ethernet System Application
- Complying with TIA/EIA-568-B.2-1
- Available in both T568A and T568B universal wiring

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
CAT 5E & CAT6 PATCH PANELS			
312	CAT 5E - 12 PORT PATCH PANEL W/ BRACKET	.85/.4	1 EA/BOX
324	CAT 5E 24 PORT PATCH PANEL - 1.75" H x 19" W	1.6/.71	1 EA/BOX
348	CAT 5E 48 PORT PATCH PANEL - 3.5" H x 19" W	2.4/1.1	1 EA/BOX
396	CAT 5E 96 PORT PATCH PANEL - 7" H x 19" W	4.5/2.1	1 EA/BOX
312-6	CAT 6 - 12 PORT PATCH PANEL W/ BRACKET	.85/.4	1 EA/BOX
324-6	CAT 6 - 24 PORT PATCH PANEL	1.6/.74	1 EA/BOX
324-6-P	CAT 6 - 24 PORT PATCH PANEL PREMIUM	1.6/.74	1 EA/BOX
348-6	CAT 6- 48 PORT PATCH PANEL	2.4/1.1	1 EA/BOX
348-6-P	CAT 6- 48 PORT PATCH PANEL PREMIUM	2.4/1.1	1 EA/BOX
19 INCH HINGED WALL BRACKET - METAL			
524	WALL BRACKET FOR 324 - 1.75" H x 5.5" D	1.5/.68	1 EA/BOX
548	WALL BRACKET FOR 348 - 3.5" H x 5.5" D	3/1.4	1 EA/BOX
596	WALL BRACKET FOR 396 - 7" H x 5.5" D	4.5/2.1	1 EA/BOX
19 INCH CABLE ORGANIZER PANEL - METAL			
501	CABLE ORGANIZER - 1.75" H - 5 RINGS	1.3/.58	1 EA/BOX
502	CABLE ORGANIZER - 3.5" H - 5 RINGS	2.3/1.1	1 EA/BOX
503	CABLE ORGANIZER - 3.5" H x 3 RINGS, 24 NYLON CLIPS	2.2/1	1 EA/BOX

Security

Miniature Video Balun



VB-1 Miniature Video Balun for sending Video signals over unshielded twisted pair. The extremely compact size allows the VB-1 to fit anywhere that a BNC can fit. It is ideal for mounting directly on virtually all high-density DVR's without any additional cabling. It is designed with easy to use "self grabbing" clips to connect UTP cable.

- **Transmit a full motion B/W video signal: 600 m, Color Video signal: 400 m**
- **Passive, No Power Required**
- **Dimensions (W X H X D): 2 1/4" X 3/4" X 1/2"**

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
VB-1	MINIATURE VIDEO BALUN	.07/.03	1 EA/BOX

DSL Alarm Panel Filter -Z-Blocker



The Z-Blocker is a special purpose in-line filter designed to allow the successful operation and improve the performance of Asymmetric Digital Subscriber Line (ADSL) and Home Phone Network (HPN) services on lines connected to an Alarm Panel. This model filters the alarm panel and is compatible with RJ-31X through RJ-38X jacks (and equivalent Canadian jacks) supplied by a telephone or alarm services provider. Our in-line filter design electronically isolates the high-speed DSL and HPN data streams from the voice band modem built into the alarm panel. This design effectively blocks the ADSL, HPN and other radio frequencies from interfering with alarm operation. In addition, it allows for the ADSL and HPN connections to continue operating even during the alarm dialing process.

- Attenuate radio signals picked up by unbalanced equipment acting as an antenna from affecting ADSL or HPN receivers
- Isolate alarm panel equipment impedances from the ADSL and Home Phone Network™ house wiring
- Attenuate ADSL and HPN signals to alarm equipment to prevent conversion into the voice band
- Minimize voice band interference - transmission, signaling and supervision
- FCC CFR 47 Part 68; UL 60950, and CSA 22.2 #950 compliant and listed
- G Lite, V-90 and Metallic Loop Testing (MLT) compatible
- Minimize effects of Alarm dialing to the ADSL modem

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
Z-BLOCKER	DSL ALARM PANEL FILTER	.14/.06	1 EA/BAG

Structured Wiring

Video Amplifier Module

The Bi-Direction Video Amplifier is used for two-way communication network with return path to support pay-per-view or interactive CATV system.

- **Max Location :** 1
- **Gain (dB) Forward/Reverse:** 25/-15
- **Frequency Range (Mhz) - Forward/Reverse:** 54-1000
- **Power Input:** 12V DC, 200mA F Type Female DC Adapter
- **Dimensions (L x H):** 6.3" x 4"



SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
SCPA-1	BI-DIRECTIONAL VIDEO AMPLIFIER	1.1/5	1 EA/BAG

3X8 Video Combiner Module

The 3x8 Video Distribution Module is designed for whole house video distribution. It accommodates CATV plus two AUX inputs for combining modulated signals such as cameras or any video signal, and distributes all channels to eight locations. The Bi-directional traffic with a 5-42MHz return path is perfect for interactive or pay-per-view CATV system.

With the Video Distribution Module, CATV plus any video signals such as DVD, VCR or Camer- as coming from up to eight locations will be combined and distributed to eight rooms. Users could watch DVD, VCR, TV programs or monitor baby rooms or yards through different channel. Therefore, Family members at each location can view all channels without conflicts.

- **Max Location :** 1
- **Gain (dB) Forward/Reverse:** 3/-15
- **Frequency Range (Mhz) - Forward/Reverse:** 54-1000/5-42
- **Power Input:** 12V DC, 200mA F Type Female DC Adapter
- **Dimensions (L x H):** 6.3" x 4"



SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
VDM-8	3X8 VIDEO COMBINER MODULE	2.4/1.1	1 EA/BOX

Video Splitter Module

This Video Splitter Module is used to route the CATV or antenna signal to multiple locations.

- **F-Connector Direction:** Vertical
- **Max Location :** 8
- **Frequency Range (Mhz) - Forward/Reverse:** 5-2300
- **Dimensions (L x H):** 6.3" x 4"




SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
SM-8	8 WAY 3GHz VIDEO SPLITTER	1.2/51	1 EA/BOX

Structured Wiring

Telecom Distribution Modules

The Telecom Distribution Modules provide a structured and concise way for distributing telephone services within a home. Each telecom module supports up to four telephone lines. To setup a telephone distribution system, connect the incoming service line to the module. Users can just connect RJ-45 plug or punch down twisted pair, which comes from each location to a RJ-45 jack or an IDC connector to activate telephone service at each location. Some telecom modules even support security utilities. The RJ-45/RJ-31X security interface enables line seizure and auto dial-out capability for most security systems.



TM-8



- **Max Location & Connector Type:** 8 x RJ-45 TM-8-IDC
- **Expansion Connector:** RJ-45
- **Security Interface:** Yes
- **Line Test Capability:** No
- **Dimensions (L x H):** TM-8 (6.3" x 2") - TM-8-IDC (6.3" x 3")
- **Compliance:** UL 1863

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
TM-8	8 WAY TELECOM MODULE - RJ45	.4/.2	1EA/BOX
TM-8-IDC	8 WAY TELECOM MODULE - IDC TYPE	.6/.3	1EA/BOX

Patch Panel Module

The Patch Panel Module provides network interface for LAN applications and support CAT 5E performance.

- **8 Ports**
- **IDC Directions - Vertical**



PP-8

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
PP-8	8 PORT PATCH PANEL MODULE	.53/.24	1EA/BOX

Universal Mounting Bracket




SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
UMB-3	6.3" X 4" UNIVERSAL MOUNTING BRACKET	.45/.2	1EA/BOX
UMB-4	6.3 X 7" UNIVERSAL MOUNTING BRACKET	.71/.32	1EA/BOX

Structured Wiring


Structured Wiring Panels

Cavity Mount or Surface Mount • Steel and Painted White


There are three types of enclosures designed for residential or commercial. Available in different sizes to accommodate multiple modules for any application. The modular designed technique is for easy-to-install and become very flexible to our customers. The enclosures universally accept modules from top three structured wiring system manufacturers. This allows users to install any module from other manufacturers without having to replace the whole enclosure.




HCC-14
14"H x 14.25"W x 4"D



HCC-18
18"H x 14.25"W x 4"D



HCC-28
28"H x 14.25"W x 4"D



HCC-42
42"H x 14.25"W x 4"D

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
HCC-14	14" PANEL WITH COVER	11/4.8	1 EA/BOX
HCC-14-COV	COVER ONLY		1 EA/BOX
HCC-18	18" PANEL WITH HINGE & LOCK COVER		1 EA/BOX
HCC-28	28" PANEL WITH HINGE & LOCK COVER	19/8.5	1 EA/BOX
HCC-42	42" PANEL WITH HINGE & LOCK COVER	26/11.6	1 EA/BOX

Routers & Switches

Broadband Router

This router is a 4-port Cable/DSL Broadband Router. It provides you an easy and stable way to share your Cable/DSL high speed Internet connection. The built-in NAT technology can act as a firewall to protect your internal network against outside hackers. The 4-port Broadband Router is compatible with most popular operating systems, such as Windows, Linux, Macintosh, etc.

- Complies with the IEEE802.3 and IEEE802.3u standards
- One 10M/100M auto-negotiation WAN port allows you to connect the Router with Cable/DSL modem or other Ethernet devices, such as router, switch, hub, etc.
- Built-in 4-port 10/100Mbps auto-negotiation Fast Ethernet switch allows you to share the single Internet connection with up to 50 computers or network devices
- Supports different Internet connecting modes: PPPoE, DHCP Client and Static IP
- All ports support auto MDI/MDIX function which allows you to connect the devices with the Router by either parallel or cross-over Ethernet cables



SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
RT-1	4 PORT BROADBAND ROUTER	1.5/0.68	1 EA/BOX

Ethernet Switch

The 10/100Mbps Fast Ethernet Switch is designed to provide switching technology at Fast Ethernet speeds. It enables users to share printers, files and access to the high speed network services such as DSL or ISDN within the home or office. The Switches provide plug-and-play installation and a user-friendly design with LEDs to indicate power, Link/Activity and 100Mbps. In addition, the auto MDIX function allows Switch to auto-detect uplink to easily cascade additional hubs, switches and routers from any port.

- Complaint IEEE 802.3 10Base-T and IEEE 802.3u 100Base-TX standards.
- "Store and Forward" architecture filters 10/100Mbps with Full/Half Duplex autodetection/
- IEEE 802.3x or Back Pressure (HDX) Flow Control
- 1K MAC Address with automatic learning and aging
- Throughput: 148800 packets/sec at 100Mbps; r 144880 packets/sec. at 10Mbps (64 Bytes/ Packet) • Emission Certification: FCC/CE/VCCI/BSMI
- Operating Environment: • Temperature: 0 ~ 50 C ; Humidity: 5~90% RH



SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
ESW-1	8 PORT 10/100 ETHERNET SWITCH	1.55/0.7	1 EA/BOX

Low Voltage Mounting Brackets

Nail on Low Voltage Mounting Bracket

Single and 2-gang brackets for the installation of Low Voltage

Features and Benefits

- Non-Metallic
- Built in loop to tie off cable
- Eliminates Pushback
- Comes complete with nails parked in place ready to install
- Installs in 25% less time than steel or plastic mud rings

Dimensions

MBLV-N1: W. 2.81" x H. 4.170" x D. 1.5"

MBLV-N2: W. 5.492 x H. 4.170 x D. 1.5

Patent Pending

NEW PRODUCT



SCP PART #	DESCRIPTION	PKG
MBLV-N1	SINGLE NAIL ON LOW VOLTAGE MOUNTING BRACKET	50PC./BOX
MBLV-N2	2 GANG NAIL ON LOW VOLTAGE MOUNTING BRACKET	25PC./BOX

Low Voltage Mounting Bracket for New Construction

NEW PRODUCT

Designed to install Low Voltage Class 2 only- Mounts vertical or horizontal on wood or metal studs.

Features and Benefits

- Non-Metallic
- Sturdy tabs provide extra-secure vertical or horizontal mounting of class, low voltage wiring
- Versatile LVH1K permits the use of 3/4" EMT or a 1" fitting
- Costs 20% less than metal extensions rings.

Break out the center of the LVH1K to use in 3/4" KO.



Vertical mounting - 3/4" KO.



LVH1K mounted vertical on a wood stud.



For 1" Fitting
To use with a 1" fitting, break the crescent shaped portion out of the circular opening.



Horizontal mounting - center removed for 1" fitting.



LVH1K mounted horizontal on a wood stud.



Dimensions

MBLV-H1: W. 4.552" x H. 4.170" x D. 1.205" Inside W. 2.0

MBLV-H1K: W. 5.492 x H. 4.170 x D. 1.205" Inside W. 2.0


SCP PART #	DESCRIPTION	PKG
MBLV-H1	1" LOW VOLTAGE MOUNTING BRACKET FOR NEW CONSTRUCTION	50PC./BOX
MBLV-H1K	1" & 3/4" LOW VOLTAGE MOUNTING BRACKET FOR NEW CONSTRUCTION	50PC./BOX

Low Voltage Mounting Brackets

Low Voltage Mounting Brackets

NEW PRODUCT

Single through 4-gang brackets for installations on existing construction. Designed to install low voltage class 2 only



Features and Benefits

- Non-Metallic - better than metal and costs less too
- For communications, Cable TV, Computer Wiring
- CAT 5 listed
- Adjusts to fit 1/4" to 1" thick wallboard, paneling or drywall
- Bracket is its own template to cut out
- Specially designed wings flip up when mounting screw tightened for secure mount

Dimensions

MBLV-1: W. 2.81" x H. 4.170" x D. 1.5"
 MBLV-2: W. 5.492 x H. 4.170 x D. 1.5
 MBLV-3: W. 5.492 x H. 4.170 x D. 1.5
 MBLV-4: W. 5.492 x H. 4.170 x D. 1.5

SCP PART #	DESCRIPTION	PKG
MBLV-1	SINGLE LOW VOLTAGE MOUNTING BRACKET	100PC./BOX
MBLV-2	2 GANG LOW VOLTAGE MOUNTING BRACKET	50PC./BOX
MBLV-3	3 GANG LOW VOLTAGE MOUNTING BRACKET	50PC./BOX
MBLV-4	4 GANG LOW VOLTAGE MOUNTING BRACKET	50PC./BOX

Reversible Non-Metallic Cable Entrance Plates

NEW PRODUCT

Single through 4-gang brackets for installations on existing construction. Designed to install low voltage class 2 only

Features and Benefits

- Reversible for Installation versatility - Use it facing in or out
- Offers both cable protection and good looks
- Best way to cover existing cable

Dimensions

MBCE-1: W. 2.85" x H. 4.62" x D. 1.51"
 MBCE-2: W. 4.56 x H. 4.62" x D. 1.5"
 MBCE-H1: W. 4.62 x H. 2.85 x D. 1.75"



SCP PART #	DESCRIPTION	PKG
MBCE-1	SINGLE GANG REVERSIBLE NON METALLIC CABLE ENTRANCE - WHITE/BLACK	25PC/BOX
MBCE-2	2 GANG REVERSIBLE NON METALLIC CABLE ENTRANCE - WHITE/BLACK	25PC/BOX
MBCE-H1	HORIZONTAL SCOOP REVERSIBLE NON METALLIC CABLE ENTRANCE - WHITE/BLACK	25PC/BOX

Tools

Strippers / Cutters



PART# 808

- Strips CAT5e cables
- Will not nick inner conductors



PART# 812

- Cuts solid and stranded wire to 8 AWG and multi-conductor cable up to 1/2" diameter
- Cuts coax cable without deforming dielectric.



PART# 809

- Use of stripping the jacket on RG59/U, RG6/U & RG6U Quad



PART# 818

- Strips RGB mini Cable
- Simple, clean single motion strips cable

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
808	CAT 5e CABLE STRIPPER	.06/.03	1 EA/BOX
809	COAX CABLE STRIPPER	.1/.05	1 EA/BOX
812	COAX CABLE CUTTER & STRIPPER	.4/.2	1 EA/BLISTER
818	RGB MINI STRIPPER	2/.91	1 EA/BOX

Punch Down Tools



PART# 800



PART# 819

- For use on LAN and Telecom, seating 4 to 5 pairs UTP (24 SWG) at one time.
- Suitable for both cable side and cross-connect side terminal blocks
- The terminal block heel with blades are changeable and reversible

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
800	IMPACT PUNCH DOWN TOOL 110 TYPE	.4/.2	1 EA/BLISTER
801	REPLACEMENT BLADES - IMPACT PUNCH DOWN TOOL 110 TYPE	.3/1.5	10 EA/ BAG
819	IMPACT AND PUNCH DOWN TOOL	1.4/.7	1 EA/BLISTER

Tools

Crimp Tools



PART# 802

- Crimps 4,6,8 and 8c keyed module plugs
- All steel construction
- Cuts, strips and crimps



PART# 814

- Works with BNC and F Connectors



PART# 817

- Crimps F, BNC, RCA Compression Connectors
- Works with all SCP Compression Connectors



PART# 816

- Works with SCP's #901 & 902



PART# 820

- All in one termination and wire-cutting tool for 90 degree keystone jacks.
- In one motion terminate and punch down your keystone jack

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
802	MODULAR PLUG CRIMPING TOOL	1.2/6	1 EA/BLISTER
814	DELUXE RATCHET CRIMP TOOL	1.2/6	1 EA/BLISTER
817	COMPRESSION CRIMP TOOL (3-in-1)	1.2/6	1 EA/BOX
816	DELUXE CRIMP TOOL FOR F CONNECTORS	1.2/.51	1 EA/BLISTER
820	TERMINATION/CUTTING TOOL FOR 900 KEYSTONE JACK	1/.46	1 EA/BLISTER

Voice & Data Accessories

Keystone Jacks - Cat 5e, Cat 6 & Cat 3

CAT 3 PART# 103-XX



- Unshielded RJ12 Module Jack 110 IDC
- 6P6C 8 USOC
- UL approved

CAT 5e PART# 101-XX



- 110 Type Termination
- 8P8C • 568A/B wiring
- 50μ Gold plating
- UL approved
- Meets EIA/TIA, TSB40A standard

CAT 6 PART# CAT6-JACK-XX



- Exceeding current TIA/EIA CAT 6 specification to support 1000 Base-T & Gigabit Ethernet system application
- Complying with TIA/EIA-568-B.2-1
- Available in both T568A & T568B universal wiring

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
103-XX	CAT 3 90 DEGREE KEYSTONE VOICE JACK - WHITE, IVORY, ORANGE, ALMOND, LIGHT ALMOND	1/.45	1 EA/PK OF 50
101-XX	CAT 5E 90 DEG KEYSTONE JACK - WHITE, IVORY, BLUE, ALMOND, ORANGE, RED, BLACK, YELLOW, GREEN, LIGHT ALMOND	1/.45	1 EA/PK OF 50
CAT6-JACK-XX	CAT 6 90 DEGREE KEYSTONE JACK - BLUE, WHITE, ALMOND, IVORY, LIGHT ALMOND	1/.45	1 EA/PK OF 50

CAT 5E / CAT 6 Plugs, Couplers



PART# 105

CAT 5E RJ45 MODULAR PLUG

- For round or stranded cable, 50μ gold plated
- UL & CSA Listed



PART# 213

CAT 5E KEYSTONE SURFACE MOUNT BOX




PART# 104A

CAT 5E RJ45 COUPLER

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
104A-XX	CAT 5E INLINE COUPLER PANEL MOUNT - BLACK, WHITE	.7/.32	1 EA/PK OF 50
105	CAT 5E RJ45 8P8C MODULAR PLUGS	.35/.16	100EA/BAG
105A	CAT 5E RJ45 8P8C MODULAR PLUG SHIELDED	.6/.3	100EA/BAG
106	CAT6 RJ45 MODULAR PLUG	.4/.2	100EA/BAG
212-WT	CAT 5E SURF MT. 1 PORT UNLOADED	.5/.23	1 EA/BAG
213-WT	CAT 5E SURF MT 2 PORT UNLOADED	.1/.1	1 EA/BAG
214-WT	TELEPHONE WALL MOUNT PLATE	.1/.1	1 EA/BAG

Voice & Data Accessories

EZ-RJ45 Connectors



The new patented EZ-RJ45® connector simplifies twisted pair terminations by allowing the wires to be inserted through the connector and out the front. This allows the technician to easily verify the proper wiring order. Electrical performance of the termination is optimized by pulling the connector down over the cable jacket and seating it tightly in the rear of the connector. Reducing the distance between the wire twists and contacts improves performance!


- Crimp with the patented EZ-RJ45® Crimp Tool for even faster more reliable terminations
- Compatible with most RJ-45 style crimp tools except for AMP
- EZ to verify wire sequence
- Simple one piece design... no bars or liners
- Reduces scrap, no wasted crimps
- Faster terminations
- More reliable, higher performance

APPLICATION:

- Use in category 3, 5, 5E and 6 compliant data networks and patch cords.

TECHNICAL DATA:

- Compatible with most existing crimp tools except AMP
- 50 micro inch gold plate
- Made in the U.S.A.
- FCC compliant
- UL rated
- Patented



SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
EZ-45	EZ-RJ45 CAT 5E CRIMP PLUGS	.5/.23	100 EA/BAG
EZ-45-SHIELD	EZ-RJ45 CAT 5E SHIELDED CRIMP PLUGS	.6/.27	100 EA/BAG
EZ-45-CAT6	EZ-RJ45 CAT 6 CRIMP PLUGS	.5/.23	100 EA/BAG
EZ-CAT5-SR	EZ-CAT5E STRAIN RELIEF FOR EZ RJ45 CAT5E	.3/.17	50 EA/BAG
EZ-CAT6-SR	EZ-CAT5E STRAIN RELIEF FOR EZ RJ45 CAT6	.3/.17	50 EA/BAG

EZ-Tool-Pro

APPLICATION:

- EZ-45 CAT5 connectors
- EZ-45-CAT6 connectors
- EZ-45-Shielded connectors
- SCP's 105/105A/106 modular plugs
- Compatible with all RJ45, RJ12 and RJ11 modular plug connectors.
- Zero flex frame prevents torque loss during the crimping cycle
- Tool steel die head assembly provides 360 degrees of connector support during crimp
- Clean, ultra flush trim on the EZ-RJ45® extended conductors
- Expanded surface area on contact drivers delivers full, uniform crimp force
- Built in wire cutter and strippers



NEW PRODUCT




SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
EZ-TOOL-PRO	EZ-TOOL PRO CRIMP TOOL	.9/.4	1 EA/BLISTER PK
EZ-BLADE	2 PACK REPLACEMENT BLADES FOR EZ-TOOL	.5/.23	1 EA/BLISTER PK

Fiber Patch Cables


Fiber Patch Cables

MultiMode 62.5/125u (OM1)



SCP PART #	DESCRIPTION	PKG
LC/LC MM D_x		
FJ-2111-C-001	MM LC to LC Duplex Patchcord 2.0mm OFNR PVC Jacket 1 Meter	1EA/BAG
FJ-2111-C-002	MM LC to LC Duplex Patchcord 2.0mm OFNR PVC Jacket 2 Meter	1EA/BAG
FJ-2111-C-003	MM LC to LC Duplex Patchcord 2.0mm OFNR PVC Jacket 3 Meter	1EA/BAG
FJ-2111-C-005	MM LC to LC Duplex Patchcord 2.0mm OFNR PVC Jacket 5 Meter	1EA/BAG
FJ-2111-C-007	MM LC to LC Duplex Patchcord 2.0mm OFNR PVC Jacket 7 Meter	1EA/BAG
FJ-2111-C-010	MM LC to LC Duplex Patchcord 2.0mm OFNR PVC Jacket 10 Meter	1EA/BAG
FJ-2111-C-015	MM LC to LC Duplex Patchcord 2.0mm OFNR PVC Jacket 15 Meter	1EA/BAG
LC/SC MM D_x		
FJ-2112-C-001	MM LC to SC Duplex Patchcord 2.0mm OFNR PVC Jacket 1 Meter	1EA/BAG
FJ-2112-C-002	MM LC to SC Duplex Patchcord 2.0mm OFNR PVC Jacket 2 Meter	1EA/BAG
FJ-2112-C-003	MM LC to SC Duplex Patchcord 2.0mm OFNR PVC Jacket 3 Meter	1EA/BAG
FJ-2112-C-005	MM LC to SC Duplex Patchcord 2.0mm OFNR PVC Jacket 5 Meter	1EA/BAG
FJ-2112-C-007	MM LC to SC Duplex Patchcord 2.0mm OFNR PVC Jacket 7 Meter	1EA/BAG
FJ-2112-C-010	MM LC to SC Duplex Patchcord 2.0mm OFNR PVC Jacket 10 Meter	1EA/BAG
LC/ST MM D_x		
FJ-2113-C-001	MM LC to ST Duplex Patchcord 2.0mm OFNR PVC Jacket 1 Meter	1EA/BAG
FJ-2113-C-002	MM LC to ST Duplex Patchcord 2.0mm OFNR PVC Jacket 2 Meter	1EA/BAG
FJ-2113-C-003	MM LC to ST Duplex Patchcord 2.0mm OFNR PVC Jacket 3 Meter	1EA/BAG
FJ-2113-C-005	MM LC to ST Duplex Patchcord 2.0mm OFNR PVC Jacket 5 Meter	1EA/BAG
FJ-2113-C-007	MM LC to ST Duplex Patchcord 2.0mm OFNR PVC Jacket 7 Meter	1EA/BAG
FJ-2113-C-010	MM LC to ST Duplex Patchcord 2.0mm OFNR PVC Jacket 10 Meter	1EA/BAG
SC/SC MM D_x		
FJ-2122-C-001	MM SC to SC Duplex Patchcord 2.0mm OFNR PVC Jacket 1 Meter	1EA/BAG
FJ-2122-C-002	MM SC to SC Duplex Patchcord 2.0mm OFNR PVC Jacket 2 Meter	1EA/BAG
FJ-2122-C-003	MM SC to SC Duplex Patchcord 2.0mm OFNR PVC Jacket 3 Meter	1EA/BAG
FJ-2122-C-005	MM SC to SC Duplex Patchcord 2.0mm OFNR PVC Jacket 5 Meter	1EA/BAG
FJ-2122-C-007	MM SC to SC Duplex Patchcord 2.0mm OFNR PVC Jacket 7 Meter	1EA/BAG
FJ-2122-C-010	MM SC to SC Duplex Patchcord 2.0mm OFNR PVC Jacket 10 Meter	1EA/BAG
ST/ST MM D_x		
FJ-2133-C-001	MM ST to ST Duplex Patchcord 2.0mm OFNR PVC Jacket 1 Meter	1EA/BAG
FJ-2133-C-002	MM ST to ST Duplex Patchcord 2.0mm OFNR PVC Jacket 2 Meter	1EA/BAG
FJ-2133-C-003	MM ST to ST Duplex Patchcord 2.0mm OFNR PVC Jacket 3 Meter	1EA/BAG
FJ-2133-C-005	MM ST to ST Duplex Patchcord 2.0mm OFNR PVC Jacket 5 Meter	1EA/BAG
FJ-2133-C-007	MM ST to ST Duplex Patchcord 2.0mm OFNR PVC Jacket 7 Meter	1EA/BAG
FJ-2133-C-010	MM ST to ST Duplex Patchcord 2.0mm OFNR PVC Jacket 10 Meter	1EA/BAG

MultiMode 50/125u (OM3)



SCP PART #	DESCRIPTION	PKG
LC/LC MM D_x		
FJ-4111-C-001	MM LC to LC Duplex Patchcord 2.0mm OFNR PVC Jacket 1 Meter	1EA/BAG
FJ-4111-C-002	MM LC to LC Duplex Patchcord 2.0mm OFNR PVC Jacket 2 Meter	1EA/BAG
FJ-4111-C-003	MM LC to LC Duplex Patchcord 2.0mm OFNR PVC Jacket 3 Meter	1EA/BAG
FJ-4111-C-005	MM LC to LC Duplex Patchcord 2.0mm OFNR PVC Jacket 5 Meter	1EA/BAG
FJ-4111-C-007	MM LC to LC Duplex Patchcord 2.0mm OFNR PVC Jacket 7 Meter	1EA/BAG
FJ-4111-C-010	MM LC to LC Duplex Patchcord 2.0mm OFNR PVC Jacket 10 Meter	1EA/BAG
FJ-4111-C-015	MM LC to LC Duplex Patchcord 2.0mm OFNR PVC Jacket 15 Meter	1EA/BAG

Snap In Modules

Snap-in Modules



FOR KEYSTONE AND DECORATOR AVAILABLE COLORS: WHITE, IVORY, ALMOND, LIGHT ALMOND

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
207-XX	BLANK INSERT	.1/.1	10 EA/BAG
208-XX	BNC INSERT	1.7/.78	50 EA/BAG
209-XX	F INSERT	1.1/.5	50 EA/BAG
209G-XX	F INSERT GOLD	1/.45	50 EA/BAG
209-3GHZ-WT	F INSERT 3GHZ	1.8/.82	50 EA/BAG
241-BK-XX	SPEAKER BINDING POST BLACK	1.8/.82	50 EA/BAG
241-RD-XX	SPEAKER BINDING POST RED	1.8/.82	50 EA/BAG
243-BK-XX	RCA INSERT BLACK	1.3/.6	50 EA/BAG
243-BL-XX	RCA INSERT BLUE	1.3/.6	50 EA/BAG
243-GN-XX	RCA INSERT GREEN	1.3/.6	50 EA/BAG
243-RD-XX	RCA INSERT RED	1.3/.6	50 EA/BAG
243-WT-XX	RCA INSERT WHITE	1.3/.6	50 EA/BAG
243-YL-XX	RCA INSERT YELLOW	1.3/.6	50 EA/BAG
245-XX	S VIDEO INSERT	.8/.36	50 EA/BAG
247-XX	F INSERT TO RCA INSERT	1.4/.64	50 EA/BAG
251-WT	HDMI KEYSTONE INSERT	1.9/.86	100 EA/BAG

Wall Plates

Home Theater Wall Plates



PART# 127-WT

7.2 HOME THEATER WALL PLATE

- (7) audio speakers and (2) subwoofers
- Fits on a 3 gang J-box or low voltage mounting bracket



PART# 128-WT

10.2 HOME THEATER WALL PLATE

- (10) audio speakers and (2) subwoofers
- Fits on a 4 gang J-box or low voltage mounting bracket



PART# 129-WT

6.2 HOME THEATER WALL PLATE

- (6) audio speakers and (2) subwoofers
- Fits on a 2 gang J-box or low voltage mounting bracket


- High-impact ABS plastic
- Allows the connections of whole house audio and home theater cables into one convenient wall location
- For multiple audio and video cable professional installations
- 7/16" hex nuts accepts banana plugs or stripped wire creating precise and secure installation
- Gold plated binding post and RCA jacks for excellent sound performance
- Compatible with Dolby Digital sound systems
- Accepts up to 12 AWG wire
- Solderless Type
- UL Approved

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
7.2 HOME THEATER WALL PLATE 127-WT	3 GANG FOR 7.2 SURROUND SOUND - WHITE	.7/.3	1 EA/BLISTER PK
10.2 HOME THEATER WALL PLATE 128-WT	4 GANG FOR 10.2 SURROUND SOUND - WHITE	.9/.41	1 EA/BLISTER PK
6.2 HOME THEATER WALL PLATE 129-WT	2 GANG FOR 6.2 SURROUND SOUND - WHITE	.7/.32	1 EA/BLISTER PK

Wall Plates


Keystone Wall Plates

- High-impact ABS plastic
- Matching color mounting screws
- UL Approved
- Available Colors: White, Ivory, Almond, Light Almond



Mid Size Keystone Wall Plates

Slightly larger than standard, these plates were designed to help hide wall imperfection and installation mistakes. Manufactured with smooth finish high-impact ABS plastic, these superior quality mid-size plates are built to last.



- Size 3 1/8" (W) x 4 7/8" (H) / • High-impact ABS plastic • Matching color mounting screws
- UL Approved • Available Colors: White, Ivory, Almond, Light Almond


SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
201-XX	1 PORT KEYSTONE WALL PLATE	.6/.27	10EA/BOX
202-XX	2 PORT KEYSTONE WALL PLATE	.6/.27	10EA/BOX
203-XX	3 PORT KEYSTONE WALL PLATE	.6/.27	10EA/BOX
204-XX	4 PORT KEYSTONE WALL PLATE	.7/.32	10EA/BOX
206-XX	6 PORT KEYSTONE WALL PLATE	.7/.32	10EA/BOX
2012-XX	12 PORT KEYSTONE WALL PLATE	1.1/.5	10EA/BOX
MID SIZE KEYSTONE WALL PLATES			
301-XX	1 PORT MID-SIZE KEYSTONE WALL PLATES	.8/.36	10EA/BOX
302-XX	2 PORT MID-SIZE KEYSTONE WALL PLATES	.8/.36	10EA/BOX
303-XX	3 PORT MID-SIZE KEYSTONE WALL PLATES	.8/.36	10EA/BOX
304-XX	4 PORT MID-SIZE KEYSTONE WALL PLATES	.8/.36	10EA/BOX
306-XX	6 PORT MID-SIZE KEYSTONE WALL PLATES	.8/.36	10EA/BOX

Wall Plates

Decorator Style Wall Plates

Single Gang Faceplates & Inserts

- High-impact ABS plastic
- Matching color mounting screws
- UL Approved
- Available Colors: White, Ivory, Almond, Light Almond



201D

202D

203D

204D


206D



200D-WT



200D-2G



200D-3G

AVAILABLE COLORS: WHITE, IVORY, ALMOND, LIGHT ALMOND

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
201D-XX	1 PORT DECORATOR WALL PLATE + INSERT - WHITE, ALMOND, IVORY	.8/.36	10 EA/BOX
202D-XX	2 PORT DECORATOR STYLE WALL PLATE + INSERT - WHITE, ALMOND, IVORY	.8/.36	10 EA/BOX
203D-XX	3 PORT DECORATOR STYLE WALL PLATE + INSERT - WHITE, ALMOND, IVORY	.8/.36	10 EA/BOX
204D-XX	4 PORT DECORATOR STYLE WALL PLATE + INSERT - WHITE, ALMOND, IVORY	.8/.36	10 EA/BOX
206D-XX	6 PORT DECORATOR STYLE WALL PLATE + INSERT - WHITE, ALMOND, IVORY	.8/.36	10 EA/BOX
200D-WT	SINGLE GANG FACEPLATE - DECORATOR STYLE - WHITE	.5/.23	10 EA/ 10 PK
200D-2G-XX	DOUBLE GANG FACEPLATE - DECORATOR STYLE - WHITE, ALMOND, IVORY	.5/.23	10 EA/ 10 PK
200D-3G-XX	TRIPLE GANG FACEPLATE - DECORATOR STYLE - WHITE, ALMOND, IVORY	1/.45	10 EA/ 10 PK

Wall Plates

Decorator Style Wall Plates

Single Gang Faceplates & Inserts (4 conductor)

- High-impact ABS plastic
- 4 conductor
- Fits standard electrical boxes
- Screw down inserts
- Matching color mounting screws



PART# 219D AVAILABLE COLORS: WHITE, IVORY, ALMOND, LIGHT ALMOND

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
219D-XX	4C TEL FLUSH JACK/PLATE - DECORATOR STYLE - WHITE, IVORY, ALMOND, LIGHT ALMOND	1/.45	10 EA/10 PK
239D-WT	DUAL TELEPHONE JACK/PLATE - DECORATOR STYLE - WHITE	1/.45	10 EA/10 PK
240D-WT	TELEPHONE + CATV JACK/PLATE GOLD PLATED - DECORATOR STYLE - WHITE	1/.45	10 EA/10 PK
240D-AL	TELEPHONE + CATV JACK/PLATE GOLD PLATED - DECORATOR STYLE - ALMOND	1/.45	10 EA/10 PK
240D-IV	TELEPHONE + CATV JACK/PLATE GOLD PLATED - DECORATOR STYLE - IVORY	1/.45	10 EA/10 PK
241D-WT	CATV JACK/PLATE GOLD PLATED - DECORATOR STYLE - WHITE	1/.45	10 EA/10 PK
241D-AL	CATV JACK/PLATE GOLD PLATED - DECORATOR STYLE - ALMOND	1/.45	10 EA/10 PK
241D-IV	CATV JACK/PLATE GOLD PLATED - DECORATOR STYLE - IVORY	1/.45	10 EA/10 PK

Wall Plates

Telephone & TV Wall Plates

- Screw down terminals
- Smooth finish
- Screw head matches wall plate color
- 6 pos. 4 cond.
- Available Colors: White, Ivory, Almond, Light Almond



219



220



238



239



240



241



242



249



248

AVAILABLE COLORS: WHITE, IVORY, ALMOND, LIGHT ALMOND

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
219-XX	TELEPHONE FLUSH MOUNT WALL PLATE - WHITE, IVORY, ALMOND, LIGHT ALMOND, BLACK	1/.45	1 EA/10PK
220-XX	TELEPHONE WALL MOUNT PLATE KITCHEN - WHITE, IVORY, ALMOND, LIGHT ALMOND, BLACK	1/.45	1 EA/10PK
238-XX	TELEPHONE+ 2 TV WALL PLATE - WHITE, IVORY, ALMOND, LIGHT ALMOND	1/.45	1 EA/10PK
239-XX	DUAL TELEPHONE WALLPLATE - WHITE, IVORY, ALMOND, LIGHT ALMOND	1/.45	1 EA/10PK
240-XX	TV + TELEPHONE COMBO PLATE - WHITE, IVORY, ALMOND, LIGHT, ALMOND	1/.45	1 EA/10PK
241-XX	TV WALL PLATE W/ F 81 - WHITE, IVORY, ALMOND, LIGHT ALMOND	1/.45	1 EA/10PK
242-XX	SINGLE GANG BLANK WALL PLATE - WHITE, IVORY, ALMOND, BLACK, LIGHT ALMOND	1/.45	1 EA/10PK
249-XX	DOUBLE GANG BLANK WALL PLATE - WHITE, IVORY, ALMOND, LIGHT ALMOND	1/.45	1 EA/10PK
248-XX	DUAL CATV WALL PLATE - WHITE, IVORY, ALMOND, LIGHT ALMOND	1/.45	1 EA/10PK

Wall Plates

Pre-Constructed Wall Plates



121



122



123



124



125



126



131

- High-impact ABS plastic
- Matching color mounting screws
- UL Approved

AVAILABLE COLORS: WHITE, IVORY, ALMOND, LIGHT ALMOND

SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
121-XX	1 x CATV + 1 x CAT 5E - WHITE, ALMOND	1/.45	1 EA/10PK
122-XX	1 x CAT 3 (VOICE) + 1 x CAT 5E - WHITE, ALMOND	1/.45	1 EA/10PK
123-XX	1 x CATV + 1 x CAT 3 (VOICE) + 1 x CAT 5E - WHITE, ALMOND	1/.45	1 EA/10PK
124-XX	2 x CATV + 2 x CAT 5E - WHITE, ALMOND	1.5/.68	1 EA/10PK
125-AL	1xHDMI PRECON WALL PLATE - DECORATOR STYLE - WHITE, ALMOND, LIGHT ALMOND	.1/.1	1 EA/BAG
126-AL	1x HDMI+ 3x RCA (RGB) PRECON WALL PLATE - DECORATOR STYLE - ALMOND	.15/.1	1 EA/BAG
126-WT	1x HDMI+ 3x RCA (RGB) PRECON WALL PLATE - DECORATOR STYLE - WHITE	.15/.1	1 EA/BAG
126-IV	1x HDMI+ 3x RCA (RGB) PRECON WALL PLATE - DECORATOR STYLE - IVORY	.15/.1	1 EA/BAG
131-XX	2 HDMI DECORATOR WALL PLATE - WHITE, ALMOND	.15/.1	1 EA/BAG

Wall Plates

Audio / Video Brush Style Wall Plates

NEW PRODUCT


SCP's Audio & Video Brush Plate allows installers to offer a clean on-wall wire management device. There is no need to stock multiple plates and connectors for various wire feeds. SCP's A/V Brush Wall Plate does it all. It permits the installer to easily pass any wire through the plate and still maintain a clean professional appearance.

SCP's A/V Brush Wall Plate is supplied with the Wire Brush Adapter plate, the decorator trim plate and the necessary screws for attachment to your standard electrical box or rough-in-ring.








PROVIDES A CLEAN PROFESSIONAL LOOK

- Perfect for all HDTV and home theater needs
- Face plate is made to fit into a standard wall mount and made of durable ABS plastic
- Fits standard electrical boxes or use rough in mounts found at the hardware stores
- No connectors to figure out just push the cable through the brushes
- Wire Brush adapter, decorator trim plate and screws included
- Brush inserts can also be used on double or triple gang plates
- Available both in White and Black



SCP PART #	DESCRIPTION	WEIGHT (LBS./KG.)	PKG
252	AUDIO/VIDEO BRUSH WALL PLATE BLACK	1/.45	1 EA/10PK
253	AUDIO/VIDEO BRUSH WALL PLATE WHITE	1/.45	1 EA/10PK



SCP → Structured Cable Products

Quality Installations Deserve Quality Products

Structured Cable Products, Inc – Corporate Office

5607 Hiatus Road, Suite 500 • Tamarac FL 33321

Tel: (954) 327-5770 • Fax: (954) 327-8176

Structured Cable Products, Inc – Midwest

1184 W. Corporate Dr. Ste D • Arlington, TX 76006

Tel: (817) 635-2052 • Fax: (817) 635-2056

Structured Cable Products, Inc – West Coast

2514 East Mohawk Lane, Ste.109-110 • Phoenix, AZ 85050

Tel: (602)404-2966 • Fax: (602) 404-2967

Structured Cable Products – EU Distribution Center

Tradeboulevard 4 / Haven 528 • 4761 RL Moerdijk, The Netherlands

EU Sales: sales@scpcat5e.com

Toll Free 866-470-5742 • sales@scpcat5e.com • www.scpcat5e.com

Security, Fire Alarm, Voice & Data, CCTV, HDTV, Structured Wiring, Coaxial, Audio/Video, Specialized Control, Direct Burial

USA
Toll Free

866-470-5742

Intl Direct: +1(954)327-5770 • Email: sales@scpcat5e.com



Most of our products are ROHS compliant