

Quick Guide to Copper Network Cabling Selection


Residential / Light Commercial

100 MHz- CAT5e Ethernet



VERICOM

The Future Of Technology - Today.

CAT5e U/UTP CMR Construction



CAT5e U/UTP CMP Construction



Description	Blue	White
CAT5e U/UTP Solid Riser CMR Cable, 1000ft Pull Box	MBW5U-00932	MBW5U-01441
CAT5e U/UTP Solid Plenum CMP Cable, 1000ft Pull Box	MBW5U-02400	MBW5U-02401
Description	Item No.	
CAT5e RJ45 Clear Connectors, Bag of 50	WRJ45-03439	
Modular Plug Crimping Tool	WTRJC-03632	



WRJ45-03439



WTRJC-03632

Description	Construction	Blue	White
CAT5e UTP RJ45 Keystone Jack	15u" Gold Plated Contacts	MKJ5U-02409	MKJ5U-03719
Description	Item No.		
VGC™ One Step Termination Tool	NT1002		



MKJ5U-03719



NT1002

Description	CAT5e U/UTP Snagless Patch Cables (15u" Gold Plated Contacts)				
Length	Blue	White	Length	Blue	White
1 ft.	XPC5U-00135	XPC5U-00124	7 ft.	XPC5U-02583	XPC5U-02643
2 ft.	XPC5U-00136	XPC5U-00125	10 ft.	XPC5U-02584	XPC5U-02644
3 ft.	XPC5U-00137	XPC5U-00126	15 ft.	XPC5U-00141	XPC5U-00130
4 ft.	XPC5U-02581	XPC5U-02641	25 ft.	XPC5U-00142	XPC5U-00131
5 ft.	XPC5U-02582	XPC5U-02642	50 ft.	XPC5U-00144	XPC5U-00133
6 ft.	XPC5U-00138	XPC5U-00127			



Description		Construction	
CAT5e Patch Panels		15u" Gold Plated Contacts	
12 Port Wall Mount	24 Port Rack Mount	48 Port Rack Mount	
MPP6U-03855	MPP5U-01354	MPP5U-01355	
Description		Item No.	
Deluxe 66/110 Punchdown Tool		WTPDT-03633	

MPP5U-01354



UPP6001-24



Description	24 Port Rack Mount	48 Port Rack Mount
VGS™ Universal Modular Patch Panels With Labels	UPP6001-24	UPP6001-48

Description	1 Port	2 Port	3 Port	4 Port	6 Port	Blank
Keystone Single Gang Faceplates -No Labels (White)	XFPOP-00470	XFPOP-00471	XFPOP-00472	XFPOP-03418	XFPOP-03421	XFPOP-01518
Surface Mount Multimedia Box (White)	SMB-WHT-1	SMB-WHT-2				
Waterfall Faceplate	XFPLV-12506					

Residential and Light Commercial - For low cost short term rentals customers may need plenum cables for overhead spaces. For premium long term rentals customers may want CAT6 (on page 2) and/or a higher performance style VGS™ product (page 3).

Quick Guide to Copper Network Cabling Selection





Residential / Light Commercial

CAT6 Gigabit Ethernet Up 100 meters, 10 Gigabit up to 30 meters (250 MHz)

VERICOM

The Future Of Technology - Today.

VGS6E™ CAT6 U/UTP CMR (No Spline) Construction CAT6 23 AWG U/UTP CMR (W/ Spline) Construction CAT6 U/UTP CMP (W/ Spline) Construction



Description	Blue	White
VGS6E™ CAT 6 U/UTP No-Spline CMR Cable, 1000 FT Pull Box	EP6013R-BL1000FB	EP6013R-WH1000FB
CAT 6 23 AWG U/UTP With Spline CMR Cable, 1000 FT Pull Box	MBW6U-00934	MBW6U-01444
CAT 6 24 AWG U/UTP With Spline CMR Cable, 1000 FT Pull Box*	MBW6U-13081	MBW6U-13082
CAT 6 U/UTP With Spline CMP Cable, 1000 FT Pull Box	MBW6U-02402	MBW6U-02403
Description	Item No.	
CAT6 RJ45 Clear Connectors, Bag of 50	WRJ45-03440	
Modular Plug Crimping Tool	WTRJC-03632	

*MBW6U-130xx Cross Section Not Pictured

Description	Construction	Blue	White
CAT6 UTP RJ45 Keystone Jack	15u" Gold Plated Contacts	MKJ6U-02415	MKJ6U-03670
Description	Item No.		
VGC™ One Step Termination Tool	NT1002		



Description	CAT6 U/UTP Snagless Patch Cables (15u" Gold Plated Contacts)				
Length	Black	Blue	Gray	White	Yellow
1 ft.	XPC6U-00234	XPC6U-00267	XPC6U-00245	XPC6U-00256	XPC6U-02901
2 ft.	XPC6U-00235	XPC6U-00268	XPC6U-00246	XPC6U-00257	XPC6U-02903
3 ft.	XPC6U-00236	XPC6U-00269	XPC6U-00247	XPC6U-00258	XPC6U-02904
4 ft.	XPC6U-02669	XPC6U-02679	XPC6U-02689	XPC6U-02699	XPC6U-02905
5 ft.	XPC6U-02670	XPC6U-02680	XPC6U-02690	XPC6U-02700	XPC6U-02906
6 ft.	XPC6U-00237	XPC6U-00270	XPC6U-00248	XPC6U-00259	XPC6U-02907
7 ft.	XPC6U-02671	XPC6U-02681	XPC6U-02691	XPC6U-02701	XPC6U-02908
10 ft.	XPC6U-02672	XPC6U-02682	XPC6U-02692	XPC6U-02702	XPC6U-02909
15 ft.	XPC6U-00240	XPC6U-00273	XPC6U-00251	XPC6U-00262	XPC6U-02910
25 ft.	XPC6U-00241	XPC6U-00274	XPC6U-00252	XPC6U-00263	XPC6U-02912



Description		Construction	
CAT6 Patch Panels		15u" Gold Plated Contacts	
12 Port Wall Mount	24 Port Rack Mount	48 Port Rack Mount	
MPP6U-03855	MPP6U-01361	MPP6U-01362	
Description		Item No.	
Deluxe 66/110 Punchdown Tool		WTPDT-03633	

MPP6U-01361



WTPDT-03633

Description	1 Port	2 Port	3 Port	4 Port	6 Port	Blank
Keystone Single Gang Faceplates -No Labels (White)	XFPOP-00470	XFPOP-00471	XFPOP-00472	XFPOP-03418	XFPOP-03421	XFPOP-01518
Surface Mount Multimedia Box (White)	SMB-WHT-1	SMB-WHT-2				
Waterfall Faceplate	XFPLV-12506					

Light Commercial - For long term rentals customers may prefer products above but may need plenum cable in overhead spaces.
For premium long term rentals customers may want a higher performance style VGS™ product.

Quick Guide to Copper Network Cabling Selection

Standard Commercial




CAT6 Gigabit Ethernet Up 100 meters, 10 Gigabit up to 30 meters (250 MHz)

VERICOM®

The Future Of Technology - Today.

VGS6™ CAT6 U/UTP CMP (No Spline) Construction

VGS6™ CAT6 U/UTP LP-Certified CMP Construction



Description	Blue	White
VGS6™ CAT 6 U/UTP (No-Spline) CMP Cable, 1000 FT Pull Box	EP6013P-BL1000FB	EP6013P-WH1000FB
VGS6™ CAT 6 U/UTP (With Spline) CMP LP-Certified Cable, 1000 FT Pull Box	SP6013P-BL1000FB	SP6013P-WH1000FB
Description	Item No.	
CAT5e/CAT6 RJ45 Clear Pass-Through Connectors, Bag of 100	WRJ45-12794	
VGC™ RJ45 Crimp Tool CAT5e / CAT6	WTRJC-12795	



Description	Construction	Item No.	
VGS™ Field Terminable Plug (No Tool Req.)	50u" Gold Plated Contacts	MPG601	
Description	Construction	Blue	White
VGS6™ CAT6 RJ45 Keystone Jack	50u" Gold Plated Contacts	MPG6018BL	MPG6018WH
Description	Item No.		
VGS™ One Step Termination Tool	NT1001		



Description	28Flex™ CAT6 U/UTP Patch Cables, Clear Boot (50u" Gold Plated Contacts)				
Item No.	RC6020XXF-MYY				
Specify cable length by substituting XX in the Item # for the following:					
.5 = 0.5 ft.		01 = 1 ft.		02 = 2 ft.	
04 = 4 ft.		05 = 5 ft.		06 = 6 ft.	
10 = 10 ft.		14 = 14 ft.		15 = 15 ft.	
				03 = 3 ft.	
				07 = 7 ft.	
				20 = 10 ft.	
Specify jacket color by substituting YY in the Item # for the following:					
BK	BL	GY	GN	WH	YE



Description	Construction	24 Port	48 Port
VGS6™ CAT6 Rack Mount Patch Panels	50u" Gold Plated Contacts	UPP60WL24	UPP60WL48
Description	Item No.		
Deluxe 66/110 Punchdown Tool	WTPDT-03633		













SMB-WHT-1

SMB-WHT-2

XFPLV-12506

FP2WH1VL

FP2WH2VL

FP2WH3VL

FP2WH4VL

FP2WH6VL

Description	1 Port	2 Port	3 Port	4 Port	6 Port
Keystone Single Gang Faceplates -No Labels (White)	FP2WH61L	FP2WH2VL	FP2WH3VL	FP2WH4VL	FP2WH6VL
Surface Mount Multimedia Box (White)	SMB-WHT-1	SMB-WHT-2			
Waterfall Faceplate	XFPLV-12506				

Standard Commercial and premium long term rentals. Preferred over CAT5e for new or owner occupied buildings.

Quick Guide to Copper Network Cabling Selection


Data Center and High End Commercial

CAT6A 10 Gigabit Ethernet Up 100 meters (550 MHz)



VERICOM

The Future Of Technology - Today.

VGS6A™ CAT6A U/UTP CMR Construction




VGS6A™ CAT6A U/UTP LP-Certified CMP Construction



Description	Blue	White
VGS6A™ CAT 6A U/UTP CMR Cable, 1000 FT RIB	SP6613R-BL1000FB	SP6613R-WH1000FB
VGS6A™ CAT 6A U/UTP LP-Certified CMP Cable, 1000 FT RIB	SP6613P-BL1000FB	SP6613P-WH1000FB


Description	Construction	Blue	White
VGS6A™ CAT6A RJ45 Keystone Jack	50u" Gold Plated Contacts	MPG6618BL	MPG6618WH
Description	Item No.		
VGS™ One Step Termination Tool	NT1001		



Description	28Flex™ CAT6A U/UTP Patch Cables, Clear Boot (50u" Gold Plated Contacts)												
Item No.	RC6620XXF-MYY												
Specify cable length by substituting XX in the Item # for the following:													
.5 = 0.5 ft.			01 = 1 ft.			02 = 2 ft.			03 = 3 ft.				
04 = 4 ft.			05 = 5 ft.			06 = 6 ft.			07 = 7 ft.				
10 = 10 ft.			14 = 14 ft.			15 = 15 ft.			20 = 10 ft.				
Specify jacket color by substituting YY in the Item # for the following:													
BK		BL		GN		GY		OR		PK		PU	
										RE		WH	
												YE	



Description	CAT6A™ CAT6A U/UTP Patch Cables, Clear Boot (50u" Gold Plated Contacts)		
Item No.	RC6600 XXF-MYY		
Specify cable length by substituting XX in the Item # for the following:			
01 = 1 ft.	03 = 3 ft.	05 = 5 ft.	06 = 6 ft.
07 = 7 ft.	10 = 10 ft.	15 = 15 ft.	20 = 20 ft.
25 = 25 ft.	30 = 30 ft.		
Specify jacket color by substituting YY in the Item # for the following:			
BK	BL	GY	WH



Description	Construction	24 Port	48 Port
VGS6A™ CAT6A Rack Mount Patch Panels	50u" Gold Plated Contacts	UPP66WL24	UPP66WL48
Description	Item No.		
Deluxe 66/110 Punchdown Tool	WTPDT-03633		



Description	24 Port Rack Mount	48 Port Rack Mount
VGS™ Universal Modular Patch Panels With Labels	UPP6001-24	UPP6001-48

Description	1 Port	2 Port	3 Port	4 Port	6 Port
Keystone Single Gang Faceplates -No Labels (White)	FP2WH61L	FP2WH2VL	FP2WH3VL	FP2WH4VL	FP2WH6VL
Surface Mount Multimedia Box (White)	SMB-WHT-1	SMB-WHT-2			
Waterfall Faceplate	XFPLV-12506				

Data Center and High End Commercial - think software development, engineering companies, future 10 Gigabit applications.